



Clean Linen #15092F

Safety Data Sheet

This Safety Data Sheet has been prepared in accordance with the New Zealand Hazardous Substances (Safety Data Sheets) Notice 2017 under the Hazardous Substances and New Organisms Act (1996)

Date of issue: 13/05/2020

Revision date: 18/10/2020

Supersedes: V 1.0

Version: 2.0

SECTION 1: Identification of the hazardous chemical and of the supplier

1.1 Product identifier

Product name : Clean Linen #15092F
Product form : Mixture
Type of product : Perfumes, fragrances
Product code : 15092F

1.2 Other means of identification

No additional information available

1.3 Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Perfumes, fragrances

1.4 Supplier's details

CANDLE CREATIONS
34B WILLIAM PICKERING DRIVE,
ROSEDALE, AUCKLAND, 0632,
NEW ZEALAND
T 09-448-1920

info@candlecreations.co.nz

www.candlecreations.co.nz

1.5 Emergency phone number

Emergency number : NZ NATIONAL POISONS CENTRE – 0800 POISON (0800-764-766)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

9.3C Ecotoxicity to terrestrial vertebrates C
6.3A Flammable liquids Not classified
6.5B Skin corrosion/irritation, Category 2
6.8B Skin sensitisation, Category 1
9.1D Reproductive toxicity, Category 2
9.1B Hazardous to the aquatic environment — Acute Hazard, Category 2
Hazardous to the aquatic environment — Chronic Hazard, Category 2

2.2 Label elements

GHS NZ labelling

Hazard pictograms (GHS NZ)



Signal word (GHS NZ)

: Warning

Contains

: Butylphenyl methylpropional (1.24 – 5.24 %) ; Lemon oil (0.93 – 3.93 %) ; Iso E Super (0.62 – 2.62 %) ; Vertenex (0.62 – 2.62 %) ; Hexyl salicylate (0.465 – 1.965 %) ; Linalool (0.31 – 1.31 %) ; L-Carvone (0.1 – 1 %) ; d-Limonene (0.03 – 0.5 %) ; Cyclamal (0.1 – 1 %) ; Aldehyde C-12 (0.1 – 1 %) ; Linalyl acetate (0.1 – 1 %) ; Lyrall (0.1 – 1 %) ; Isocyclocitral (0.1 – 1 %) ; Triplal (Vertocitral) (0.1 – 1 %) ; Rose oxide (0.1 – 1 %) ; Geranium oil Egyptian (0.1 – 1 %) ; p-Mentha-1,4-diene (0.01 – 0.2 %) ; Terpinolene (0.0025 – 0.1 %) ; Eucalyptol (0.001 – 0.1 %) ; Bisabolene, .beta.- (0.001 – 0.1 %)

Hazard statements (GHS NZ)

: H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H361 - Suspected of damaging fertility or the unborn child.
H401 - Toxic to aquatic life
H411 - Toxic to aquatic life with long lasting effects.
H433 - Harmful to terrestrial vertebrates

Prevention

: P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P264 - Wash hands thoroughly after handling
P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.

Response

: P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

2.3 Other hazards not contributing to the classification

No additional information available

Clean Linen #15092F

Safety Data Sheet

SECTION 3: Composition and information of the ingredients of the hazardous chemical

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to GHS NZ
Butylphenyl methylpropional	(CAS-No.) 80-54-6	1.24 – 5.24	9.3C: Ecotoxicity to terrestrial vertebrates C, H433 3.1D: Flam. Liq. 4, H227 6.1D: Acute Tox. 4 (Oral), H302 Acute Tox. Not classified (Dermal) 6.3A: Skin Irrit. 2, H315 6.5B: Skin Sens. 1, H317 6.8B: Repr. 2, H361 9.1D: Aquatic Acute 2, H401 9.1B: Aquatic Chronic 2, H411
Lemon oil	(CAS-No.) 8008-56-8	0.93 – 3.93	3.1C: Flam. Liq. 3, H226 6.1E: Acute Tox. 5 (Oral), H303 6.3A: Skin Irrit. 2, H315 6.5B: Skin Sens. 1, H317 9.1A: Aquatic Chronic 1, H410
Benzyl acetate	(CAS-No.) 140-11-4	0.93 – 3.93	3.1D: Flam. Liq. 4, H227 6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) 9.1C: Aquatic Chronic 3, H412
Hedione	(CAS-No.) 24851-98-7	0.775 – 3.275	Flam. Liq. Not classified Acute Tox. Not classified (Oral) 9.1D: Aquatic Acute 3, H402
Iso E Super	(CAS-No.) 54464-57-2	0.62 – 2.62	Flam. Liq. Not classified 6.5B: Skin Sens. 1, H317 9.1B: Aquatic Chronic 2, H411
Dihydromyrcenol	(CAS-No.) 18479-58-8	0.62 – 2.62	3.1D: Flam. Liq. 4, H227 6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319
Methyl ionone (mixture of isomers)	(CAS-No.) 1335-46-2	0.62 – 2.62	Flam. Liq. Not classified Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 9.1D: Aquatic Acute 2, H401 9.1B: Aquatic Chronic 2, H411
Vertenex	(CAS-No.) 32210-23-4	0.62 – 2.62	Flam. Liq. Not classified 6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) 6.5B: Skin Sens. 1, H317 9.1D: Aquatic Acute 2, H401
Verdyl acetate	(CAS-No.) 5413-60-5	0.62 – 2.62	Flam. Liq. Not classified 9.1C: Aquatic Chronic 3, H412
Hexamethylindanopyran	(CAS-No.) 1222-05-5	0.62 – 2.62	Flam. Liq. Not classified 9.1A: Aquatic Acute 1, H400 9.1A: Aquatic Chronic 1, H410
Benzyl benzoate	(CAS-No.) 120-51-4	0.62 – 2.62	9.3B: Ecotoxicity to terrestrial vertebrates B, H432 Flam. Liq. Not classified 6.1D: Acute Tox. 4 (Oral), H302 6.1E: Acute Tox. 5 (Dermal), H313 9.1D: Aquatic Acute 2, H401 9.1B: Aquatic Chronic 2, H411
Hexyl salicylate	(CAS-No.) 6259-76-3	0.465 – 1.965	Flam. Liq. Not classified Acute Tox. Not classified (Oral) 6.3A: Skin Irrit. 2, H315 6.5B: Skin Sens. 1, H317 9.1A: Aquatic Chronic 1, H410
Linalool	(CAS-No.) 78-70-6	0.31 – 1.31	3.1D: Flam. Liq. 4, H227 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317
Rose oxide	(CAS-No.) 16409-43-1	0.1–1	3.1D: Flam. Liq. 4, H227 6.1E: Acute Tox. 5 (Oral), H303 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 6.8B: Repr. 2, H361
Isocyclocitral	(CAS-No.) 1335-66-6	0.1–1	3.1D: Flam. Liq. 4, H227 6.1E: Acute Tox. 5 (Oral), H303 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317 9.1C: Aquatic Chronic 3, H412

Clean Linen #15092F

Safety Data Sheet

Name	Product identifier	%	Classification according to GHS NZ
Rosalva	(CAS-No.) 13019-22-2	0.1–1	Flam. Liq. Not classified 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319
Floropal	(CAS-No.) 5182-36-5	0.1–1	Flam. Liq. Not classified 6.1D: Acute Tox. 4 (Oral), H302 9.1C: Aquatic Chronic 3, H412
Melonol	(CAS-No.) 106-72-9	0.1–1	3.1C: Flam. Liq. 3, H226 Acute Tox. Not classified (Oral)
Triplal (Vertocitral)	(CAS-No.) 68039-49-6	0.1–1	3.1D: Flam. Liq. 4, H227 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317 9.1C: Aquatic Chronic 3, H412
Anisic aldehyde	(CAS-No.) 123-11-5	0.1–1	Flam. Liq. Not classified Acute Tox. Not classified (Dermal) 9.1C: Aquatic Chronic 3, H412
Aldehyde C-8	(CAS-No.) 124-13-0	0.1–1	3.1C: Flam. Liq. 3, H226 6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 9.1B: Aquatic Chronic 2, H411
Freskomenthe	(CAS-No.) 14765-30-1	0.1–1	3.1D: Flam. Liq. 4, H227 6.1E: Acute Tox. 5 (Oral), H303 6.3A: Skin Irrit. 2, H315
Ethyl vanillin crystals	(CAS-No.) 121-32-4	0.1–1	9.3C: Ecotoxicity to terrestrial vertebrates C, H433 6.1D: Acute Tox. 4 (Oral), H302 6.4A: Eye Irrit. 2, H319 9.1D: Aquatic Acute 3, H402
Leaf alcohol	(CAS-No.) 928-96-1	0.1–1	3.1C: Flam. Liq. 3, H226 6.1E: Acute Tox. 5 (Oral), H303 6.1E: Acute Tox. 5 (Dermal), H313 6.4A: Eye Irrit. 2, H319 Aquatic Acute Not classified
L-Carvone	(CAS-No.) 6485-40-1	0.1–1	3.1D: Flam. Liq. 4, H227 Acute Tox. Not classified (Oral) 6.5B: Skin Sens. 1, H317 9.1D: Aquatic Acute 2, H401
Citronellyl nitrile	(CAS-No.) 51566-62-2	0.1–1	Flam. Liq. Not classified Acute Tox. Not classified (Oral)
Oranger Crystals	(CAS-No.) 93-08-3	0.1–1	6.1D: Acute Tox. 4 (Oral), H302 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 9.1B: Aquatic Chronic 2, H411
Styralyl acetate	(CAS-No.) 93-92-5	0.1–1	3.1D: Flam. Liq. 4, H227 Acute Tox. Not classified (Oral) 9.1D: Aquatic Acute 3, H402
Cyclamal	(CAS-No.) 103-95-7	0.1–1	3.1D: Flam. Liq. 4, H227 6.1E: Acute Tox. 5 (Oral), H303 6.3A: Skin Irrit. 2, H315 6.5B: Skin Sens. 1, H317 9.1B: Aquatic Chronic 2, H411
Aldehyde C-12	(CAS-No.) 112-54-9	0.1–1	Flam. Liq. Not classified Acute Tox. Not classified (Oral) 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317
Linalyl acetate	(CAS-No.) 115-95-7	0.1–1	3.1D: Flam. Liq. 4, H227 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317 9.1D: Aquatic Acute 3, H402
Lylal	(CAS-No.) 31906-04-4	0.1–1	Flam. Liq. Not classified 6.1E: Acute Tox. 5 (Oral), H303 6.5B: Skin Sens. 1, H317
d-Limonene	(CAS-No.) 5989-27-5	0.03 – 0.5	3.1C: Flam. Liq. 3, H226 6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) 6.3A: Skin Irrit. 2, H315 6.5B: Skin Sens. 1, H317 6.1E: Asp. Tox. 1, H304 9.1A: Aquatic Acute 1, H400 9.1A: Aquatic Chronic 1, H410
p-Mentha-1,4-diene	(CAS-No.) 99-85-4	0.01 – 0.2	3.1C: Flam. Liq. 3, H226 6.1E: Acute Tox. 5 (Oral), H303 6.8B: Repr. 2, H361 6.1E: Asp. Tox. 1, H304

Clean Linen #15092F

Safety Data Sheet

Name	Product identifier	%	Classification according to GHS NZ
Terpinolene	(CAS-No.) 586-62-9	0.0025 – 0.1	3.1D: Flam. Liq. 4, H227 6.1E: Acute Tox. 5 (Oral), H303 6.5B: Skin Sens. 1, H317 6.1E: Asp. Tox. 1, H304 9.1A: Aquatic Acute 1, H400 9.1A: Aquatic Chronic 1, H410
alpha-Terpineol	(CAS-No.) 98-55-5	0.0025 – 0.1	3.1D: Flam. Liq. 4, H227 Acute Tox. Not classified (Oral) 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319
1,4-Cineole	(CAS-No.) 470-67-7	0.001 – 0.1	3.1C: Flam. Liq. 3, H226 6.1E: Acute Tox. 5 (Oral), H303
Eucalyptol	(CAS-No.) 470-82-6	0.001 – 0.1	3.1C: Flam. Liq. 3, H226 6.1E: Acute Tox. 5 (Oral), H303 6.5B: Skin Sens. 1, H317 9.1D: Aquatic Acute 3, H402
Myrcene	(CAS-No.) 123-35-3	0.001 – 0.1	3.1C: Flam. Liq. 3, H226 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 6.1E: Asp. Tox. 1, H304 9.1A: Aquatic Acute 1, H400 9.1B: Aquatic Chronic 2, H411
beta-Pinene	(CAS-No.) 127-91-3	0.001 – 0.025	3.1C: Flam. Liq. 3, H226 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal)
alpha-Pinene	(CAS-No.) 80-56-8	0.001 – 0.025	3.1C: Flam. Liq. 3, H226 6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) 6.3A: Skin Irrit. 2, H315 6.5B: Skin Sens. 1, H317 6.1E: Asp. Tox. 1, H304 9.1A: Aquatic Acute 1, H400
Camphene	(CAS-No.) 79-92-5	0.00025 – 0.01	4.1.1B: Flam. Sol. 2, H228 6.4A: Eye Irrit. 2, H319 9.1A: Aquatic Chronic 1, H410
p-Cymene	(CAS-No.) 99-87-6		3.1C: Flam. Liq. 3, H226 6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) Acute Tox. Not classified (Inhalation:dust,mist) 6.8B: Repr. 2, H361 6.1E: Asp. Tox. 1, H304 9.1B: Aquatic Chronic 2, H411

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : IF exposed or concerned: Get medical advice/attention. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.
- First-aid measures after skin contact : If skin irritation occurs: Get medical advice/attention. Wash with plenty of water/.... If skin irritation or rash occurs: Get medical advice/attention. Get medical advice/attention. Specific treatment (see Wash skin with plenty of water, Call a physician immediately on this label). Wash contaminated clothing before reuse. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.
- Symptoms/effects after inhalation : May cause an allergic skin reaction.
- Symptoms/effects after skin contact : Causes skin irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.

Clean Linen #15092F

Safety Data Sheet

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

EAC code : •3Z - •3Z

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

SECTION 7: Handling and storage, including how the chemical may be safely used

7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust, fume, gas, mist, spray, vapours. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Benzyl acetate (140-11-4)	
Malaysia - Occupational Exposure Limits	
PEL TWA (mg/m ³)	61 mg/m ³
PEL TWA (ppm)	10 ppm
China - Occupational Exposure Limits	
Catalogue of Occupational Hazard Factors	Category 3 - Chemicals
USA - ACGIH - Occupational Exposure Limits	
ACGIH TWA (ppm)	10 ppm
ACGIH chemical category	Not Classifiable as a Human Carcinogen
L-Carvone (6485-40-1)	
Korea - Occupational Exposure Limits	
ISHA	Name, Toxicity and Protective Measures of New Chemical
Freskomenthe (14765-30-1)	
Korea - Occupational Exposure Limits	
ISHA	Name, Toxicity and Protective Measures of New Chemical

Clean Linen #15092F

Safety Data Sheet

Melonal (106-72-9)	
Korea - Occupational Exposure Limits	
ISHA	Name, Toxicity and Protective Measures of New Chemical
Rose oxide (16409-43-1)	
Korea - Occupational Exposure Limits	
ISHA	Name, Toxicity and Protective Measures of New Chemical
alpha-Pinene (80-56-8)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH TWA (ppm)	20 ppm (Turpentine and selected monoterpenes)
ACGIH chemical category	dermal sensitizer, Not Classifiable as a Human Carcinogen
beta-Pinene (127-91-3)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH TWA (ppm)	20 ppm (Turpentine and selected monoterpenes)
ACGIH chemical category	dermal sensitizer, Not Classifiable as a Human Carcinogen
d-Limonene (5989-27-5)	
Germany - Occupational Exposure Limits (TRGS 900)	
Occupational exposure limit value (mg/m ³)	28 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Occupational exposure limit value (ppm)	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Chemical category	Skin notation, Skin sensitization

Exposure limit values for the other components

No additional information available

8.2. Monitoring

No additional information available

8.3. Appropriate engineering controls

No additional information available

8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear appropriate mask

SECTION 9: Physical and chemical properties

Physical state	: Liquid
Appearance	: No data available
Colour	: light yellow, amber
Odour	: characteristic
Odour threshold	: No data available
pH	: No data available
Evaporation rate	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point / Freezing point	: No data available
Boiling point	: No data available
Flash point	: 93.33 °C
Auto-ignition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative density	: No data available
Density	: Relative density : 0.94
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available

Clean Linen #15092F

Safety Data Sheet

Explosive limits	: No data available
Minimum ignition energy	: No data available

SECTION 10: Stability and reactivity

Chemical stability	: Not established.
Possibility of hazardous reactions	: Not established.
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
Incompatible materials	: Strong acids. Strong bases.
Hazardous decomposition products	: fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Butylphenyl methylpropional (80-54-6)	
LD50 oral rat	1390 mg/kg
LD50 oral	1390 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 1802 mg/m ³ (Exposure time: 4 h)
Benzyl acetate (140-11-4)	
LD50 oral rat	2490 mg/kg
LD50 oral	2490 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
Lemon oil (8008-56-8)	
LD50 oral rat	2840 mg/kg
Hedione (24851-98-7)	
LD50 oral rat	> 5 g/kg
Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg
LD50 oral	1500 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg
LD50 dermal	4000 mg/kg bodyweight
Hexamethylindanopyran (1222-05-5)	
LD50 oral rat	> 3250 mg/kg
LD50 dermal rabbit	> 3250 mg/kg
Verdyl acetate (5413-60-5)	
LD50 oral	3050 mg/kg bodyweight
Vertenex (32210-23-4)	
LD50 oral rat	5 g/kg
LD50 oral	3370 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
Methyl ionone (mixture of isomers) (1335-46-2)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LD50 dermal	2900 mg/kg bodyweight
Dihydromyrcenol (18479-58-8)	
LD50 oral rat	3600 mg/kg
LD50 oral	3600 mg/kg bodyweight
LD50 dermal rabbit	> 5 g/kg
Hexyl salicylate (6259-76-3)	
LD50 oral rat	> 5 g/kg
Linalool (78-70-6)	
LD50 oral	2790 mg/kg bodyweight
Lylal (31906-04-4)	
LD50 oral rat	3250 µl/kg
Linalyl acetate (115-95-7)	
LD50 oral rat	14550 mg/kg

Clean Linen #15092F

Safety Data Sheet

Linalyl acetate (115-95-7)	
LD50 dermal rabbit	> 5000 mg/kg
Aldehyde C-12 (112-54-9)	
LD50 oral rat	23 g/kg
Cyclamal (103-95-7)	
LD50 oral rat	3810 mg/kg
LD50 oral	3810 mg/kg bodyweight
Styralyl acetate (93-92-5)	
LD50 oral rat	> 5 g/kg
Oranger Crystals (93-08-3)	
LD50 oral	2500 mg/kg bodyweight
Citronellyl nitrile (51566-62-2)	
LD50 oral rat	5300 mg/kg
LD50 oral	4490 mg/kg bodyweight
L-Carvone (6485-40-1)	
LD50 oral rat	5400 mg/kg
LD50 dermal	3800 mg/kg bodyweight
Leaf alcohol (928-96-1)	
LD50 oral rat	4700 mg/kg
LD50 dermal rabbit	5000 mg/kg
Ethyl vanillin crystals (121-32-4)	
LD50 oral rat	1590 mg/kg
LD50 oral	3000 mg/kg bodyweight
Freskomenthe (14765-30-1)	
LD50 oral rat	2400 mg/kg
LD50 oral	2400 mg/kg bodyweight
Aldehyde C-8 (124-13-0)	
LD50 oral rat	4616 mg/kg
LD50 dermal rabbit	5207 mg/kg
LC50 inhalation rat (mg/l)	> 4.7 mg/l/4h
Anisic aldehyde (123-11-5)	
LD50 oral rat	> 2000 mg/kg
LD50 oral	3210 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 0.32 mg/l (Exposure time: 7 h)
Triplal (Vertocitral) (68039-49-6)	
LD50 oral	3900 mg/kg bodyweight
Melonal (106-72-9)	
LD50 oral rat	> 5 g/kg
Isocyclocitral (1335-66-6)	
LD50 oral rat	4500 mg/kg
LD50 oral	3220 mg/kg bodyweight
Floropal (5182-36-5)	
LD50 oral	880 mg/kg bodyweight
Rose oxide (16409-43-1)	
LD50 oral rat	4300 mg/kg
LD50 oral	4300 mg/kg bodyweight
Camphene (79-92-5)	
LD50 oral rat	5600 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
alpha-Pinene (80-56-8)	
LD50 oral rat	3700 mg/kg
LD50 oral	500 mg/kg bodyweight
LD50 dermal rat	> 5000 mg/kg
Myrcene (123-35-3)	
LD50 oral rat	> 5 g/kg
LD50 dermal rabbit	> 5 g/kg

Clean Linen #15092F

Safety Data Sheet

Eucalyptol (470-82-6)	
LD50 oral rat	2480 mg/kg
LD50 oral	2480 mg/kg bodyweight
p-Cymene (99-87-6)	
LD50 oral rat	4750 mg/kg
LD50 oral	4750 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 9.7 mg/l (Exposure time: 5 h)
1,4-Cineole (470-67-7)	
LD50 oral rat	3100 mg/kg
LD50 oral	3100 mg/kg bodyweight
beta-Pinene (127-91-3)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
alpha-Terpineol (98-55-5)	
LD50 oral rat	5170 mg/kg
LD50 oral	4300 mg/kg bodyweight
Terpinolene (586-62-9)	
LD50 oral rat	4390 mg/kg
LD50 oral	3775 mg/kg bodyweight
p-Mentha-1,4-diene (99-85-4)	
LD50 oral rat	3650 mg/kg
LD50 oral	3850 mg/kg bodyweight
d-Limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5 g/kg
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

Clean Linen #15092F	
Viscosity, kinematic	
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity	
Ecology - water	: Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.
Soil toxicity	: Not classified
Terrestrial vertebrate toxicity	: Harmful to terrestrial vertebrates.
Terrestrial invertebrate toxicity	: Not classified
Other information	: Avoid release to the environment.

Butylphenyl methylpropional (80-54-6)	
LC50 fish 1	2.2 – 4.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
EC50 Daphnia 1	10.7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Partition coefficient n-octanol/water (Log Pow)	4.2 (at 24 °C)
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	1390 mg/kg

Clean Linen #15092F

Safety Data Sheet

Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	1.96
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	2490 mg/kg
Lemon oil (8008-56-8)	
LD50 oral rat	2840 mg/kg
Hedione (24851-98-7)	
LC50 fish 1	19 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static])
LD50 oral rat	> 5 g/kg
Benzyl benzoate (120-51-4)	
LC50 fish 1	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic)	0.168 mg/l
Partition coefficient n-octanol/water (Log Pow)	4
LD50 dermal rabbit	4000 mg/kg
LD50 oral rat	500 mg/kg
Hexamethylindanopyran (1222-05-5)	
LC50 fish 1	0.452 mg/l Wolf, 1996d-27682
LC50 other aquatic organisms 1	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 Daphnia 2	260 µg/l REACH Dossier
EC50 other aquatic organisms 1	0.131 mg/l REACH Dossier
LD50 dermal rabbit	> 3250 mg/kg
LD50 oral rat	> 3250 mg/kg
Vertenex (32210-23-4)	
LC50 fish 1	8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	5 g/kg
Methyl ionone (mixture of isomers) (1335-46-2)	
LC50 fish 1	2.3 mg/l (Exposure time: 96 h - Species: Danio rerio [static])
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	> 5000 mg/kg
Dihydromyrcenol (18479-58-8)	
LD50 dermal rabbit	> 5 g/kg
LD50 oral rat	3600 mg/kg
Hexyl salicylate (6259-76-3)	
LD50 oral rat	> 5 g/kg
Lylal (31906-04-4)	
LD50 oral rat	3250 µl/kg
Linalyl acetate (115-95-7)	
LC50 fish 1	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	14550 mg/kg
Aldehyde C-12 (112-54-9)	
LD50 oral rat	23 g/kg
Cyclamal (103-95-7)	
LD50 oral rat	3810 mg/kg
Styralyl acetate (93-92-5)	
LC50 fish 1	18.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
LD50 oral rat	> 5 g/kg
Citronellyl nitrile (51566-62-2)	
LD50 oral rat	5300 mg/kg
L-Carvone (6485-40-1)	
LC50 fish 1	6.1 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])
LD50 oral rat	5400 mg/kg
Leaf alcohol (928-96-1)	
LC50 fish 1	352 – 412 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LD50 dermal rabbit	5000 mg/kg
LD50 oral rat	4700 mg/kg
Ethyl vanillin crystals (121-32-4)	
LC50 fish 1	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])

Clean Linen #15092F

Safety Data Sheet

Ethyl vanillin crystals (121-32-4)	
LD50 oral rat	1590 mg/kg
Freskomenthe (14765-30-1)	
LD50 oral rat	2400 mg/kg
Aldehyde C-8 (124-13-0)	
LD50 dermal rabbit	5207 mg/kg
LD50 oral rat	4616 mg/kg
Anisic aldehyde (123-11-5)	
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	> 2000 mg/kg
Melonal (106-72-9)	
LD50 oral rat	> 5 g/kg
Isocyclocitral (1335-66-6)	
LD50 oral rat	4500 mg/kg
Rose oxide (16409-43-1)	
LD50 oral rat	4300 mg/kg
Camphene (79-92-5)	
LC50 fish 1	0.72 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [flow-through])
LC50 fish 2	150 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
EC50 Daphnia 1	22 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h algae (1)	> 1000 mg/l (Species: Desmodesmus subspicatus)
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	5600 mg/kg
alpha-Pinene (80-56-8)	
LC50 fish 1	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Partition coefficient n-octanol/water (Log Pow)	4.1
	> 5000 mg/kg
LD50 oral rat	3700 mg/kg
Myrcene (123-35-3)	
LD50 dermal rabbit	> 5 g/kg
LD50 oral rat	> 5 g/kg
Eucalyptol (470-82-6)	
LC50 fish 1	95.4 (95.4 – 109) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LD50 oral rat	2480 mg/kg
1,4-Cineole (470-67-7)	
LD50 oral rat	3100 mg/kg
beta-Pinene (127-91-3)	
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	> 5000 mg/kg
alpha-Terpineol (98-55-5)	
LD50 oral rat	5170 mg/kg
Terpinolene (586-62-9)	
LC50 fish 1	0.805 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
LD50 oral rat	4390 mg/kg
p-Mentha-1,4-diene (99-85-4)	
LD50 oral rat	3650 mg/kg
d-Limonene (5989-27-5)	
LC50 fish 1	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
LD50 dermal rabbit	> 5 g/kg
LD50 oral rat	4400 mg/kg
12.2. Persistence and degradability	
Clean Linen #15092F	
Persistence and degradability	May cause long-term adverse effects in the environment. Not established.
Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.

Clean Linen #15092F

Safety Data Sheet

12.3. Bioaccumulative potential

Clean Linen #15092F	
Bioaccumulative potential	Not established.
Butylphenyl methylpropional (80-54-6)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Bioaccumulative potential	Not established.
alpha-Pinene (80-56-8)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
p-Cymene (99-87-6)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Partition coefficient n-octanol/water (Log Kow)	See section 12.1 on ecotoxicology

12.4. Mobility in soil

Clean Linen #15092F	
Mobility in soil	No additional information available
Butylphenyl methylpropional (80-54-6)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
alpha-Pinene (80-56-8)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
p-Cymene (99-87-6)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Partition coefficient n-octanol/water (Log Kow)	See section 12.1 on ecotoxicology

12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available

SECTION 13: Disposal considerations

Product/Packaging disposal recommendations	: Dispose of contents/container in accordance with local/national laws and regulations. Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

UN-No.(UN RTDG)	: Not applicable
UN-No. (IMDG)	: 3082
UN-No. (IATA)	: 3082

14.2. Proper Shipping Name

Proper Shipping Name (UN RTDG)	: Not applicable
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran)
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s. (Hexamethylindanopyran)

14.3. Transport hazard class(es)

UN RTDG

Transport hazard class(es) (UN RTDG)	: Not applicable
	:



IMDG

Transport hazard class(es) (IMDG)	: 9
-----------------------------------	-----

Clean Linen #15092F

Safety Data Sheet

Danger labels (IMDG) : 9



IATA

Transport hazard class(es) (IATA) : 9

Danger labels (IATA) : 9



14.4. Packing group

Packing group (UN RTDG) : Not applicable

Packing group (IMDG) : III

Packing group (IATA) : III

14.5. Environmental hazards

Dangerous for the environment : True

Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

UN RTDG

No data available

IMDG

Special provisions (IMDG) : 274, 335

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P001, LP01

Special packing provisions (IMDG) : PP1

IBC packing instructions (IMDG) : IBC03

Tank instructions (IMDG) : T4

Tank special provisions (IMDG) : TP2, TP29

EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE

EmS-No. (Spillage) : S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS

Stowage category (IMDG) : A

IATA

PCA Excepted quantities (IATA) : E1

PCA Limited quantities (IATA) : Y964

PCA limited quantity max net quantity (IATA) : 30kgG

PCA packing instructions (IATA) : 964

PCA max net quantity (IATA) : 450L

CAO packing instructions (IATA) : 964

CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158

ERG code (IATA) : 9L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

14.8. Hazchem or Emergency Action Code

EAC code : +3Z.

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

Food Additives and Fragrance Materials (Subsidiary Hazard) Group Standard 2017

Clean Linen #15092F

Safety Data Sheet

HSNO Approval Number : HSR002578

Benzyl acetate (140-11-4)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR002908

Lemon oil (8008-56-8)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003520

Benzyl benzoate (120-51-4)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003504

Linalool (78-70-6)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003500

Lylal (31906-04-4)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003512

Linalyl acetate (115-95-7)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003499

Aldehyde C-12 (112-54-9)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR004048

Oranger Crystals (93-08-3)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR005461

Leaf alcohol (928-96-1)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003488

Ethyl vanillin crystals (121-32-4)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR004802

Aldehyde C-8 (124-13-0)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR004049

Anisic aldehyde (123-11-5)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003496

Triplal (Vertocitral) (68039-49-6)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003489

Clean Linen #15092F

Safety Data Sheet

Rosalva (13019-22-2)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR005581

Camphene (79-92-5)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR001430

alpha-Pinene (80-56-8)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR001211

Myrcene (123-35-3)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR001408

Eucalyptol (470-82-6)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR006668

p-Cymene (99-87-6)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR001114

beta-Pinene (127-91-3)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR001396

Terpinolene (586-62-9)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR001222

d-Limonene (5989-27-5)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR002725

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Issue date : 5/13/2020

Other information : None.

Full text of H-statements:

3.1C: Flam. Liq. 3	3.1C: Flammable liquids, Category 3
3.1D: Flam. Liq. 4	3.1D: Flammable liquids, Category 4
4.1.1B: Flam. Sol. 2	4.1.1B: Flammable solids, Category 2
6.1D: Acute Tox. 4 (Oral)	6.1D: Acute toxicity (oral), Category 4
6.1E: Acute Tox. 5 (Dermal)	6.1E: Acute toxicity (dermal), Category 5
6.1E: Acute Tox. 5 (Oral)	6.1E: Acute toxicity (oral), Category 5
6.1E: Asp. Tox. 1	6.1E: Aspiration hazard, Category 1
6.3A: Skin Irrit. 2	6.3A: Skin corrosion/irritation, Category 2

Clean Linen #15092F

Safety Data Sheet

6.4A: Eye Irrit. 2	6.4A: Serious eye damage/eye irritation, Category 2
6.5B: Skin Sens. 1	6.5B: Skin sensitisation, Category 1
6.8B: Repr. 2	6.8B: Reproductive toxicity, Category 2
9.1A: Aquatic Acute 1	9.1A: Hazardous to the aquatic environment — Acute Hazard, Category 1
9.1A: Aquatic Chronic 1	9.1A: Hazardous to the aquatic environment — Chronic Hazard, Category 1
9.1B: Aquatic Chronic 2	9.1B: Hazardous to the aquatic environment — Chronic Hazard, Category 2
9.1C: Aquatic Chronic 3	9.1C: Hazardous to the aquatic environment — Chronic Hazard, Category 3
9.1D: Aquatic Acute 2	9.1D: Hazardous to the aquatic environment — Acute Hazard, Category 2
9.1D: Aquatic Acute 3	9.1D: Hazardous to the aquatic environment — Acute Hazard, Category 3
9.3B: Ecotoxicity to terrestrial vertebrates B	9.3B: Ecotoxicity to terrestrial vertebrates B
9.3C: Ecotoxicity to terrestrial vertebrates C	9.3C: Ecotoxicity to terrestrial vertebrates C
Acute Tox. Not classified (Dermal)	Acute toxicity (dermal) Not classified
Acute Tox. Not classified (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Not classified
Acute Tox. Not classified (Oral)	Acute toxicity (oral) Not classified
Aquatic Acute Not classified	Hazardous to the aquatic environment - Acute Hazard Not classified
Flam. Liq. Not classified	Flammable liquids Not classified
H226	Flammable liquid and vapour.
H227	Combustible liquid
H228	Flammable solid.
H302	Harmful if swallowed.
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways.
H313	May be harmful in contact with skin
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H432	Toxic to terrestrial vertebrates
H433	Harmful to terrestrial vertebrates

CANDLE CREATIONS SDS NEW ZEALAND

The data contained in this Safety Data Sheet is accurate to the best knowledge of Candle Creations applies to the product as supplied by Candle Creations and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does Candle Creations assume responsibility for use or reliance upon this data.

Clean Linen #15092F

Safety Data Sheet

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact info@candlecreations.co.nz
