



Mistletoe #18807F

Safety Data Sheet

This Safety Data Sheet has been prepared in accordance with the New Zealand Hazardous Substances (Safety Data Sheets) Notice 2017 under the Hazardous Substances and New Organisms Act (1996)
Date of issue: 28/10/2020 Revision date: 17/03/2021 Supersedes: V 1.0
Version: 2.0

SECTION 1: Identification of the hazardous chemical and of the supplier

1.1 Product identifier

Product name : Mistletoe #18807F
Product form : Mixture
Type of product : Perfumes, fragrances
Product code : 18807F

1.2 Other means of identification

No additional information available

1.3 Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Perfumes, fragrances

1.4 Supplier's details

CANDLE CREATIONS
34B WILLIAM PICKERING DRIVE
ROSEDALE, AUCKLAND, 0632
NEW ZEALAND
T 09-448-1920

info@candlecreations.co.nz – www.candlecreations.co.nz

1.5. Emergency phone number

Emergency number : NZ NATIONAL POISONS CENTRE – 0800 POISON (0800-764-766)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

6.3A
6.5B
9.1D
9.1B
9.3B

6.1 D Acute toxicity (oral), Category 4
Skin corrosion/irritation, Category 2
Skin sensitisation, Category 1
Hazardous to the aquatic environment — Acute Hazard, Category 2
Hazardous to the aquatic environment — Chronic Hazard, Category 2
Ecotoxicity to terrestrial vertebrates B

2.2. Label elements

GHS NZ labelling

Hazard pictograms (GHS NZ)



Signal word (GHS NZ)

: Warning

Contains

: Benzyl benzoate (21.5 – 41.5 %) ; Orange oil (2.5 – 5 %) ; Cyclamal (1.875 – 3.75 %) ; Fir needle oil, Canadian (1.75 – 3.5 %) ; Vertenex (1.75 – 3.5 %) ; Linalyl acetate (1.075 – 2.15 %) ; Hexyl salicylate (0.375 – 0.75 %) ; Clove leaf oil (0.25 – 0.5 %) ; Allyl cyclohexylpropionate (0.25 – 0.5 %) ; Cinnamon leaf oil (0.15 – 0.3 %) ; Fir balsam absolute (0.1 – 0.2 %)

Hazard statements (GHS NZ)

: H302 - Harmful if swallowed.
H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H401 - Toxic to aquatic life
H411 - Toxic to aquatic life with long lasting effects.
H432 - Toxic to terrestrial vertebrates

Prevention

: P264 - Wash hands thoroughly after handling
P270 - Do not eat, drink or smoke when using this product.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response

: P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards not contributing to the classification

No additional information available

Mistletoe #18807F

Safety Data Sheet

SECTION 3: Composition and information of the ingredients of the hazardous chemical

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to GHS NZ
Benzyl benzoate	(CAS-No.) 120-51-4	21.5 – 41.5	9.3B: Ecotoxicity to terrestrial vertebrates B, H432 Flam. Liq. Not classified 6.1D: Acute Tox. 4 (Oral), H302 6.1E: Acute Tox. 5 (Dermal), H313 9.1D: Aquatic Acute 2, H401 9.1B: Aquatic Chronic 2, H411
Isobornyl acetate	(CAS-No.) 125-12-2	17.5 – 35	3.1D: Flam. Liq. 4, H227 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Aquatic Acute Not classified
Orange oil	(CAS-No.) 8008-57-9	2.5 – 5	3.1C: Flam. Liq. 3, H226 6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) 6.3A: Skin Irrit. 2, H315 6.5B: Skin Sens. 1, H317 6.1E: Asp. Tox. 1, H304 9.1B: Aquatic Chronic 2, H411
Cyclamal	(CAS-No.) 103-95-7	1.875 – 3.75	3.1D: Flam. Liq. 4, H227 6.1E: Acute Tox. 5 (Oral), H303 6.3A: Skin Irrit. 2, H315 6.5B: Skin Sens. 1, H317 9.1B: Aquatic Chronic 2, H411
Fir needle oil, Canadian	(CAS-No.) 8021-28-1	1.75 – 3.5	Flam. Liq. Not classified Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) 6.5B: Skin Sens. 1, H317 6.1E: Asp. Tox. 1, H304 9.1B: Aquatic Chronic 2, H411
Vertenex	(CAS-No.) 32210-23-4	1.75 – 3.5	Flam. Liq. Not classified 6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) 6.5B: Skin Sens. 1, H317 9.1D: Aquatic Acute 2, H401
Linalyl acetate	(CAS-No.) 115-95-7	1.075 – 2.15	3.1D: Flam. Liq. 4, H227 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317 9.1D: Aquatic Acute 3, H402
Terpinyl acetate	(CAS-No.) 80-26-2	0.75 – 1.5	Flam. Liq. Not classified Acute Tox. Not classified (Oral) Aquatic Acute Not classified 9.1B: Aquatic Chronic 2, H411
Hydratropic aldehyde dimethyl acetal	(CAS-No.) 90-87-9	0.375 – 0.75	9.3C: Ecotoxicity to terrestrial vertebrates C, H433 3.1D: Flam. Liq. 4, H227 6.1D: Acute Tox. 4 (Oral), H302
Hexyl salicylate	(CAS-No.) 6259-76-3	0.375 – 0.75	Flam. Liq. Not classified Acute Tox. Not classified (Oral) 6.3A: Skin Irrit. 2, H315 6.5B: Skin Sens. 1, H317 9.1A: Aquatic Chronic 1, H410
Ethyl caproate	(CAS-No.) 123-66-0	0.25 – 0.5	3.1C: Flam. Liq. 3, H226 6.3A: Skin Irrit. 2, H315 9.1D: Aquatic Acute 2, H401
Clove leaf oil	(CAS-No.) 8000-34-8	0.25 – 0.5	9.3C: Ecotoxicity to terrestrial vertebrates C, H433 Flam. Liq. Not classified 6.1D: Acute Tox. 4 (Oral), H302 6.1D: Acute Tox. 4 (Dermal), H312 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317 6.1E: Asp. Tox. 1, H304
Allyl cyclohexylpropionate	(CAS-No.) 2705-87-5	0.25 – 0.5	9.3C: Ecotoxicity to terrestrial vertebrates C, H433 Flam. Liq. Not classified 6.1D: Acute Tox. 4 (Oral), H302 6.1D: Acute Tox. 4 (Dermal), H312 6.5B: Skin Sens. 1, H317 9.1A: Aquatic Acute 1, H400 9.1A: Aquatic Chronic 1, H410

Mistletoe #18807F

Safety Data Sheet

Name	Product identifier	%	Classification according to GHS NZ
Cinnamon leaf oil	(CAS-No.) 8015-91-6	0.15 – 0.3	3.1D: Flam. Liq. 4, H227 6.1E: Acute Tox. 5 (Oral), H303 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317 6.6B: Muta. 2, H341 9.1C: Aquatic Chronic 3, H412
Fir balsam absolute	(CAS-No.) 8007-47-4	0.1 – 0.2	Flam. Liq. Not classified Acute Tox. Not classified (Oral) 6.3A: Skin Irrit. 2, H315 6.5B: Skin Sens. 1, H317 9.1B: Aquatic Chronic 2, H411

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Wash with plenty of water/... Wash contaminated clothing before reuse. If skin irritation occurs: Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see Wash skin with plenty of water, Call a physician immediately on this label). If skin irritation or rash occurs: Get immediate medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Rinse mouth. Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May cause an allergic skin reaction.
Symptoms/effects after skin contact	: Causes skin irritation. Irritation. May cause an allergic skin reaction.
Symptoms/effects after ingestion	: Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
EAC code	: •3Z - •3Z

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
----------------------	--

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Ventilate area.

Mistletoe #18807F

Safety Data Sheet

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

SECTION 7: Handling and storage, including how the chemical may be safely used

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid breathing fume, mist, spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

Exposure limit values for the other components

No additional information available

8.2. Monitoring

No additional information available

8.3. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses. Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear appropriate mask

Personal protective equipment symbol(s)



Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

Physical state : Liquid

Appearance : No data available

Colour : lightyellow, amber

Odour : characteristic

Odour threshold : No data available

pH : No data available

Mistletoe #18807F

Safety Data Sheet

Evaporation rate	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point / Freezing point	: Melting point : Not applicable
Boiling point	: No data available
Flash point	: > 93.33 °C (closed cup) ASTM D7094
Auto-ignition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative density	: No data available
Density	: Relative density : ≈ 1.03
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Explosive limits	: No data available
Minimum ignition energy	: No data available

SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Not established.
Possibility of hazardous reactions	: Not established.
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
Incompatible materials	: Strong acids. Strong bases.
Hazardous decomposition products	: fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

ATE NZ (oral)	1165.221 mg/kg bodyweight
Fir needle oil, Canadian (8021-28-1)	
LD50 oral rat	> 5 g/kg
LD50 dermal rabbit	> 5 g/kg
Fir balsam absolute (8007-47-4)	
LD50 oral rat	> 5 g/kg
Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg
LD50 oral	1500 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg
LD50 dermal	4000 mg/kg bodyweight
Hydratropic aldehyde dimethyl acetal (90-87-9)	
LD50 oral rat	1850 mg/kg
LD50 oral	1850 mg/kg bodyweight
Terpinyl acetate (80-26-2)	
LD50 oral rat	5075 mg/kg
Isobornyl acetate (125-12-2)	
LD50 oral rat	9050 mg/kg
LD50 dermal rabbit	> 20000 mg/kg
Vertenex (32210-23-4)	
LD50 oral rat	5 g/kg
LD50 oral	3370 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
Allyl cyclohexylpropionate (2705-87-5)	
LD50 oral rat	585 mg/kg
LD50 oral	480 mg/kg bodyweight
LD50 dermal	1600 mg/kg bodyweight

Mistletoe #18807F

Safety Data Sheet

Allyl cyclohexylpropionate (2705-87-5)	
LC50 Inhalation - Rat (Vapours)	11 mg/l/4h
Cyclamal (103-95-7)	
LD50 oral rat	3810 mg/kg
LD50 oral	3810 mg/kg bodyweight
Hexyl salicylate (6259-76-3)	
LD50 oral rat	> 5 g/kg
Clove leaf oil (8000-34-8)	
LD50 oral rat	1370 mg/kg
LD50 oral	2650 mg/kg bodyweight
LD50 dermal rabbit	1200 mg/kg
LD50 dermal	2500 mg/kg bodyweight
Cinnamon leaf oil (8015-91-6)	
LD50 oral rat	2650 mg/kg
LD50 oral	2650 mg/kg bodyweight
Linalyl acetate (115-95-7)	
LD50 oral rat	14550 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Orange oil (8008-57-9)	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

Mistletoe #18807F	
Viscosity, kinematic	

Potential adverse human health effects and symptoms	: Harmful if swallowed. Based on available data, the classification criteria are not met.
---	---

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Toxic to aquatic life with long lasting effects. Toxic to aquatic life.
Hazardous to the aquatic environment, short-term (acute)	: Toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.
Soil toxicity	: Not classified
Terrestrial vertebrate toxicity	: Toxic to terrestrial vertebrates.
Terrestrial invertebrate toxicity	: Not classified
Other information	: Avoid release to the environment.

Fir needle oil, Canadian (8021-28-1)	
LD50 dermal rabbit	> 5 g/kg
LD50 oral rat	> 5 g/kg
Ethyl caproate (123-66-0)	
LC50 fish 1	8.02 – 9.97 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
Fir balsam absolute (8007-47-4)	
LD50 oral rat	> 5 g/kg
Benzyl benzoate (120-51-4)	
LC50 fish 1	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic)	0.168 mg/l
Partition coefficient n-octanol/water (Log Pow)	4

Mistletoe #18807F

Safety Data Sheet

LD50 dermal rabbit	4000 mg/kg
--------------------	------------

Mistletoe #18807F

Safety Data Sheet

Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg
Hydratropic aldehyde dimethyl acetal (90-87-9)	
LD50 oral rat	1850 mg/kg
Terpinyl acetate (80-26-2)	
LC50 fish 1	> 11 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LD50 oral rat	5075 mg/kg
Isobornyl acetate (125-12-2)	
LC50 fish 1	10 – 18 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
Partition coefficient n-octanol/water (Log Pow)	3.5
LD50 dermal rabbit	> 20000 mg/kg
LD50 oral rat	9050 mg/kg
Vertenex (32210-23-4)	
LC50 fish 1	8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	5 g/kg
Allyl cyclohexylpropionate (2705-87-5)	
LC50 fish 1	0.13 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LD50 oral rat	585 mg/kg
Cyclamal (103-95-7)	
LD50 oral rat	3810 mg/kg
Hexyl salicylate (6259-76-3)	
LD50 oral rat	> 5 g/kg
Clove leaf oil (8000-34-8)	
LD50 dermal rabbit	1200 mg/kg
LD50 oral rat	1370 mg/kg
Cinnamon leaf oil (8015-91-6)	
LD50 oral rat	2650 mg/kg
Linalyl acetate (115-95-7)	
LC50 fish 1	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	14550 mg/kg
Orange oil (8008-57-9)	
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	4400 mg/kg

12.2. Persistence and degradability

Mistletoe #18807F	
Persistence and degradability	Not established.
Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Mistletoe #18807F	
Bioaccumulative potential	Not established.
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Bioaccumulative potential	Not established.
Isobornyl acetate (125-12-2)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology

12.4. Mobility in soil

Mistletoe #18807F	
Mobility in soil	No additional information available
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Isobornyl acetate (125-12-2)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology

12.5. Other adverse effects

Ozone : Not classified

Mistletoe #18807F

Safety Data Sheet

Other adverse effects : No additional information available

SECTION 13: Disposal considerations

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations : Dispose of contents/container in accordance with local/national laws and regulations. Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

UN-No.(UN RTDG) : Not applicable
UN-No. (IMDG) : 3082
UN-No. (IATA) : 3082

14.2. Proper Shipping Name

Proper Shipping Name (UN RTDG) : Not applicable
Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-Limonene)
Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s. (d-Limonene)

14.3. Transport hazard class(es)

UN RTDG

Transport hazard class(es) (UN RTDG) : Not applicable
:



IMDG

Transport hazard class(es) (IMDG) : 9
Danger labels (IMDG) : 9



IATA

Transport hazard class(es) (IATA) : 9
Danger labels (IATA) : 9



14.4. Packing group

Packing group (UN RTDG) : Not applicable
Packing group (IMDG) : III
Packing group (IATA) : III

14.5. Environmental hazards

Dangerous for the environment : True
Marine pollutant : Yes
Other information : No supplementary information available

14.6. Special precautions for user

UN RTDG

No data available

IMDG

Special provisions (IMDG) : 274, 335, 969
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1

Mistletoe #18807F

Safety Data Sheet

Packing instructions (IMDG)	: P001, LP01
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP2, TP29
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS
Stowage category (IMDG)	: A

IATA

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197
ERG code (IATA)	: 9L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

14.8. Hazchem or Emergency Action Code

EAC code : •3Z.

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

Food Additives and Fragrance Materials (Subsidiary Hazard) Group Standard 2017

HSNO Approval Number : HSR002578

Ethyl caproate (123-66-0)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003480

Benzyl benzoate (120-51-4)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003504

Isobornyl acetate (125-12-2)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003572

Clove leaf oil (8000-34-8)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR005666

Cinnamon leaf oil (8015-91-6)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR002783

Linalyl acetate (115-95-7)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003499

Orange oil (8008-57-9)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003493

Mistletoe #18807F

Safety Data Sheet

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Issue date : 10/28/2020

Other information : None.

Full text of H-statements:

3.1C: Flam. Liq. 3	3.1C: Flammable liquids, Category 3
3.1D: Flam. Liq. 4	3.1D: Flammable liquids, Category 4
6.1D: Acute Tox. 4 (Dermal)	6.1D: Acute toxicity (dermal), Category 4
6.1D: Acute Tox. 4 (Oral)	6.1D: Acute toxicity (oral), Category 4
6.1E: Acute Tox. 5 (Dermal)	6.1E: Acute toxicity (dermal), Category 5
6.1E: Acute Tox. 5 (Oral)	6.1E: Acute toxicity (oral), Category 5
6.1E: Asp. Tox. 1	6.1E: Aspiration hazard, Category 1
6.3A: Skin Irrit. 2	6.3A: Skin corrosion/irritation, Category 2
6.4A: Eye Irrit. 2	6.4A: Serious eye damage/eye irritation, Category 2
6.5B: Skin Sens. 1	6.5B: Skin sensitisation, Category 1
6.6B: Muta. 2	6.6B: Germ cell mutagenicity, Category 2
9.1A: Aquatic Acute 1	9.1A: Hazardous to the aquatic environment — Acute Hazard, Category 1
9.1A: Aquatic Chronic 1	9.1A: Hazardous to the aquatic environment — Chronic Hazard, Category 1
9.1B: Aquatic Chronic 2	9.1B: Hazardous to the aquatic environment — Chronic Hazard, Category 2
9.1C: Aquatic Chronic 3	9.1C: Hazardous to the aquatic environment — Chronic Hazard, Category 3
9.1D: Aquatic Acute 2	9.1D: Hazardous to the aquatic environment — Acute Hazard, Category 2
9.1D: Aquatic Acute 3	9.1D: Hazardous to the aquatic environment — Acute Hazard, Category 3
9.3B: Ecotoxicity to terrestrial vertebrates B	9.3B: Ecotoxicity to terrestrial vertebrates B
9.3C: Ecotoxicity to terrestrial vertebrates C	9.3C: Ecotoxicity to terrestrial vertebrates C
Acute Tox. Not classified (Dermal)	Acute toxicity (dermal) Not classified
Acute Tox. Not classified (Oral)	Acute toxicity (oral) Not classified
Aquatic Acute Not classified	Hazardous to the aquatic environment - Acute Hazard Not classified
Flam. Liq. Not classified	Flammable liquids Not classified
H226	Flammable liquid and vapour.
H227	Combustible liquid
H302	Harmful if swallowed.
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H313	May be harmful in contact with skin
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

Mistletoe #18807F

Safety Data Sheet

H319	Causes serious eye irritation.
H341	Suspected of causing genetic defects.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H432	Toxic to terrestrial vertebrates
H433	Harmful to terrestrial vertebrates

CANDLE CREATIONS SDS NEW ZEALAND

The data contained in this Safety Data Sheet is accurate to the best knowledge of Candle Creations, applies to the product as supplied by Candle Creations and does not relate to use in combination with any other material or in any process. Data and information are furnished without warranty expressed or implied, nor does Candle Creations assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact info@candlecreations.co.nz