BERGAMOT #2099F

Safety Data Sheet

This Safety Data Sheet has been prepared in accordance with the New Zealand Hazardous Substances (Safety Data Sheets) Notice 2017 under the Hazardous Substances and New Organisms Act (1996)
Date of issue: 04/12/2019 Revision date: 09/08//2020 Supersedes: V 1.0
Version: 2.0

SECTION 1: Identification of the hazardous chemical and of the supplier

1.1 Product identifier

Product name : BERGAMOT #2099F
Product form : Mixture
Type of product : Perfumes, fragrances
Product code : 2099F

1.2 Other means of identification

No additional information available

1.3 Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Perfumes, fragrances

1.4 Supplier's details

CANDLE CREATIONS
34B WILLIAM PICKERING DRIVE
ROSEDALE, AUCKLAND, 0632, NZ
T 09-448-1920
info@candlecreations.co.nz – www.candlecreations.co.nz

1.5. Emergency phone number

Emergency number : NZ NATIONAL POISONS CENTRE – 0800 POISON (0800-764-766)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

9.3C	Ecotoxicity to terrestrial vertebrates C
3.1D	Flammable liquids, Category 4
6.3A	Skin corrosion/irritation, Category 2
6.4A	Serious eye damage/eye irritation, Category 2
6.5B	Skin sensitisation, Category 1
6.1E	Aspiration hazard, Category 1
9.1D	Hazardous to the aquatic environment — Acute Hazard, Category 3
9.1B	Hazardous to the aquatic environment — Chronic Hazard, Category 2

2.2. Label elements

GHS NZ labelling

Hazard pictograms (GHS NZ) :

GHS07 GHS08 GHS09

Signal word (GHS NZ) : Danger
Contains : Orange oil (7.843 – 33.143 %) ; Linalyl acetate (7.068 – 29.868 %) ; Lemon oil (4.03 – 17.03 %) ; Linalool (1.488 – 6.288 %) ; Citral (0.93 – 3.93 %) ; Lime oil distilled (0.1 – 1 %)
Hazard statements (GHS NZ) : H227 - Combustible liquid
H304 - May be fatal if swallowed and enters airways.
H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H402 - Harmful to aquatic life
H411 - Toxic to aquatic life with long lasting effects.
H433 - Harmful to terrestrial vertebrates
Prevention : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P264 - Wash hands thoroughly after handling
P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Response : P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards not contributing to the classification

No additional information available

SECTION 3: Composition and information of the ingredients of the hazardous chemical

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to GHS NZ
Terpinyl acetate	(CAS-No.) 80-26-2	5.704 – 24.104	Flam. Liq. Not classified Acute Tox. Not classified (Oral) Aquatic Acute Not classified 9.1B: Aquatic Chronic 2, H411
Lemon oil	(CAS-No.) 8008-56-8	4.03 – 17.03	3.1C: Flam. Liq. 3, H226 6.1E: Acute Tox. 5 (Oral), H303 6.3A: Skin Irrit. 2, H315 6.5B: Skin Sens. 1, H317 9.1A: Aquatic Chronic 1, H410
Terpineol	(CAS-No.) 8000-41-7	1.55 – 6.55	3.1D: Flam. Liq. 4, H227 6.1E: Acute Tox. 5 (Oral), H303 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319
Linalool	(CAS-No.) 78-70-6	1.488 – 6.288	9.3C: Ecotoxicity to terrestrial vertebrates C, H433 3.1D: Flam. Liq. 4, H227 6.1E: Acute Tox. 5 (Oral), H303 6.1D: Acute Tox. 4 (Dermal), H312 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317 9.1D: Aquatic Acute 3, H402
Benzyl acetate	(CAS-No.) 140-11-4	0.93 – 3.93	3.1D: Flam. Liq. 4, H227 6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) 9.1C: Aquatic Chronic 3, H412
Citral	(CAS-No.) 5392-40-5	0.93 – 3.93	3.1D: Flam. Liq. 4, H227 6.1E: Acute Tox. 5 (Oral), H303 6.1E: Acute Tox. 5 (Dermal), H313 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317 9.1D: Aquatic Acute 2, H401
Isobornyl acetate	(CAS-No.) 125-12-2	0.682 – 2.882	3.1D: Flam. Liq. 4, H227 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Aquatic Acute Not classified
Lime oil distilled	(CAS-No.) 8008-26-2	0.1–1	3.1C: Flam. Liq. 3, H226 Acute Tox. Not classified (Oral) 6.3A: Skin Irrit. 2, H315 6.5B: Skin Sens. 1, H317 6.1E: Asp. Tox. 1, H304 9.1C: Aquatic Chronic 3, H412

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Wash with plenty of water/…. Wash contaminated clothing before reuse. If skin irritation occurs: Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see Wash skin with plenty of water, Call a physician immediately on this label). If skin irritation or rash occurs: Get immediate medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Get medical advice/attention. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : Causes skin irritation. Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Causes serious eye irritation. Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid.

Explosion hazard : May form flammable/explosive vapour-air mixture.

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

SECTION 7: Handling and storage, including how the chemical may be safely used

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable. Keep away from Keep away from heat, sparks and flame. No smoking.

Precautions for safe handling : Ensure good ventilation of the work station. No open flames. No smoking. Avoid breathing fume, mist, spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures : Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Keep in fireproof place. Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Heat sources. Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Benzyl acetate (140-11-4)	
Malaysia - Occupational Exposure Limits	
PEL TWA (mg/m³)	61 mg/m³
PEL TWA (ppm)	10 ppm
China - Occupational Exposure Limits	
Catalogue of Occupational Hazard Factors	Category 3 - Chemicals
USA - ACGIH - Occupational Exposure Limits	
ACGIH TWA (ppm)	10 ppm
ACGIH chemical category	Not Classifiable as a Human Carcinogen

Citral (5392-40-5)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH TWA (ppm)	5 ppm (inhalable fraction and vapor)
ACGIH chemical category	dermal sensitizer, Skin - potential significant contribution to overall exposure by the cutaneous route, Not Classifiable as a Human Carcinogen

Exposure limit values for the other components

No additional information available

8.2. Monitoring

No additional information available

8.3. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses. Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear appropriate mask

Personal protective equipment symbol(s)

Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

Physical state : Liquid
Appearance : No data available
Colour : light yellow,amber
Odour : characteristic
Odour threshold : No data available
pH : No data available
Evaporation rate : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point / Freezing point : Melting point : Not applicable
Boiling point : No data available
Flash point : 65 °C
Auto-ignition temperature : No data available
Flammability (solid, gas) : Combustible liquid,Non flammable.
Vapour pressure : No data available
Relative density : No data available
Density : Relative density : ≈ 0.88
Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available

Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Explosive limits	: No data available
Minimum ignition energy	: No data available

SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Combustible liquid. May form flammable/explosive vapour-air mixture. Not established.
Possibility of hazardous reactions	: Not established.
Conditions to avoid	: Open flame. Overheating. Direct sunlight. Heat. Sparks. Extremely high or low temperatures.
Incompatible materials	: Strong acids. Strong bases.
Hazardous decomposition products	: May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Lime oil distilled (8008-26-2)	
LD50 oral rat	> 5 g/kg

Isobornyl acetate (125-12-2)	
LD50 oral rat	9050 mg/kg
LD50 dermal rabbit	> 20000 mg/kg

Benzyl acetate (140-11-4)	
LD50 oral rat	2490 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

Citral (5392-40-5)	
LD50 oral rat	4960 mg/kg
LD50 dermal rabbit	2250 mg/kg
LD50 dermal	2250 mg/kg bodyweight

Linalool (78-70-6)	
LD50 oral rat	2790 mg/kg
LD50 oral	2790 mg/kg bodyweight
LD50 dermal rabbit	2000 mg/kg

Terpineol (8000-41-7)	
LD50 oral rat	2900 mg/kg
LD50 oral	4300 mg/kg bodyweight
LD50 dermal rabbit	> 3000 mg/kg

Lemon oil (8008-56-8)	
LD50 oral rat	2840 mg/kg

Terpinyl acetate (80-26-2)	
LD50 oral rat	5075 mg/kg

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.

BERGAMOT #2099F	
Viscosity, kinematic	

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute) : Harmful to aquatic life.
Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.
Soil toxicity : Not classified
Terrestrial vertebrate toxicity : Harmful to terrestrial vertebrates.
Terrestrial invertebrate toxicity : Not classified
Other information : Avoid release to the environment.

Lime oil distilled (8008-26-2)	
LD50 oral rat	> 5 g/kg

Isobornyl acetate (125-12-2)	
LC50 fish 1	10.0 – 18.0 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
Partition coefficient n-octanol/water (Log Pow)	3.5
LD50 dermal rabbit	> 20000 mg/kg
LD50 oral rat	9050 mg/kg

Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	1.96
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	2490 mg/kg

Citral (5392-40-5)	
EC50 Daphnia 1	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h algae (1)	16 mg/l (Species: Desmodesmus subspicatus)
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)
LD50 dermal rabbit	2250 mg/kg
LD50 oral rat	4960 mg/kg

Linalool (78-70-6)	
LC50 fish 1	27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	20 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Partition coefficient n-octanol/water (Log Pow)	2.84 – 3.1 (at 25 °C)
LD50 dermal rabbit	2000 mg/kg
LD50 oral rat	2790 mg/kg

Terpineol (8000-41-7)	
LD50 dermal rabbit	> 3000 mg/kg
LD50 oral rat	2900 mg/kg

Lemon oil (8008-56-8)	
LD50 oral rat	2840 mg/kg

Terpinyl acetate (80-26-2)	
LC50 fish 1	> 11 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LD50 oral rat	5075 mg/kg

12.2. Persistence and degradability

BERGAMOT #2099F	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

BERGAMOT #2099F	
Bioaccumulative potential	Not established.

Isobornyl acetate (125-12-2)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology

Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology

Citral (5392-40-5)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology

Linalool (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology

12.4. Mobility in soil

BERGAMOT #2099F	
Mobility in soil	No additional information available

Isobornyl acetate (125-12-2)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology

Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology

Citral (5392-40-5)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology

Linalool (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology

12.5. Other adverse effects

Ozone : Not classified

Other adverse effects : No additional information available

SECTION 13: Disposal considerations

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose of contents/container in accordance with local/national laws and regulations. Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

Additional information : Handle empty containers with care because residual vapours are flammable.

SECTION 14: Transport information

14.1. UN number

UN-No.(UN RTDG) : 3082

UN-No. (IMDG) : 3082

UN-No. (IATA) : 3082

14.2. Proper Shipping Name

Proper Shipping Name (UN RTDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Lemon oil)

Proper Shipping Name (IMDG) : (Lemon oil)

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s. (Lemon oil)

14.3. Transport hazard class(es)

UN RTDG

Transport hazard class(es) (UN RTDG) : 9

Danger labels (UN RTDG) : 9

:

IMDG

Transport hazard class(es) (IMDG) : Not applicable

:

IATA

Transport hazard class(es) (IATA) : 9

Danger labels (IATA) : 9

:

14.4. Packing group

Packing group (UN RTDG)	: III
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: III

14.5. Environmental hazards

Dangerous for the environment	: True
Marine pollutant	: Yes
Other information	: No supplementary information available

14.6. Special precautions for user

UN RTDG

Special provisions (UN RTDG)	: 274, 331, 335, 375
Limited quantities (UN RTDG)	: 5L
Excepted quantities (UN RTDG)	: E1
Packing instruction (UN RTDG)	: P001, IBC03, LP01
Special packing provisions (UN RTDG)	: PP1
Portable tank and bulk container special instructions (UN RTDG)	: T4
Portable tank and bulk container special provisions (UN RTDG)	: TP1, TP29

IMDG

No data available

IATA

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197
ERG code (IATA)	: 9L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

14.8. Hazchem or Emergency Action Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

Food Additives and Fragrance Materials (Subsidiary Hazard) Group Standard 2017

HSNO Approval Number : HSR002578

Lime oil distilled (8008-26-2)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR004085

Isobornyl acetate (125-12-2)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003572

Benzyl acetate (140-11-4)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR002908

Citral (5392-40-5)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR002728

Linalool (78-70-6)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003500

Terpineol (8000-41-7)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003269

Lemon oil (8008-56-8)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003520

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Issue date : 3/26/2020

Other information : None.

Full text of H-statements:

3.1C: Flam. Liq. 3	3.1C: Flammable liquids, Category 3
3.1D: Flam. Liq. 4	3.1D: Flammable liquids, Category 4
6.1D: Acute Tox. 4 (Dermal)	6.1D: Acute toxicity (dermal), Category 4
6.1E: Acute Tox. 5 (Dermal)	6.1E: Acute toxicity (dermal), Category 5
6.1E: Acute Tox. 5 (Oral)	6.1E: Acute toxicity (oral), Category 5
6.1E: Asp. Tox. 1	6.1E: Aspiration hazard, Category 1
6.3A: Skin Irrit. 2	6.3A: Skin corrosion/irritation, Category 2
6.4A: Eye Irrit. 2	6.4A: Serious eye damage/eye irritation, Category 2
6.5B: Skin Sens. 1	6.5B: Skin sensitisation, Category 1
9.1A: Aquatic Chronic 1	9.1A: Hazardous to the aquatic environment — Chronic Hazard, Category 1
9.1B: Aquatic Chronic 2	9.1B: Hazardous to the aquatic environment — Chronic Hazard, Category 2
9.1C: Aquatic Chronic 3	9.1C: Hazardous to the aquatic environment — Chronic Hazard, Category 3
9.1D: Aquatic Acute 2	9.1D: Hazardous to the aquatic environment — Acute Hazard, Category 2
9.1D: Aquatic Acute 3	9.1D: Hazardous to the aquatic environment — Acute Hazard, Category 3
9.3C: Ecotoxicity to terrestrial vertebrates C	9.3C: Ecotoxicity to terrestrial vertebrates C
Acute Tox. Not classified (Dermal)	Acute toxicity (dermal) Not classified
Acute Tox. Not classified (Oral)	Acute toxicity (oral) Not classified
Aquatic Acute Not classified	Hazardous to the aquatic environment - Acute Hazard Not classified
Flam. Liq. Not classified	Flammable liquids Not classified
H226	Flammable liquid and vapour.
H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H313	May be harmful in contact with skin

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H433	Harmful to terrestrial vertebrates

CANDLE CREATIONS SDS NEW ZEALAND

The data contained in this Safety Data Sheet is accurate to the best knowledge of Candle Creations applies to the product as supplied by Candle Creations and does not relate to use in Combination with any other material or in any process. Data and information are furnished without warranty expressed or implied, nor does Candle Creations assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact info@candlecreations.co.nz