



Havana #23980F

Safety Data Sheet

This Safety Data Sheet has been prepared in accordance with the New Zealand Hazardous Substances (Safety Data Sheets) Notice 2017 under the Hazardous Substances and New Organisms Act (1996)

Date of issue: 05/12/2019

Revision date: 03/04/2020

Supersedes: V 2.0

Version: 3.0

SECTION 1: Identification of the hazardous chemical and of the supplier

1.1 Product identifier

Product name : Havana #23980F
Product form : Mixture
Type of product : Perfumes, fragrances
Product code : 23980F

1.2 Other means of identification

No additional information available

1.3 Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Perfumes, fragrances

1.4 Supplier's details

CANDLE CREATIONS
34B WILLIAM PICKERING DRIVE,
ROSEDALE, AUCKLAND, 0632,
NEW ZEALAND
T 09-448-1920
info@candlecreations.co.nz – www.candlecreations.co.nz

1.5. Emergency phone number

Emergency number : NZ NATIONAL POISONS CENTRE – 0800 POISON (0800-764-766)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

9.3B Ecotoxicity to terrestrial vertebrates B
6.1D Flammable liquids Not classified
6.3A Acute toxicity (oral), Category 4
6.4A Skin corrosion/irritation, Category 2
6.5B Serious eye damage/eye irritation, Category 2
6.7A Skin sensitisation, Category 1
6.8B Carcinogenicity, Category 1B
6.1E Reproductive toxicity, Category 2
9.1D Aspiration hazard, Category 1
9.1B Hazardous to the aquatic environment — Acute Hazard, Category 2
Hazardous to the aquatic environment — Chronic Hazard, Category 2

2.2. Label elements

GHS NZ labelling

Hazard pictograms (GHS NZ)



Signal word (GHS NZ)

: Danger

Contains

: Benzyl benzoate (27.34 - 47.34 %) ; Iso E Super (3 - 6 %) ; Cedarwood oil, Texas (2.05 - 4.1 %) ; Clove leaf oil (1.5 - 3 %) ; Cedarwood oil, Virginia (1.125 - 2.25 %) ; Linalool (1.06 - 2.12 %) ; Eugenol (0.95 - 1.9 %) ; Butylphenyl methylpropional (0.925 - 1.85 %) ; Linalyl acetate (0.775 - 1.55 %) ; Phenylethyl alcohol (0.65 - 1.3 %) ; Petitgrain oil terpeneless (0.625 - 1.25 %) ; Grapefruit oil (0.55 - 1.1 %) ; Cinnamic aldehyde (0.475 - 0.95 %) ; Citral pure (0.23 - 0.46 %) ; Methyl cinnamate (0.2 - 0.4 %) ; Eucalyptus oil (0.125 - 0.25 %) ; Geraniol (0.125 - 0.25 %) ; Helional (0.125 - 0.25 %) ; Lemon oil (0.1 - 0.2 %) ; Heliotropine crystals (0.075 - 0.15 %) ; Citronellol Pure (0.075 - 0.15 %) ; Nutmeg Oil (0.05 - 0.1 %)

Hazard statements (GHS NZ)

: H302 - Harmful if swallowed.
H304 - May be fatal if swallowed and enters airways.
H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H350 - May cause cancer.
H361 - Suspected of damaging fertility or the unborn child.
H401 - Toxic to aquatic life
H411 - Toxic to aquatic life with long lasting effects.
H432 - Toxic to terrestrial vertebrates

Havana #23980F

Safety Data Sheet

Prevention	: P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P264 - Wash hands thoroughly after handling P270 - Do not eat, drink or smoke when using this product. P272 - Contaminated work clothing should not be allowed out of the workplace.
Disposal	: P501 - Dispose of contents/container in accordance with local/national laws and regulations

2.3. Other hazards not contributing to the classification

No additional information available

SECTION 3: Composition and information of the ingredients of the hazardous chemical

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to GHS NZ
Benzyl benzoate	(CAS-No.) 120-51-4	27.34 - 47.34	9.3B: Ecotoxicity to terrestrial vertebrates B, H432 Flam. Liq. Not classified 6.1D: Acute Tox. 4 (Oral), H302 6.1E: Acute Tox. 5 (Dermal), H313 9.1D: Aquatic Acute 2, H401 9.1B: Aquatic Chronic 2, H411
Iso E Super	(CAS-No.) 54464-57-2	3 - 6	Flam. Liq. Not classified 6.5B: Skin Sens. 1, H317 9.1B: Aquatic Chronic 2, H411
Hedione	(CAS-No.) 24851-98-7	2.8 - 5.6	Flam. Liq. Not classified Acute Tox. Not classified (Oral) 9.1D: Aquatic Acute 3, H402
Ambercore	(CAS-No.) 139504-68-0	2.125 - 4.25	Flam. Liq. Not classified 9.1B: Aquatic Chronic 2, H411
Cedarwood oil, Texas	(CAS-No.) 68990-83-0	2.05 - 4.1	Flam. Liq. Not classified 6.1E: Asp. Tox. 1, H304 9.1A: Aquatic Chronic 1, H410
Dihydromyrcenol	(CAS-No.) 18479-58-8	1.6 - 3.2	3.1D: Flam. Liq. 4, H227 6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319
Clove leaf oil	(CAS-No.) 8000-34-8	1.5 - 3	9.3C: Ecotoxicity to terrestrial vertebrates C, H433 Flam. Liq. Not classified 6.1D: Acute Tox. 4 (Oral), H302 6.1D: Acute Tox. 4 (Dermal), H312 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317 6.1E: Asp. Tox. 1, H304
Cedarwood oil, Virginia	(CAS-No.) 8000-27-9	1.125 - 2.25	Flam. Liq. Not classified Acute Tox. Not classified (Oral) 6.1E: Asp. Tox. 1, H304 9.1A: Aquatic Chronic 1, H410
Linalool	(CAS-No.) 78-70-6	1.06 - 2.12	9.3C: Ecotoxicity to terrestrial vertebrates C, H433 3.1D: Flam. Liq. 4, H227 6.1E: Acute Tox. 5 (Oral), H303 6.1D: Acute Tox. 4 (Dermal), H312 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317 9.1D: Aquatic Acute 3, H402
Eugenol	(CAS-No.) 97-53-0	0.95 - 1.9	9.3C: Ecotoxicity to terrestrial vertebrates C, H433 Flam. Liq. Not classified 6.1D: Acute Tox. 4 (Oral), H302 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317 9.1D: Aquatic Acute 3, H402
Hexamethylindanopyran	(CAS-No.) 1222-05-5	0.94 - 1.88	Flam. Liq. Not classified 9.1A: Aquatic Acute 1, H400 9.1A: Aquatic Chronic 1, H410
Butylphenyl methylpropional	(CAS-No.) 80-54-6	0.925 - 1.85	9.3C: Ecotoxicity to terrestrial vertebrates C, H433 3.1D: Flam. Liq. 4, H227 6.1D: Acute Tox. 4 (Oral), H302 Acute Tox. Not classified (Dermal) 6.3A: Skin Irrit. 2, H315 6.5B: Skin Sens. 1, H317 6.8B: Repr. 2, H361 9.1D: Aquatic Acute 2, H401 9.1B: Aquatic Chronic 2, H411

Havana #23980F

Safety Data Sheet

Name	Product identifier	%	Classification according to GHS NZ
Verdox	(CAS-No.) 88-41-5	0.925 - 1.85	3.1D: Flam. Liq. 4, H227 6.1E: Acute Tox. 5 (Oral), H303 9.1B: Aquatic Chronic 2, H411
Linalyl acetate	(CAS-No.) 115-95-7	0.775 - 1.55	3.1D: Flam. Liq. 4, H227 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317 9.1D: Aquatic Acute 3, H402
Phenylethyl alcohol	(CAS-No.) 60-12-8	0.65 - 1.3	9.3C: Ecotoxicity to terrestrial vertebrates C, H433 Flam. Liq. Not classified 6.1D: Acute Tox. 4 (Oral), H302 6.1E: Acute Tox. 5 (Dermal), H313 6.4A: Eye Irrit. 2, H319 Aquatic Acute Not classified
Petitgrain oil terpeneless	(CAS-No.) 68915-85-5	0.625 - 1.25	3.1D: Flam. Liq. 4, H227 6.3A: Skin Irrit. 2, H315 6.5B: Skin Sens. 1, H317 9.1B: Aquatic Chronic 2, H411
Grapefruit oil	(CAS-No.) 8016-20-4	0.55 - 1.1	3.1C: Flam. Liq. 3, H226 Acute Tox. Not classified (Oral) 6.3A: Skin Irrit. 2, H315 6.5B: Skin Sens. 1, H317 6.1E: Asp. Tox. 1, H304 9.1B: Aquatic Chronic 2, H411
Cedrol	(CAS-No.) 77-53-2	0.5 - 1	Acute Tox. Not classified (Dermal) 9.1B: Aquatic Chronic 2, H411
Terpinyl acetate	(CAS-No.) 80-26-2	0.5 - 1	Flam. Liq. Not classified Acute Tox. Not classified (Oral) Aquatic Acute Not classified 9.1B: Aquatic Chronic 2, H411
Cinnamic aldehyde	(CAS-No.) 104-55-2	0.475 - 0.95	9.3C: Ecotoxicity to terrestrial vertebrates C, H433 Flam. Liq. Not classified 6.1E: Acute Tox. 5 (Oral), H303 6.1D: Acute Tox. 4 (Dermal), H312 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317
Patchouli oil	(CAS-No.) 8014-09-3	0.425 - 0.85	Flam. Liq. Not classified Acute Tox. Not classified (Oral) 6.1E: Asp. Tox. 1, H304 9.1B: Aquatic Chronic 2, H411
Sandela	(CAS-No.) 66068-84-6	0.375 - 0.75	Flam. Liq. Not classified 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 9.1B: Aquatic Chronic 2, H411
Isobornyl acetate	(CAS-No.) 125-12-2	0.325 - 0.65	3.1D: Flam. Liq. 4, H227 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Aquatic Acute Not classified
Vanillin	(CAS-No.) 121-33-5	0.3 - 0.6	Acute Tox. Not classified (Dermal) 6.4A: Eye Irrit. 2, H319 9.1D: Aquatic Acute 3, H402
Benzyl acetate	(CAS-No.) 140-11-4	0.25 - 0.5	3.1D: Flam. Liq. 4, H227 6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) 9.1C: Aquatic Chronic 3, H412
Citral pure	(CAS-No.) 5392-40-5	0.23 - 0.46	3.1D: Flam. Liq. 4, H227 6.1E: Acute Tox. 5 (Oral), H303 6.1E: Acute Tox. 5 (Dermal), H313 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317 9.1D: Aquatic Acute 2, H401
Methyl cinnamate	(CAS-No.) 103-26-4	0.2 - 0.4	6.1E: Acute Tox. 5 (Oral), H303 6.5B: Skin Sens. 1, H317 9.1D: Aquatic Acute 2, H401
Ethylene brassylate	(CAS-No.) 105-95-3	0.2 - 0.4	Flam. Liq. Not classified Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) 9.1B: Aquatic Chronic 2, H411
Oxypheylon (Raspberry ketone) crystals	(CAS-No.) 5471-51-2	0.15 - 0.3	9.3C: Ecotoxicity to terrestrial vertebrates C, H433 6.1D: Acute Tox. 4 (Oral), H302

Havana #23980F

Safety Data Sheet

Name	Product identifier	%	Classification according to GHS NZ
Eucalyptus oil	(CAS-No.) 8000-48-4	0.125 - 0.25	3.1C: Flam. Liq. 3, H226 6.1E: Acute Tox. 5 (Oral), H303 6.3A: Skin Irrit. 2, H315 6.5B: Skin Sens. 1, H317 6.1E: Asp. Tox. 1, H304 9.1B: Aquatic Chronic 2, H411
Geraniol	(CAS-No.) 106-24-1	0.125 - 0.25	Flam. Liq. Not classified 6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) 6.3A: Skin Irrit. 2, H315 8.3A: Eye Dam. 1, H318 6.5B: Skin Sens. 1, H317 9.1D: Aquatic Acute 3, H402
Helional	(CAS-No.) 1205-17-0	0.125 - 0.25	3.1D: Flam. Liq. 4, H227 6.5B: Skin Sens. 1, H317 9.1C: Aquatic Chronic 3, H412
Terpineol	(CAS-No.) 8000-41-7	0.125 - 0.25	3.1D: Flam. Liq. 4, H227 6.1E: Acute Tox. 5 (Oral), H303 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319
Lemon oil	(CAS-No.) 8008-56-8	0.1 - 0.2	3.1C: Flam. Liq. 3, H226 6.1E: Acute Tox. 5 (Oral), H303 6.3A: Skin Irrit. 2, H315 6.5B: Skin Sens. 1, H317 9.1A: Aquatic Chronic 1, H410
Heliotropine crystals	(CAS-No.) 120-57-0	0.075 - 0.15	6.1E: Acute Tox. 5 (Oral), H303 6.5B: Skin Sens. 1, H317 9.1D: Aquatic Acute 2, H401
Citronellol Pure	(CAS-No.) 106-22-9	0.075 - 0.15	Flam. Liq. Not classified 6.1E: Acute Tox. 5 (Oral), H303 6.1E: Acute Tox. 5 (Dermal), H313 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317
Nutmeg Oil	(CAS-No.) 8008-45-5	0.05 - 0.1	3.1C: Flam. Liq. 3, H226 6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) 6.5B: Skin Sens. 1, H317 6.6B: Muta. 2, H341 6.7A: Carc. 1B, H350 6.1E: Asp. Tox. 1, H304 9.1B: Aquatic Chronic 2, H411
Coumarin crystals	(CAS-No.) 91-64-5	0 - 0.01	6.1C: Acute Tox. 3 (Oral), H301 6.1C: Acute Tox. 3 (Dermal), H311 6.5B: Skin Sens. 1, H317 9.1B: Aquatic Chronic 2, H411

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Wash with plenty of water/.... Wash contaminated clothing before reuse. If skin irritation occurs: Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see Wash skin with plenty of water, Call a physician immediately on this label). If skin irritation or rash occurs: Get immediate medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: If eye irritation persists: Get medical advice/attention. Get medical advice/attention. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May cause an allergic skin reaction.
Symptoms/effects after skin contact	: Causes skin irritation. Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye irritation. Eye irritation.
Symptoms/effects after ingestion	: Swallowing a small quantity of this material will result in serious health hazard. Risk of lung oedema.

Havana #23980F

Safety Data Sheet

4.3. Indication of any immediate medical attention and special treatment needed

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
EAC code : •3Z - •3Z

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Only qualified personnel equipped with suitable protective equipment may intervene. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.
Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Notify authorities if product enters sewers or public waters.

SECTION 7: Handling and storage, including how the chemical may be safely used

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures : Wash hands thoroughly after handling. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store locked up. Store in a well-ventilated place. Keep cool.
Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.
Storage temperature : 25 °C
Storage area : Store in a well-ventilated place. Store away from heat.
Special rules on packaging : Store in a closed container.
Packaging materials : Do not store in corrodable metal.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

Ambercore (139504-68-0)	
Korea - Occupational Exposure Limits	
ISHA	Name, Toxicity and Protective Measures of New Chemical
Phenylethyl alcohol (60-12-8)	
China - Occupational Exposure Limits	
Catalogue of Occupational Hazard Factors	Category 3 - Chemicals
Benzyl acetate (140-11-4)	
Malaysia - Occupational Exposure Limits	
PEL TWA (mg/m ³)	61 mg/m ³
PEL TWA (ppm)	10 ppm
China - Occupational Exposure Limits	
Catalogue of Occupational Hazard Factors	Category 3 - Chemicals
USA - ACGIH - Occupational Exposure Limits	
ACGIH TWA (ppm)	10 ppm
ACGIH chemical category	Not Classifiable as a Human Carcinogen
Citral pure (5392-40-5)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH TWA (ppm)	5 ppm (inhalable fraction and vapor)
ACGIH chemical category	dermal sensitizer, Skin - potential significant contribution to overall exposure by the cutaneous route, Not Classifiable as a Human Carcinogen

Exposure limit values for the other components

No additional information available

8.2. Monitoring

No additional information available

8.3. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses. Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear appropriate mask. [In case of inadequate ventilation] wear respiratory protection.

Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

Physical state : Liquid

Appearance : No data available

Colour : light yellow, amber

Odour : characteristic

Odour threshold : No data available

pH : No data available

Evaporation rate : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point / Freezing point : Melting point : Not applicable

Boiling point : No data available

Flash point : > 95 °C (closed cup) ASTM D7094

Auto-ignition temperature : No data available

Flammability (solid, gas) : Non flammable.

Vapour pressure : No data available

Relative density : No data available

Density : Relative density : $\approx$ 1.02

Solubility : No data available

Havana #23980F

Safety Data Sheet

Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Explosive limits	: No data available
Minimum ignition energy	: No data available

SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Not established.
Possibility of hazardous reactions	: Not established.
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
Incompatible materials	: Strong acids. Strong bases.
Hazardous decomposition products	: fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

ATE NZ (oral)	979.969 mg/kg bodyweight
Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg
LD50 oral	1500 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg
LD50 dermal	4000 mg/kg bodyweight
Hedione (24851-98-7)	
LD50 oral rat	> 5 g/kg
Dihydromyrcenol (18479-58-8)	
LD50 oral rat	3600 mg/kg
LD50 oral	3600 mg/kg bodyweight
LD50 dermal rabbit	> 5 g/kg
Clove leaf oil (8000-34-8)	
LD50 oral rat	1370 mg/kg
LD50 oral	2650 mg/kg bodyweight
LD50 dermal rabbit	1200 mg/kg
LD50 dermal	2500 mg/kg bodyweight
Cedarwood oil, Virginia (8000-27-9)	
LD50 oral rat	> 5 g/kg
Linalool (78-70-6)	
LD50 oral rat	2790 mg/kg
LD50 oral	2790 mg/kg bodyweight
LD50 dermal rabbit	2000 mg/kg
Eugenol (97-53-0)	
LD50 oral rat	1930 mg/kg
LD50 oral	2500 mg/kg bodyweight
Hexamethylindanopyran (1222-05-5)	
LD50 oral rat	> 3250 mg/kg
LD50 dermal rabbit	> 3250 mg/kg
Verdox (88-41-5)	
LD50 oral rat	4600 mg/kg
LD50 oral	4600 mg/kg bodyweight
Butylphenyl methylpropional (80-54-6)	
LD50 oral rat	1390 mg/kg
LD50 oral	1390 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 1802 mg/m ³ (Exposure time: 4 h)
Linalyl acetate (115-95-7)	
LD50 oral rat	14550 mg/kg

Havana #23980F

Safety Data Sheet

Linalyl acetate (115-95-7)	
LD50 dermal rabbit	> 5000 mg/kg
Phenylethyl alcohol (60-12-8)	
LD50 oral rat	1609 mg/kg
LD50 oral	1610 mg/kg bodyweight
LD50 dermal rabbit	2535 mg/kg
LD50 dermal	2500 mg/kg bodyweight
LC50 inhalation rat (mg/l)	> 4.63 mg/l/4h
Grapefruit oil (8016-20-4)	
LD50 oral rat	> 5 g/kg
Terpinyl acetate (80-26-2)	
LD50 oral rat	5075 mg/kg
Cedrol (77-53-2)	
LD50 dermal rabbit	> 5 g/kg
Cinnamic aldehyde (104-55-2)	
LD50 oral rat	2220 mg/kg
LD50 oral	2500 mg/kg bodyweight
LD50 dermal rabbit	1260 mg/kg
LD50 dermal	1100 mg/kg bodyweight
Patchouli oil (8014-09-3)	
LD50 oral rat	> 5 g/kg
Isobornyl acetate (125-12-2)	
LD50 oral rat	9050 mg/kg
LD50 dermal rabbit	> 20000 mg/kg
Vanillin (121-33-5)	
LD50 dermal rabbit	> 5010 mg/kg
Benzyl acetate (140-11-4)	
LD50 oral rat	2490 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Citral pure (5392-40-5)	
LD50 oral rat	4960 mg/kg
LD50 dermal rabbit	2250 mg/kg
LD50 dermal	2250 mg/kg bodyweight
Ethylene brassylate (105-95-3)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Methyl cinnamate (103-26-4)	
LD50 oral rat	2610 mg/kg
LD50 oral	2610 mg/kg bodyweight
Oxyphellon (Raspberry ketone) crystals (5471-51-2)	
LD50 oral rat	1320 mg/kg
Terpineol (8000-41-7)	
LD50 oral rat	2900 mg/kg
LD50 oral	4300 mg/kg bodyweight
LD50 dermal rabbit	> 3000 mg/kg
Geraniol (106-24-1)	
LD50 oral rat	3600 mg/kg
LD50 oral	3600 mg/kg bodyweight
LD50 dermal rabbit	> 5 g/kg
Eucalyptus oil (8000-48-4)	
LD50 oral rat	2480 mg/kg
Lemon oil (8008-56-8)	
LD50 oral rat	2840 mg/kg
Citronellol Pure (106-22-9)	
LD50 oral rat	3450 mg/kg
LD50 oral	3450 mg/kg bodyweight
LD50 dermal rabbit	2650 mg/kg
LD50 dermal	2650 mg/kg bodyweight

Havana #23980F

Safety Data Sheet

Heliotropine crystals (120-57-0)	
LD50 oral rat	2700 mg/kg
Nutmeg Oil (8008-45-5)	
LD50 oral rat	2620 mg/kg
LD50 dermal rabbit	> 10 g/kg
Coumarin crystals (91-64-5)	
LD50 oral rat	> 5000 mg/kg
LD50 oral	500 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.

Havana #23980F	
Viscosity, kinematic	
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met. Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Toxic to aquatic life with long lasting effects. Toxic to aquatic life.
Hazardous to the aquatic environment, short-term (acute)	: Toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.
Soil toxicity	: Not classified
Terrestrial vertebrate toxicity	: Toxic to terrestrial vertebrates.
Terrestrial invertebrate toxicity	: Not classified
Other information	: Avoid release to the environment.

Benzyl benzoate (120-51-4)	
LC50 fish 1	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic)	0.168 mg/l
Log Pow	4
LD50 dermal rabbit	4000 mg/kg
LD50 oral rat	500 mg/kg
Hedione (24851-98-7)	
LC50 fish 1	19 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static])
LD50 oral rat	> 5 g/kg
Dihydromyrcenol (18479-58-8)	
LD50 dermal rabbit	> 5 g/kg
LD50 oral rat	3600 mg/kg
Clove leaf oil (8000-34-8)	
LD50 dermal rabbit	1200 mg/kg
LD50 oral rat	1370 mg/kg
Cedarwood oil, Virginia (8000-27-9)	
LD50 oral rat	> 5 g/kg
Linalool (78-70-6)	
LC50 fish 1	27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	20 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Log Pow	2.84 - 3.1 (at 25 °C)
LD50 dermal rabbit	2000 mg/kg
LD50 oral rat	2790 mg/kg

Havana #23980F

Safety Data Sheet

Eugenol (97-53-0)	
LC50 fish 1	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
LD50 oral rat	1930 mg/kg
Hexamethylindanopyran (1222-05-5)	
LC50 fish 1	0.452 mg/l Wolf, 1996d-27682
LC50 other aquatic organisms 1	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 Daphnia 2	260 µg/l REACH Dossier
EC50 other aquatic organisms 1	0.131 mg/l REACH Dossier
LD50 dermal rabbit	> 3250 mg/kg
LD50 oral rat	> 3250 mg/kg
Verdox (88-41-5)	
LD50 oral rat	4600 mg/kg
Butylphenyl methylpropional (80-54-6)	
LC50 fish 1	2.2 - 4.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
EC50 Daphnia 1	10.7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Log Pow	4.2 (at 24 °C)
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	1390 mg/kg
Linalyl acetate (115-95-7)	
LC50 fish 1	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	14550 mg/kg
Phenylethyl alcohol (60-12-8)	
EC50 Daphnia 1	287.17 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h algae (1)	490 mg/l (Species: Desmodesmus subspicatus)
Log Pow	1.38 (at 25 °C)
LD50 dermal rabbit	2535 mg/kg
LD50 oral rat	1609 mg/kg
Grapefruit oil (8016-20-4)	
LD50 oral rat	> 5 g/kg
Terpinyl acetate (80-26-2)	
LC50 fish 1	> 11 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LD50 oral rat	5075 mg/kg
Cedrol (77-53-2)	
LD50 dermal rabbit	> 5 g/kg
Cinnamic aldehyde (104-55-2)	
Log Pow	2.22 (at 18 °C)
LD50 dermal rabbit	1260 mg/kg
LD50 oral rat	2220 mg/kg
Patchouli oil (8014-09-3)	
LD50 oral rat	> 5 g/kg
Isobornyl acetate (125-12-2)	
LC50 fish 1	10.0 - 18.0 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
Log Pow	3.5
LD50 dermal rabbit	> 20000 mg/kg
LD50 oral rat	9050 mg/kg
Vanillin (121-33-5)	
LC50 fish 1	53 - 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])
Log Pow	1.23 (at 22 °C)
LD50 dermal rabbit	> 5010 mg/kg
Benzyl acetate (140-11-4)	
Log Pow	1.96
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	2490 mg/kg
Citral pure (5392-40-5)	
EC50 Daphnia 1	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h algae (1)	16 mg/l (Species: Desmodesmus subspicatus)

Havana #23980F

Safety Data Sheet

Citral pure (5392-40-5)	
Log Pow	2.76 (at 25 °C)
LD50 dermal rabbit	2250 mg/kg
LD50 oral rat	4960 mg/kg
Ethylene brassylate (105-95-3)	
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	> 5000 mg/kg
Methyl cinnamate (103-26-4)	
LC50 fish 1	2.76 mg/l (Exposure time: 96 h - Species: Danio rerio [static])
LD50 oral rat	2610 mg/kg
Oxyphelylon (Raspberry ketone) crystals (5471-51-2)	
LD50 oral rat	1320 mg/kg
Terpineol (8000-41-7)	
LD50 dermal rabbit	> 3000 mg/kg
LD50 oral rat	2900 mg/kg
Geraniol (106-24-1)	
LC50 fish 1	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static])
LD50 dermal rabbit	> 5 g/kg
LD50 oral rat	3600 mg/kg
Eucalyptus oil (8000-48-4)	
LD50 oral rat	2480 mg/kg
Lemon oil (8008-56-8)	
LD50 oral rat	2840 mg/kg
Citronellol Pure (106-22-9)	
LD50 dermal rabbit	2650 mg/kg
LD50 oral rat	3450 mg/kg
Heliotropine crystals (120-57-0)	
LC50 fish 1	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static])
LD50 oral rat	2700 mg/kg
Nutmeg Oil (8008-45-5)	
LD50 dermal rabbit	> 10 g/kg
LD50 oral rat	2620 mg/kg
Coumarin crystals (91-64-5)	
	> 2000 mg/kg
LD50 oral rat	> 5000 mg/kg

12.2. Persistence and degradability

Havana #23980F	
Persistence and degradability	Not established.
Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.
Cedarwood oil, Texas (68990-83-0)	
Persistence and degradability	Not established.
Methyl cinnamate (103-26-4)	
Persistence and degradability	Not established.
Eucalyptus oil (8000-48-4)	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Havana #23980F	
Bioaccumulative potential	Not established.
Benzyl benzoate (120-51-4)	
Log Pow	See section 12.1 on ecotoxicology
Bioaccumulative potential	Not established.
Cedarwood oil, Texas (68990-83-0)	
Bioaccumulative potential	Not established.
Linalool (78-70-6)	
Log Pow	See section 12.1 on ecotoxicology

Havana #23980F

Safety Data Sheet

Butylphenyl methylpropional (80-54-6)	
Log Pow	See section 12.1 on ecotoxicology
Phenylethyl alcohol (60-12-8)	
Log Pow	See section 12.1 on ecotoxicology
Cinnamic aldehyde (104-55-2)	
Log Pow	See section 12.1 on ecotoxicology
Isobornyl acetate (125-12-2)	
Log Pow	See section 12.1 on ecotoxicology
Vanillin (121-33-5)	
Log Pow	See section 12.1 on ecotoxicology
Benzyl acetate (140-11-4)	
Log Pow	See section 12.1 on ecotoxicology
Citral pure (5392-40-5)	
Log Pow	See section 12.1 on ecotoxicology
Methyl cinnamate (103-26-4)	
Bioaccumulative potential	Not established.
Eucalyptus oil (8000-48-4)	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

Havana #23980F	
Mobility in soil	No additional information available
Benzyl benzoate (120-51-4)	
Log Pow	See section 12.1 on ecotoxicology
Linalool (78-70-6)	
Log Pow	See section 12.1 on ecotoxicology
Butylphenyl methylpropional (80-54-6)	
Log Pow	See section 12.1 on ecotoxicology
Phenylethyl alcohol (60-12-8)	
Log Pow	See section 12.1 on ecotoxicology
Cinnamic aldehyde (104-55-2)	
Log Pow	See section 12.1 on ecotoxicology
Isobornyl acetate (125-12-2)	
Log Pow	See section 12.1 on ecotoxicology
Vanillin (121-33-5)	
Log Pow	See section 12.1 on ecotoxicology
Benzyl acetate (140-11-4)	
Log Pow	See section 12.1 on ecotoxicology
Citral pure (5392-40-5)	
Log Pow	See section 12.1 on ecotoxicology

12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available

SECTION 13: Disposal considerations

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

UN-No.(UN RTDG)	: Not applicable
UN-No. (IMDG)	: 3082
UN-No. (IATA)	: 3082

14.2. Proper Shipping Name

Proper Shipping Name (UN RTDG)	: Not applicable
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cedarwood oil, Texas)

Havana #23980F

Safety Data Sheet

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s. (Cedarwood oil, Texas)

14.3. Transport hazard class(es)

UN RTDG


Transport hazard class(es) (UN RTDG) : Not applicable



IMDG

Transport hazard class(es) (IMDG) : 9


Danger labels (IMDG) : 9



IATA

Transport hazard class(es) (IATA) : 9

Danger labels (IATA) : 9



14.4. Packing group

Packing group (UN RTDG) : Not applicable

Packing group (IMDG) : III

Packing group (IATA) : III

14.5. Environmental hazards

Dangerous for the environment : True

Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

UN RTDG

No data available

IMDG

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P001, LP01

Special packing provisions (IMDG) : PP1

IBC packing instructions (IMDG) : IBC03

Tank instructions (IMDG) : T4

Tank special provisions (IMDG) : TP2, TP29

EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE

EmS-No. (Spillage) : S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS

Stowage category (IMDG) : A

IATA

PCA Excepted quantities (IATA) : E1

PCA Limited quantities (IATA) : Y964

PCA limited quantity max net quantity (IATA) : 30kgG

PCA packing instructions (IATA) : 964

PCA max net quantity (IATA) : 450L

CAO packing instructions (IATA) : 964

CAO max net quantity (IATA) : 450L

Havana #23980F

Safety Data Sheet

Special provisions (IATA) : A97, A158, A197
ERG code (IATA) : 9L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

14.8. Hazchem or Emergency Action Code

EAC code : •3Z.

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

Food Additives and Fragrance Materials (Subsidiary Hazard) Group Standard 2017

HSNO Approval Number : HSR002578

Benzyl benzoate (120-51-4)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003504

Clove leaf oil (8000-34-8)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR005666

Cedarwood oil, Virginia (8000-27-9)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003855

Linalool (78-70-6)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003500

Eugenol (97-53-0)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003486

Linalyl acetate (115-95-7)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003499

Phenylethyl alcohol (60-12-8)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003487

Grapefruit oil (8016-20-4)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003339

Cinnamic aldehyde (104-55-2)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR002786

Isobornyl acetate (125-12-2)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003572

Vanillin (121-33-5)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003498

Havana #23980F

Safety Data Sheet

Benzyl acetate (140-11-4)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR002908

Citral pure (5392-40-5)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR002728

Terpineol (8000-41-7)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003269

Geraniol (106-24-1)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003176

Eucalyptus oil (8000-48-4)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR000978

Lemon oil (8008-56-8)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003520

Citronellol Pure (106-22-9)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003483

Coumarin crystals (91-64-5)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003237

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Date of issue : 12/5/2019

Other information : None.

Full text of H-statements:

3.1C: Flam. Liq. 3	3.1C: Flammable liquids, Category 3
3.1D: Flam. Liq. 4	3.1D: Flammable liquids, Category 4
6.1C: Acute Tox. 3 (Dermal)	6.1C: Acute toxicity (dermal), Category 3
6.1C: Acute Tox. 3 (Oral)	6.1C: Acute toxicity (oral), Category 3
6.1D: Acute Tox. 4 (Dermal)	6.1D: Acute toxicity (dermal), Category 4
6.1D: Acute Tox. 4 (Oral)	6.1D: Acute toxicity (oral), Category 4
6.1E: Acute Tox. 5 (Dermal)	6.1E: Acute toxicity (dermal), Category 5
6.1E: Acute Tox. 5 (Oral)	6.1E: Acute toxicity (oral), Category 5
6.1E: Asp. Tox. 1	6.1E: Aspiration hazard, Category 1
6.3A: Skin Irrit. 2	6.3A: Skin corrosion/irritation, Category 2
6.4A: Eye Irrit. 2	6.4A: Serious eye damage/eye irritation, Category 2

Havana #23980F

Safety Data Sheet

6.5B: Skin Sens. 1	6.5B: Skin sensitisation, Category 1
6.6B: Muta. 2	6.6B: Germ cell mutagenicity, Category 2
6.7A: Carc. 1B	6.7A: Carcinogenicity, Category 1B
6.8B: Repr. 2	6.8B: Reproductive toxicity, Category 2
8.3A: Eye Dam. 1	8.3A: Serious eye damage/eye irritation, Category 1
9.1A: Aquatic Acute 1	9.1A: Hazardous to the aquatic environment — Acute Hazard, Category 1
9.1A: Aquatic Chronic 1	9.1A: Hazardous to the aquatic environment — Chronic Hazard, Category 1
9.1B: Aquatic Chronic 2	9.1B: Hazardous to the aquatic environment — Chronic Hazard, Category 2
9.1C: Aquatic Chronic 3	9.1C: Hazardous to the aquatic environment — Chronic Hazard, Category 3
9.1D: Aquatic Acute 2	9.1D: Hazardous to the aquatic environment — Acute Hazard, Category 2
9.1D: Aquatic Acute 3	9.1D: Hazardous to the aquatic environment — Acute Hazard, Category 3
9.3B: Ecotoxicity to terrestrial vertebrates B	9.3B: Ecotoxicity to terrestrial vertebrates B
9.3C: Ecotoxicity to terrestrial vertebrates C	9.3C: Ecotoxicity to terrestrial vertebrates C
Acute Tox. Not classified (Dermal)	Acute toxicity (dermal) Not classified
Acute Tox. Not classified (Oral)	Acute toxicity (oral) Not classified
Aquatic Acute Not classified	Hazardous to the aquatic environment - Acute Hazard Not classified
Flam. Liq. Not classified	Flammable liquids Not classified
H226	Flammable liquid and vapour.
H227	Combustible liquid
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H313	May be harmful in contact with skin
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects.

Havana #23980F

Safety Data Sheet

H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H432	Toxic to terrestrial vertebrates
H433	Harmful to terrestrial vertebrates

CANDLE CREATIONS SDS NEW ZEALAND

The data contained in this Safety Data Sheet is accurate to the best knowledge of Candle Creations applies to the product as supplied by Candle Creations and does not relate to use in combination with any other material or in any process. Data and information are furnished without warranty expressed or implied, nor does Candle Creations assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact info@candlecreations.co.nz