



Fresh Pine #27399F

Safety Data Sheet

This Safety Data Sheet has been prepared in accordance with the New Zealand Hazardous Substances (Safety Data Sheets) Notice 2017 under the Hazardous Substances and New Organisms Act (1996)

Date of issue: 27/02/2019

Revision date: 28/07/2020

Supersedes: V 1.0

Version: 2.0

SECTION 1: Identification of the hazardous chemical and of the supplier

1.1 Product identifier

Product name : Fresh Pine #27399F
Product form : Mixture
Type of product : Perfumes, fragrances
Product code : 27399F

1.2 Other means of identification

No additional information available

1.3 Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Perfumes, fragrances

1.4 Supplier's details

CANDLE CREATIONS
34B WILLIAM PICKERING DRIVE,
ROSEDALE, AUCKLAND, 0632,
NEW ZEALAND
T 09-448-1920

info@candlecreations.co.nz

www.candlecreations.co.nz

1.5 Emergency phone number

Emergency number : NZ NATIONAL POISONS CENTRE – 0800 POISON (0800-764-766)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

9.3B Ecotoxicity to terrestrial vertebrates B
6.3B Flammable liquids Not classified
6.5B Skin corrosion/irritation, Category 3
9.1D Skin sensitisation, Category 1
9.1B Hazardous to the aquatic environment — Acute Hazard, Category 2
Hazardous to the aquatic environment — Chronic Hazard, Category 2

2.2 Label elements

GHS NZ labelling

Hazard pictograms (GHS NZ)



Signal word (GHS NZ)

: Warning

Contains

: Fir needle oil, Canadian (1.612 – 5.2 %) ; Triplal (Vertocitral) (1.178 – 3.8 %) ; White Camphor oil (0.496 – 1.6 %) ; Juniper berry oil (0.1 – 1 %) ; IFRA Rosemary Oil 8000-25-7 (0.1 – 1 %) ; Citral pure (0.1 – 1 %)

Hazard statements (GHS NZ)

: H316 - Causes mild skin irritation
H317 - May cause an allergic skin reaction.
H401 - Toxic to aquatic life
H411 - Toxic to aquatic life with long lasting effects.
H432 - Toxic to terrestrial vertebrates

Prevention

: P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response

: P302+P352 - IF ON SKIN: Wash with plenty of water/...
P332+P313 - If skin irritation occurs: Get medical advice/attention.

Disposal

: P501 - Dispose of contents/container in accordance with local/national laws and regulations

2.3 Other hazards not contributing to the classification

No additional information available

SECTION 3: Composition and information of the ingredients of the hazardous chemical

3.1 Substances

Not applicable

Fresh Pine #27399F

Safety Data Sheet

3.2. Mixtures

Name	Product identifier	%	Classification according to GHS NZ
Isobornyl acetate	(CAS-No.) 125-12-2	5.704 – 18.4	3.1D: Flam. Liq. 4, H227 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Aquatic Acute Not classified
Fir needle oil, Canadian	(CAS-No.) 8021-28-1	1.612 – 5.2	Flam. Liq. Not classified Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) 6.5B: Skin Sens. 1, H317 6.1E: Asp. Tox. 1, H304 9.1B: Aquatic Chronic 2, H411
Benzyl benzoate	(CAS-No.) 120-51-4	1 – 4	9.3B: Ecotoxicity to terrestrial vertebrates B, H432 Flam. Liq. Not classified 6.1D: Acute Tox. 4 (Oral), H302 6.1E: Acute Tox. 5 (Dermal), H313 9.1D: Aquatic Acute 2, H401 9.1B: Aquatic Chronic 2, H411
Hexamethylindanopyran	(CAS-No.) 1222-05-5	1 – 4	Flam. Liq. Not classified 9.1A: Aquatic Acute 1, H400 9.1A: Aquatic Chronic 1, H410
Triplal (Vertocitral)	(CAS-No.) 68039-49-6	1.178 – 3.8	3.1D: Flam. Liq. 4, H227 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317 9.1C: Aquatic Chronic 3, H412
Diethyl malonate	(CAS-No.) 105-53-3	0.806 – 2.6	3.1D: Flam. Liq. 4, H227 Acute Tox. Not classified (Oral) 6.4A: Eye Irrit. 2, H319 9.1D: Aquatic Acute 3, H402
White Camphor oil	(CAS-No.) 8008-51-3	0.496 – 1.6	3.1C: Flam. Liq. 3, H226 6.1E: Acute Tox. 5 (Oral), H303 6.3A: Skin Irrit. 2, H315 6.5B: Skin Sens. 1, H317 6.1E: Asp. Tox. 1, H304 9.1B: Aquatic Chronic 2, H411
Terpinyl acetate	(CAS-No.) 80-26-2	0.496 – 1.6	Flam. Liq. Not classified Acute Tox. Not classified (Oral) Aquatic Acute Not classified 9.1B: Aquatic Chronic 2, H411
Leaf alcohol	(CAS-No.) 928-96-1	0.1–1	3.1C: Flam. Liq. 3, H226 6.1E: Acute Tox. 5 (Oral), H303 6.1E: Acute Tox. 5 (Dermal), H313 6.4A: Eye Irrit. 2, H319 Aquatic Acute Not classified
Veltol plus crystals	(CAS-No.) 4940-11-8	0.1–1	9.3C: Ecotoxicity to terrestrial vertebrates C, H433 6.1D: Acute Tox. 4 (Oral), H302 Aquatic Acute Not classified
Citral pure	(CAS-No.) 5392-40-5	0.1–1	3.1D: Flam. Liq. 4, H227 6.1E: Acute Tox. 5 (Oral), H303 6.1E: Acute Tox. 5 (Dermal), H313 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317 9.1D: Aquatic Acute 2, H401
Oxypheylon (Raspberry ketone) crystals	(CAS-No.) 5471-51-2	0.1–1	9.3C: Ecotoxicity to terrestrial vertebrates C, H433 6.1D: Acute Tox. 4 (Oral), H302
Juniper berry oil	(CAS-No.) 8002-68-4	0.1–1	3.1C: Flam. Liq. 3, H226 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317 6.1E: Asp. Tox. 1, H304 9.1B: Aquatic Chronic 2, H411

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

Fresh Pine #27399F

Safety Data Sheet

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

EAC code : •3Z - •3Z

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material.

SECTION 7: Handling and storage, including how the chemical may be safely used

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Citral pure (5392-40-5)

USA - ACGIH - Occupational Exposure Limits

ACGIH TWA (ppm)	5 ppm (inhalable fraction and vapor)
ACGIH chemical category	dermal sensitizer, Skin - potential significant contribution to overall exposure by the cutaneous route, Not Classifiable as a Human Carcinogen

Exposure limit values for the other components

No additional information available

8.2. Monitoring

No additional information available

8.3. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Fresh Pine #27399F

Safety Data Sheet

8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection	: Protective gloves
Eye protection	: Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment
Personal protective equipment symbol(s)	



Environmental exposure controls	: Avoid release to the environment.
---------------------------------	-------------------------------------

SECTION 9: Physical and chemical properties

Physical state	: Liquid
Appearance	: No data available
Colour	: amber, light yellow
Odour	: characteristic
Odour threshold	: No data available
pH	: No data available
Evaporation rate	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point / Freezing point	: Melting point : Not applicable
Boiling point	: No data available
Flash point	: > 73.98 °C (closed cup) ASTM D7094
Auto-ignition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative density	: No data available
Density	: Relative density : ≈ 0.93
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Explosive limits	: No data available
Minimum ignition energy	: No data available

SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Isobornyl acetate (125-12-2)	
LD50 oral rat	9050 mg/kg
LD50 dermal rabbit	> 20000 mg/kg
Fir needle oil, Canadian (8021-28-1)	
LD50 oral rat	> 5 g/kg

Fresh Pine #27399F

Safety Data Sheet

Fir needle oil, Canadian (8021-28-1)	
LD50 dermal rabbit	> 5 g/kg
Hexamethylindanopyran (1222-05-5)	
LD50 oral rat	> 3250 mg/kg
LD50 dermal rabbit	> 3250 mg/kg
Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg
LD50 oral	1500 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg
LD50 dermal	4000 mg/kg bodyweight
Triplal (Vertocitral) (68039-49-6)	
LD50 oral	3900 mg/kg bodyweight
Diethyl malonate (105-53-3)	
LD50 oral rat	14900 µl/kg
Terpinyl acetate (80-26-2)	
LD50 oral rat	5075 mg/kg
White Camphor oil (8008-51-3)	
LD50 oral rat	3730 mg/kg
Juniper berry oil (8002-68-4)	
LD50 oral rat	6280 mg/kg
LD50 dermal rabbit	> 5 g/kg
Oxyphelyon (Raspberry ketone) crystals (5471-51-2)	
LD50 oral rat	1320 mg/kg
Veltol plus crystals (4940-11-8)	
LD50 oral rat	1150 mg/kg
LD50 oral	1200 mg/kg bodyweight
Citral pure (5392-40-5)	
LD50 oral rat	4960 mg/kg
LD50 dermal rabbit	2250 mg/kg
LD50 dermal	2250 mg/kg bodyweight
Leaf alcohol (928-96-1)	
LD50 oral rat	4700 mg/kg
LD50 dermal rabbit	5000 mg/kg

Skin corrosion/irritation	: Causes mild skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

Fresh Pine #27399F	
Viscosity, kinematic	

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.
Soil toxicity	: Not classified
Terrestrial vertebrate toxicity	: Toxic to terrestrial vertebrates.
Terrestrial invertebrate toxicity	: Not classified

Isobornyl acetate (125-12-2)	
LC50 fish 1	10.0 – 18.0 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])

Fresh Pine #27399F

Safety Data Sheet

Isobornyl acetate (125-12-2)	
Partition coefficient n-octanol/water (Log Pow)	3.5
LD50 dermal rabbit	> 20000 mg/kg
LD50 oral rat	9050 mg/kg
Fir needle oil, Canadian (8021-28-1)	
LD50 dermal rabbit	> 5 g/kg
LD50 oral rat	> 5 g/kg
Hexamethylindanopyran (1222-05-5)	
LC50 fish 1	0.452 mg/l Wolf, 1996d-27682
LC50 other aquatic organisms 1	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 Daphnia 2	260 µg/l REACH Dossier
EC50 other aquatic organisms 1	0.131 mg/l REACH Dossier
LD50 dermal rabbit	> 3250 mg/kg
LD50 oral rat	> 3250 mg/kg
Benzyl benzoate (120-51-4)	
LC50 fish 1	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic)	0.168 mg/l
Partition coefficient n-octanol/water (Log Pow)	4
LD50 dermal rabbit	4000 mg/kg
LD50 oral rat	500 mg/kg
Diethyl malonate (105-53-3)	
LC50 fish 1	10.3 – 13.4 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	202.3 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h algae (1)	508.2 mg/l (Species: Desmodesmus subspicatus)
Partition coefficient n-octanol/water (Log Pow)	0.96
LD50 oral rat	14900 µl/kg
Terpinyl acetate (80-26-2)	
LC50 fish 1	> 11 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LD50 oral rat	5075 mg/kg
White Camphor oil (8008-51-3)	
LD50 oral rat	3730 mg/kg
Juniper berry oil (8002-68-4)	
LD50 dermal rabbit	> 5 g/kg
LD50 oral rat	6280 mg/kg
Oxyphelyon (Raspberry ketone) crystals (5471-51-2)	
LD50 oral rat	1320 mg/kg
Vetol plus crystals (4940-11-8)	
LC50 fish 1	> 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
LD50 oral rat	1150 mg/kg
Citral pure (5392-40-5)	
EC50 Daphnia 1	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h algae (1)	16 mg/l (Species: Desmodesmus subspicatus)
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)
LD50 dermal rabbit	2250 mg/kg
LD50 oral rat	4960 mg/kg
Leaf alcohol (928-96-1)	
LC50 fish 1	352 – 412 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LD50 dermal rabbit	5000 mg/kg
LD50 oral rat	4700 mg/kg

12.2. Persistence and degradability

Fresh Pine #27399F	
Persistence and degradability	No additional information available
Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Fresh Pine #27399F	
Bioaccumulative potential	No additional information available

Fresh Pine #27399F

Safety Data Sheet

Isobornyl acetate (125-12-2)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Bioaccumulative potential	Not established.
Diethyl malonate (105-53-3)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Citral pure (5392-40-5)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology

12.4. Mobility in soil

Fresh Pine #27399F	
Mobility in soil	No additional information available
Isobornyl acetate (125-12-2)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Diethyl malonate (105-53-3)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Citral pure (5392-40-5)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology

12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available

SECTION 13: Disposal considerations

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
-------------------------	---

SECTION 14: Transport information

14.1. UN number	
UN-No.(UN RTDG)	: Not applicable
UN-No. (IMDG)	: 3082
UN-No. (IATA)	: 3082

14.2. Proper Shipping Name	
Proper Shipping Name (UN RTDG)	: Not applicable
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPYRAN)
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s. (HEXAMETHYLINDANOPYRAN)

14.3. Transport hazard class(es)

UN RTDG

Transport hazard class(es) (UN RTDG)	: Not applicable
:	:



IMDG

Transport hazard class(es) (IMDG)	: 9
Danger labels (IMDG)	: 9



IATA

Transport hazard class(es) (IATA)	: 9
Danger labels (IATA)	: 9

Fresh Pine #27399F

Safety Data Sheet



14.4. Packing group

Packing group (UN RTDG)	: Not applicable
Packing group (IMDG)	: III
Packing group (IATA)	: III

14.5. Environmental hazards

Dangerous for the environment	: True
Marine pollutant	: Yes
Other information	: No supplementary information available

14.6. Special precautions for user

UN RTDG

No data available

IMDG

Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP2, TP29
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS
Stowage category (IMDG)	: A

IATA

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197
ERG code (IATA)	: 9L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

14.8. Hazchem or Emergency Action Code

EAC code	: +3Z.
----------	--------

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

Food Additives and Fragrance Materials (Subsidiary Hazard) Group Standard 2017

HSNO Approval Number	: HSR002578
----------------------	-------------

Isobornyl acetate (125-12-2)

Hazardous Substances and New Organisms Act

HSNO Approval Number	: HSR003572
----------------------	-------------

Benzyl benzoate (120-51-4)

Hazardous Substances and New Organisms Act

HSNO Approval Number	: HSR003504
----------------------	-------------

Fresh Pine #27399F

Safety Data Sheet

Triplal (Vertocitral) (68039-49-6)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003489

Diethyl malonate (105-53-3)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR006270

Citral pure (5392-40-5)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR002728

Leaf alcohol (928-96-1)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003488

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Issue date : 2/27/2020

Full text of H-statements:

3.1C: Flam. Liq. 3	3.1C: Flammable liquids, Category 3
3.1D: Flam. Liq. 4	3.1D: Flammable liquids, Category 4
6.1D: Acute Tox. 4 (Oral)	6.1D: Acute toxicity (oral), Category 4
6.1E: Acute Tox. 5 (Dermal)	6.1E: Acute toxicity (dermal), Category 5
6.1E: Acute Tox. 5 (Oral)	6.1E: Acute toxicity (oral), Category 5
6.1E: Asp. Tox. 1	6.1E: Aspiration hazard, Category 1
6.3A: Skin Irrit. 2	6.3A: Skin corrosion/irritation, Category 2
6.3B: Skin Irrit. 3	6.3B: Skin corrosion/irritation, Category 3
6.4A: Eye Irrit. 2	6.4A: Serious eye damage/eye irritation, Category 2
6.5B: Skin Sens. 1	6.5B: Skin sensitisation, Category 1
9.1A: Aquatic Acute 1	9.1A: Hazardous to the aquatic environment — Acute Hazard, Category 1
9.1A: Aquatic Chronic 1	9.1A: Hazardous to the aquatic environment — Chronic Hazard, Category 1
9.1B: Aquatic Chronic 2	9.1B: Hazardous to the aquatic environment — Chronic Hazard, Category 2
9.1C: Aquatic Chronic 3	9.1C: Hazardous to the aquatic environment — Chronic Hazard, Category 3
9.1D: Aquatic Acute 2	9.1D: Hazardous to the aquatic environment — Acute Hazard, Category 2
9.1D: Aquatic Acute 3	9.1D: Hazardous to the aquatic environment — Acute Hazard, Category 3
9.3B: Ecotoxicity to terrestrial vertebrates B	9.3B: Ecotoxicity to terrestrial vertebrates B
9.3C: Ecotoxicity to terrestrial vertebrates C	9.3C: Ecotoxicity to terrestrial vertebrates C
Acute Tox. Not classified (Dermal)	Acute toxicity (dermal) Not classified
Acute Tox. Not classified (Oral)	Acute toxicity (oral) Not classified
Aquatic Acute Not classified	Hazardous to the aquatic environment - Acute Hazard Not classified
Flam. Liq. Not classified	Flammable liquids Not classified

Fresh Pine #27399F

Safety Data Sheet

H226	Flammable liquid and vapour.
H227	Combustible liquid
H302	Harmful if swallowed.
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways.
H313	May be harmful in contact with skin
H315	Causes skin irritation.
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H432	Toxic to terrestrial vertebrates
H433	Harmful to terrestrial vertebrates

CANDLE CREATIONS SDS NEW ZEALAND

The data contained in this Safety Data Sheet is accurate to the best knowledge of Candle Creations, applies to the product as supplied by Candle Creations and does not relate to use in combination with any other material or in any process. Data and information are furnished without warranty expressed or implied, nor does Candle Creations assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact info@candlecreations.co.nz

Fresh Pine #27399F

Safety Data Sheet

