



Lotus Flower #29359F

Safety Data Sheet

This Safety Data Sheet has been prepared in accordance with the New Zealand Hazardous Substances (Safety Data Sheets) Notice 2017 under the Hazardous Substances and New Organisms Act (1996)

Issue date: 04/03/2020 Revision date: 21/10/2020 Supersedes: V1.0 Version: 2.0

SECTION 1: Identification of the hazardous chemical and of the supplier

1.1 Product identifier

Product name : Lotus Flower #29359F
Product form : Mixture
Type of product : Perfumes, fragrances
Product code : 29359F

1.2 Other means of identification

No additional information available

1.3 Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Perfumes, fragrances

1.4 Supplier's details

CANDLE CREATIONS
34B WILLIAM PICKERING DRIVE,
ROSEDALE, AUCKLAND, 0632,
NEW ZEALAND
T 09-448-1920

info@candlecreations.co.nz –
www.candlecreations.co.nz

1.5 Emergency phone number

Emergency number : NZ NATIONAL POISONS CENTRE – 0800 POISON (0800-764-766)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

9.3B Ecotoxicity to terrestrial vertebrates B
6.1D Flammable liquids Not classified
6.3A Acute toxicity (oral), Category 4
6.5B Skin corrosion/irritation, Category 2
6.8B Skin sensitisation, Category 1
9.1D Reproductive toxicity, Category 2
9.1B Hazardous to the aquatic environment — Acute Hazard, Category 2
Hazardous to the aquatic environment — Chronic Hazard, Category 2

2.2 Label elements

GHS NZ labelling

Hazard pictograms (GHS NZ)



Signal word (GHS NZ)

: Warning

Contains

: Benzyl benzoate (23.05 – 43.05 %) ; Hexyl cinnamic aldehyde (5 – 10 %) ; d-Limonene (3.25 – 6.5 %) ; Butylphenyl methylpropional (3.15 – 6.3 %) ; Linalool (1.225 – 2.45 %) ; Citronellol Pure (0.575 – 1.15 %) ; Exaltolide (0.5 – 1 %) ; Amyl cinnamic aldehyde (0.375 – 0.75 %) ; Coumarin crystals (0.25 – 0.5 %) ; Geraniol (0.2 – 0.4 %)

Hazard statements (GHS NZ)

: H302 - Harmful if swallowed.
H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H361 - Suspected of damaging fertility or the unborn child.
H401 - Toxic to aquatic life
H411 - Toxic to aquatic life with long lasting effects.
H432 - Toxic to terrestrial vertebrates

Prevention

: P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P264 - Wash hands thoroughly after handling
P270 - Do not eat, drink or smoke when using this product.
P272 - Contaminated work clothing should not be allowed out of the workplace.

Response

: P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor

2.3 Other hazards not contributing to the classification

No additional information available

Lotus Flower #29359F

Safety Data Sheet

SECTION 3: Composition and information of the ingredients of the hazardous chemical

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to GHS NZ
Benzyl benzoate	(CAS-No.) 120-51-4	23.05 – 43.05	9.3B: Ecotoxicity to terrestrial vertebrates B, H432 Flam. Liq. Not classified 6.1D: Acute Tox. 4 (Oral), H302 6.1E: Acute Tox. 5 (Dermal), H313 9.1D: Aquatic Acute 2, H401 9.1B: Aquatic Chronic 2, H411
Hexyl cinnamic aldehyde	(CAS-No.) 101-86-0	5–10	Flam. Liq. Not classified 6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Inhalation:dust,mist) 6.5B: Skin Sens. 1, H317 9.1B: Aquatic Chronic 2, H411
d-Limonene	(CAS-No.) 5989-27-5	3.25 – 6.5	3.1C: Flam. Liq. 3, H226 6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) 6.3A: Skin Irrit. 2, H315 6.5B: Skin Sens. 1, H317 6.1E: Asp. Tox. 1, H304 9.1A: Aquatic Acute 1, H400 9.1A: Aquatic Chronic 1, H410
Butylphenyl methylpropional	(CAS-No.) 80-54-6	3.15 – 6.3	9.3C: Ecotoxicity to terrestrial vertebrates C, H433 3.1D: Flam. Liq. 4, H227 6.1D: Acute Tox. 4 (Oral), H302 Acute Tox. Not classified (Dermal) 6.3A: Skin Irrit. 2, H315 6.5B: Skin Sens. 1, H317 6.8B: Repr. 2, H361 9.1D: Aquatic Acute 2, H401 9.1B: Aquatic Chronic 2, H411
Hedione	(CAS-No.) 24851-98-7	2.75 – 5.5	Flam. Liq. Not classified Acute Tox. Not classified (Oral) 9.1D: Aquatic Acute 3, H402
Hexamethylindanopyran	(CAS-No.) 1222-05-5	2.5–5	Flam. Liq. Not classified 9.1A: Aquatic Acute 1, H400 9.1A: Aquatic Chronic 1, H410
Vanillin	(CAS-No.) 121-33-5	1.5–3	Acute Tox. Not classified (Dermal) 6.4A: Eye Irrit. 2, H319 9.1D: Aquatic Acute 3, H402
Linalool	(CAS-No.) 78-70-6	1.225 – 2.45	9.3C: Ecotoxicity to terrestrial vertebrates C, H433 3.1D: Flam. Liq. 4, H227 6.1E: Acute Tox. 5 (Oral), H303 6.1D: Acute Tox. 4 (Dermal), H312 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317 9.1D: Aquatic Acute 3, H402
Linalyl isobutyrate	(CAS-No.) 78-35-3	0.9 – 1.8	Flam. Liq. Not classified Acute Tox. Not classified (Oral) 9.1B: Aquatic Chronic 2, H411
Styralyl acetate	(CAS-No.) 93-92-5	0.75 – 1.5	3.1D: Flam. Liq. 4, H227 Acute Tox. Not classified (Oral) 9.1D: Aquatic Acute 3, H402
3,7-Dimethyl-1,6-nonadien-3-ol	(CAS-No.) 10339-55-6	0.575 – 1.15	3.1D: Flam. Liq. 4, H227 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 9.1D: Aquatic Acute 3, H402
Citronellol Pure	(CAS-No.) 106-22-9	0.575 – 1.15	Flam. Liq. Not classified 6.1E: Acute Tox. 5 (Oral), H303 6.1E: Acute Tox. 5 (Dermal), H313 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317
Exaltolide	(CAS-No.) 106-02-5	0.5–1	Flam. Liq. Not classified Acute Tox. Not classified (Oral) 6.5B: Skin Sens. 1, H317 9.1B: Aquatic Chronic 2, H411
cis-3-Hexenyl salicylate	(CAS-No.) 65405-77-8	0.45 – 0.9	Flam. Liq. Not classified 6.1E: Acute Tox. 5 (Oral), H303 9.1A: Aquatic Acute 1, H400
Verdox	(CAS-No.) 88-41-5	0.375 – 0.75	3.1D: Flam. Liq. 4, H227 6.1E: Acute Tox. 5 (Oral), H303 9.1B: Aquatic Chronic 2, H411

Lotus Flower #29359F

Safety Data Sheet

Name	Product identifier	%	Classification according to GHS NZ
Amyl cinnamic aldehyde	(CAS-No.) 122-40-7	0.375 – 0.75	Flam. Liq. Not classified 6.1E: Acute Tox. 5 (Oral), H303 6.5B: Skin Sens. 1, H317 9.1B: Aquatic Chronic 2, H411
Allyl amyl glycolate	(CAS-No.) 67634-00-8	0.25 – 0.5	3.1D: Flam. Liq. 4, H227
Coumarin crystals	(CAS-No.) 91-64-5	0.25 – 0.5	6.1C: Acute Tox. 3 (Oral), H301 6.1C: Acute Tox. 3 (Dermal), H311 6.5B: Skin Sens. 1, H317 9.1B: Aquatic Chronic 2, H411
Geraniol	(CAS-No.) 106-24-1	0.2 – 0.4	Flam. Liq. Not classified 6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) 6.3A: Skin Irrit. 2, H315 8.3A: Eye Dam. 1, H318 6.5B: Skin Sens. 1, H317 9.1D: Aquatic Acute 3, H402
4-Methoxy-alpha-methylbenzenepropanal	(CAS-No.) 5462-06-6	0.05 – 0.1	Flam. Liq. Not classified 9.1C: Aquatic Chronic 3, H412

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: IF exposed or concerned: Get medical advice/attention. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. Wash with plenty of water/.... If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Call a poison center or a doctor if you feel unwell. Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May cause an allergic skin reaction.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after ingestion	: Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection.
EAC code	: •3Z - •3Z

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

Lotus Flower #29359F

Safety Data Sheet

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

SECTION 7: Handling and storage, including how the chemical may be safely used

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash hands thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool. Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

d-Limonene (5989-27-5)

Germany - Occupational Exposure Limits (TRGS 900)

Occupational exposure limit value (mg/m ³)	28 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
--	---

Occupational exposure limit value (ppm)	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
---	--

Chemical category	Skin notation, Skin sensitization
-------------------	-----------------------------------

4-Methoxy-alpha-methylbenzenepropanal (5462-06-6)

Korea - Occupational Exposure Limits

ISHA	Name, Toxicity and Protective Measures of New Chemical
------	--

Exposure limit values for the other components

No additional information available

8.2. Monitoring

No additional information available

8.3. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Wear protective gloves.

Lotus Flower #29359F

Safety Data Sheet

Eye protection	: Safety glasses. Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: [In case of inadequate ventilation] wear respiratory protection. Wear appropriate mask
Personal protective equipment symbol(s)	



Environmental exposure controls	: Avoid release to the environment.
---------------------------------	-------------------------------------

SECTION 9: Physical and chemical properties

Physical state	: Liquid
Appearance	: No data available
Colour	: light yellow, amber
Odour	: characteristic
Odour threshold	: No data available
pH	: No data available
Evaporation rate	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point / Freezing point	: Melting point : Not applicable
Boiling point	: No data available
Flash point	: > 93.33 °C (closed cup) ASTM D7094
Auto-ignition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative density	: No data available
Density	: Relative density : 1.024
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Explosive limits	: No data available
Minimum ignition energy	: No data available

SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Not established.
Possibility of hazardous reactions	: Not established.
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
Incompatible materials	: Strong acids. Strong bases.
Hazardous decomposition products	: fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

ATE NZ (oral)	1035.766 mg/kg bodyweight
Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg
LD50 oral	1500 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg
LD50 dermal	4000 mg/kg bodyweight
Hexyl cinnamic aldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg

Lotus Flower #29359F

Safety Data Sheet

Hexyl cinnamic aldehyde (101-86-0)	
LD50 oral	3100 mg/kg bodyweight
LD50 dermal rabbit	> 3000 mg/kg
LC50 inhalation rat (mg/l)	> 5 mg/l/4h
d-Limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5 g/kg
Butylphenyl methylpropional (80-54-6)	
LD50 oral rat	1390 mg/kg
LD50 oral	1390 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 1802 mg/m ³ (Exposure time: 4 h)
Hedione (24851-98-7)	
LD50 oral rat	> 5 g/kg
Hexamethylindanopyran (1222-05-5)	
LD50 oral rat	> 3250 mg/kg
LD50 dermal rabbit	> 3250 mg/kg
Vanillin (121-33-5)	
LD50 dermal rabbit	> 5010 mg/kg
Linalool (78-70-6)	
LD50 oral rat	2790 mg/kg
LD50 oral	2790 mg/kg bodyweight
LD50 dermal rabbit	2000 mg/kg
Linalyl isobutyrate (78-35-3)	
LD50 oral rat	> 36300 mg/kg
Styralyl acetate (93-92-5)	
LD50 oral rat	> 5 g/kg
Citronellol Pure (106-22-9)	
LD50 oral rat	3450 mg/kg
LD50 oral	3450 mg/kg bodyweight
LD50 dermal rabbit	2650 mg/kg
LD50 dermal	2650 mg/kg bodyweight
3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)	
LD50 oral	5000 mg/kg bodyweight
Exaltolide (106-02-5)	
LD50 oral rat	> 5 g/kg
cis-3-Hexenyl salicylate (65405-77-8)	
LD50 oral rat	5 g/kg
Amyl cinnamic aldehyde (122-40-7)	
LD50 oral rat	3730 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
Verdox (88-41-5)	
LD50 oral rat	4600 mg/kg
LD50 oral	4600 mg/kg bodyweight
Coumarin crystals (91-64-5)	
LD50 oral rat	> 5000 mg/kg
LD50 oral	500 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg
Allyl amyl glycolate (67634-00-8)	
LD50 oral	730 mg/kg bodyweight
Geraniol (106-24-1)	
LD50 oral rat	3600 mg/kg
LD50 oral	3600 mg/kg bodyweight
LD50 dermal rabbit	> 5 g/kg
4-Methoxy-alpha-methylbenzenepropanal (5462-06-6)	
LD50 oral	4000 mg/kg bodyweight

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Not classified

Lotus Flower #29359F

Safety Data Sheet

Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

Lotus Flower #29359F	
Viscosity, kinematic	
Potential adverse human health effects and symptoms	: Harmful if swallowed. Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Toxic to aquatic life with long lasting effects. Toxic to aquatic life.
Hazardous to the aquatic environment, short-term (acute)	: Toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.
Soil toxicity	: Not classified
Terrestrial vertebrate toxicity	: Toxic to terrestrial vertebrates.
Terrestrial invertebrate toxicity	: Not classified
Other information	: Avoid release to the environment.

Benzyl benzoate (120-51-4)	
LC50 fish 1	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic)	0.168 mg/l
Partition coefficient n-octanol/water (Log Pow)	4
LD50 dermal rabbit	4000 mg/kg
LD50 oral rat	500 mg/kg
Hexyl cinnamic aldehyde (101-86-0)	
LD50 dermal rabbit	> 3000 mg/kg
LD50 oral rat	3100 mg/kg
d-Limonene (5989-27-5)	
LC50 fish 1	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
LD50 dermal rabbit	> 5 g/kg
LD50 oral rat	4400 mg/kg
Butylphenyl methylpropional (80-54-6)	
LC50 fish 1	2.2 – 4.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
EC50 Daphnia 1	10.7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Partition coefficient n-octanol/water (Log Pow)	4.2 (at 24 °C)
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	1390 mg/kg
Hedione (24851-98-7)	
LC50 fish 1	19 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static])
LD50 oral rat	> 5 g/kg
Hexamethylindanopyran (1222-05-5)	
LC50 fish 1	0.452 mg/l Wolf, 1996d-27682
LC50 other aquatic organisms 1	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 Daphnia 2	260 µg/l REACH Dossier
EC50 other aquatic organisms 1	0.131 mg/l REACH Dossier
LD50 dermal rabbit	> 3250 mg/kg
LD50 oral rat	> 3250 mg/kg
Vanillin (121-33-5)	
LC50 fish 1	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)
LD50 dermal rabbit	> 5010 mg/kg

Lotus Flower #29359F

Safety Data Sheet

Linalool (78-70-6)	
LC50 fish 1	27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	20 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Partition coefficient n-octanol/water (Log Pow)	2.84 – 3.1 (at 25 °C)
LD50 dermal rabbit	2000 mg/kg
LD50 oral rat	2790 mg/kg
Linalyl isobutyrate (78-35-3)	
LD50 oral rat	> 36300 mg/kg
Styralyl acetate (93-92-5)	
LC50 fish 1	18.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
LD50 oral rat	> 5 g/kg
Citronellol Pure (106-22-9)	
LD50 dermal rabbit	2650 mg/kg
LD50 oral rat	3450 mg/kg
3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)	
LC50 fish 1	24 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
Exaltolide (106-02-5)	
LD50 oral rat	> 5 g/kg
cis-3-Hexenyl salicylate (65405-77-8)	
LD50 oral rat	5 g/kg
Amyl cinnamic aldehyde (122-40-7)	
LD50 dermal rabbit	> 2000 mg/kg
LD50 oral rat	3730 mg/kg
Verdox (88-41-5)	
LD50 oral rat	4600 mg/kg
Coumarin crystals (91-64-5)	
	> 2000 mg/kg
LD50 oral rat	> 5000 mg/kg
Geraniol (106-24-1)	
LC50 fish 1	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static])
LD50 dermal rabbit	> 5 g/kg
LD50 oral rat	3600 mg/kg
12.2. Persistence and degradability	
Lotus Flower #29359F	
Persistence and degradability	Not established.
Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
Lotus Flower #29359F	
Bioaccumulative potential	Not established.
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Bioaccumulative potential	Not established.
Butylphenyl methylpropional (80-54-6)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Vanillin (121-33-5)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Linalool (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
12.4. Mobility in soil	
Lotus Flower #29359F	
Mobility in soil	No additional information available
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Butylphenyl methylpropional (80-54-6)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology

Lotus Flower #29359F

Safety Data Sheet

Vanillin (121-33-5)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Linalool (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology

12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available

SECTION 13: Disposal considerations

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose of contents/container in accordance with local/national laws and regulations. Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

UN-No.(UN RTDG)	: Not applicable
UN-No. (IMDG)	: 3082
UN-No. (IATA)	: 3082

14.2. Proper Shipping Name

Proper Shipping Name (UN RTDG)	: Not applicable
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPYRAN)
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s. (HEXAMETHYLINDANOPYRAN)

14.3. Transport hazard class(es)

UN RTDG

Transport hazard class(es) (UN RTDG)	: Not applicable
--------------------------------------	------------------



IMDG

Transport hazard class(es) (IMDG)	: 9
Danger labels (IMDG)	: 9



IATA

Transport hazard class(es) (IATA)	: 9
Danger labels (IATA)	: 9



14.4. Packing group

Packing group (UN RTDG)	: Not applicable
Packing group (IMDG)	: III
Packing group (IATA)	: III

14.5. Environmental hazards

Dangerous for the environment	: True
Marine pollutant	: Yes
Other information	: No supplementary information available

14.6. Special precautions for user

Lotus Flower #29359F

Safety Data Sheet

UN RTDG

No data available

IMDG

Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP2, TP29
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS
Stowage category (IMDG)	: A

IATA

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197
ERG code (IATA)	: 9L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

14.8. Hazchem or Emergency Action Code

EAC code : •3Z.

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

Food Additives and Fragrance Materials (Subsidiary Hazard) Group Standard 2017

HSNO Approval Number : HSR002578

Benzyl benzoate (120-51-4)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003504

d-Limonene (5989-27-5)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR002725

Vanillin (121-33-5)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003498

Linalool (78-70-6)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003500

Citronellol Pure (106-22-9)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003483

Coumarin crystals (91-64-5)

Hazardous Substances and New Organisms Act

Lotus Flower #29359F

Safety Data Sheet

Coumarin crystals (91-64-5)

HSNO Approval Number : HSR003237

Geraniol (106-24-1)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003176

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Issue date : 3/4/2020

Other information : None.

Full text of H-statements:

3.1C: Flam. Liq. 3	3.1C: Flammable liquids, Category 3
3.1D: Flam. Liq. 4	3.1D: Flammable liquids, Category 4
6.1C: Acute Tox. 3 (Dermal)	6.1C: Acute toxicity (dermal), Category 3
6.1C: Acute Tox. 3 (Oral)	6.1C: Acute toxicity (oral), Category 3
6.1D: Acute Tox. 4 (Dermal)	6.1D: Acute toxicity (dermal), Category 4
6.1D: Acute Tox. 4 (Oral)	6.1D: Acute toxicity (oral), Category 4
6.1E: Acute Tox. 5 (Dermal)	6.1E: Acute toxicity (dermal), Category 5
6.1E: Acute Tox. 5 (Oral)	6.1E: Acute toxicity (oral), Category 5
6.1E: Asp. Tox. 1	6.1E: Aspiration hazard, Category 1
6.3A: Skin Irrit. 2	6.3A: Skin corrosion/irritation, Category 2
6.4A: Eye Irrit. 2	6.4A: Serious eye damage/eye irritation, Category 2
6.5B: Skin Sens. 1	6.5B: Skin sensitisation, Category 1
6.8B: Repr. 2	6.8B: Reproductive toxicity, Category 2
8.3A: Eye Dam. 1	8.3A: Serious eye damage/eye irritation, Category 1
9.1A: Aquatic Acute 1	9.1A: Hazardous to the aquatic environment — Acute Hazard, Category 1
9.1A: Aquatic Chronic 1	9.1A: Hazardous to the aquatic environment — Chronic Hazard, Category 1
9.1B: Aquatic Chronic 2	9.1B: Hazardous to the aquatic environment — Chronic Hazard, Category 2
9.1C: Aquatic Chronic 3	9.1C: Hazardous to the aquatic environment — Chronic Hazard, Category 3
9.1D: Aquatic Acute 2	9.1D: Hazardous to the aquatic environment — Acute Hazard, Category 2
9.1D: Aquatic Acute 3	9.1D: Hazardous to the aquatic environment — Acute Hazard, Category 3
9.3B: Ecotoxicity to terrestrial vertebrates B	9.3B: Ecotoxicity to terrestrial vertebrates B
9.3C: Ecotoxicity to terrestrial vertebrates C	9.3C: Ecotoxicity to terrestrial vertebrates C
Acute Tox. Not classified (Dermal)	Acute toxicity (dermal) Not classified
Acute Tox. Not classified (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Not classified
Acute Tox. Not classified (Oral)	Acute toxicity (oral) Not classified
Flam. Liq. Not classified	Flammable liquids Not classified
H226	Flammable liquid and vapour.
H227	Combustible liquid

Lotus Flower #29359F

Safety Data Sheet

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H313	May be harmful in contact with skin
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H432	Toxic to terrestrial vertebrates
H433	Harmful to terrestrial vertebrates

CANDLE CREATIONS SDS NEW ZEALAND

The data contained in this Safety Data Sheet is accurate to the best knowledge of Candle Creations, applies to the product as supplied by Candle Creations. and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does Candle Creations assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact info@candlecreations.co.nz