



Pohutukawa #31341F

Safety Data Sheet

This Safety Data Sheet has been prepared in accordance with the New Zealand Hazardous Substances (Safety Data Sheets) Notice 2017 under the Hazardous Substances and New Organisms Act (1996)

Date of issue: 17/02/2020

Revision date: 01/04/2020

Supersedes: V 1.

Version: 2.0

SECTION 1: Identification of the hazardous chemical and of the supplier

1.1 Product identifier

Product name : Pohutukawa #31341F
Product form : Mixture
Type of product : Perfumes, fragrances
Product code : 31341F

1.2 Other means of identification

No additional information available

1.3 Relevant identified uses of the substance or mixture and uses advised against

No additional information available

1.4 Supplier's details

CANDLE CREATIONS
34B WILLIAM PICKERING DRIVE,
ROSEDALE, AUCKLAND, 0632,
NEW ZEALAND
T 09-448-1920

info@candlecreations.co.nz www.candlecreations.co.nz

1.5 Emergency phone number

Emergency number : NZ NATIONAL POISONS CENTRE – 0800 POISON (0800-764-766)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

9.3B	Ecotoxicity to terrestrial vertebrates B
6.1 D	Flammable liquids Not classified
6.3A	Acute toxicity (oral), Category 4
6.5B	Skin corrosion/irritation, Category 2
9.1D	Skin sensitisation, Category 1
9.1B	Hazardous to the aquatic environment — Acute Hazard, Category 2
	Hazardous to the aquatic environment — Chronic Hazard, Category 2

2.2 Label elements

GHS NZ labelling

Hazard pictograms (GHS NZ)



Signal word (GHS NZ)

: Warning

Contains

: Benzyl benzoate (10 – 40 %) ; Hexyl cinnamic aldehyde (4.3865 – 18.5365 %) ; Iso E Super (2.046 – 8.646 %) ; Linalyl acetate (1.488 – 6.288 %) ; Hexyl salicylate (1.4105 – 5.9605 %) ; Linalool (1.085 – 4.585 %) ; Lime oil distilled (0.868 – 3.668 %) ; Lyrall (0.372 – 1.572 %) ; Helional (0.341 – 1.441 %) ; Triplal (Vertocitral) (0.1 – 1 %) ; Geraniol (0.1 – 1 %) ; Nerol (0.1 – 1 %) ; Cashmeran (0.1 – 1 %)

Hazard statements (GHS NZ)

: H302 - Harmful if swallowed.
H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H401 - Toxic to aquatic life
H411 - Toxic to aquatic life with long lasting effects.
H432 - Toxic to terrestrial vertebrates

Prevention

: P264 - Wash hands thoroughly after handling
P270 - Do not eat, drink or smoke when using this product.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response

: P332+P313 - If skin irritation occurs: Get medical advice/attention.

2.3 Other hazards not contributing to the classification

No additional information available

Pohutukawa #31341F

Safety Data Sheet

SECTION 3: Composition and information of the ingredients of the hazardous chemical

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to GHS NZ
Benzyl benzoate	(CAS-No.) 120-51-4	10 – 40	9.3B: Ecotoxicity to terrestrial vertebrates B, H432 Flam. Liq. Not classified 6.1D: Acute Tox. 4 (Oral), H302 6.1E: Acute Tox. 5 (Dermal), H313 9.1D: Aquatic Acute 2, H401 9.1B: Aquatic Chronic 2, H411
Hexyl cinnamic aldehyde	(CAS-No.) 101-86-0	4.3865 – 18.5365	Flam. Liq. Not classified 6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Inhalation:dust,mist) 6.5B: Skin Sens. 1, H317 9.1B: Aquatic Chronic 2, H411
Hedione	(CAS-No.) 24851-98-7	3.41 – 14.41	Flam. Liq. Not classified Acute Tox. Not classified (Oral) 9.1D: Aquatic Acute 3, H402
Ethylene brassylate	(CAS-No.) 105-95-3	2.325 – 9.825	Flam. Liq. Not classified Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) 9.1B: Aquatic Chronic 2, H411
Iso E Super	(CAS-No.) 54464-57-2	2.046 – 8.646	Flam. Liq. Not classified 6.5B: Skin Sens. 1, H317 9.1B: Aquatic Chronic 2, H411
Hexyl salicylate	(CAS-No.) 6259-76-3	1.4105 – 5.9605	Flam. Liq. Not classified Acute Tox. Not classified (Oral) 6.3A: Skin Irrit. 2, H315 6.5B: Skin Sens. 1, H317 9.1A: Aquatic Chronic 1, H410
Linalool	(CAS-No.) 78-70-6	1.085 – 4.585	9.3C: Ecotoxicity to terrestrial vertebrates C, H433 3.1D: Flam. Liq. 4, H227 6.1E: Acute Tox. 5 (Oral), H303 6.1D: Acute Tox. 4 (Dermal), H312 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317 9.1D: Aquatic Acute 3, H402
Lylal	(CAS-No.) 31906-04-4	0.372 – 1.572	Flam. Liq. Not classified 6.1E: Acute Tox. 5 (Oral), H303 6.5B: Skin Sens. 1, H317
Helional	(CAS-No.) 1205-17-0	0.341 – 1.441	3.1D: Flam. Liq. 4, H227 6.5B: Skin Sens. 1, H317 9.1C: Aquatic Chronic 3, H412
Triplal (Vertocitral)	(CAS-No.) 68039-49-6	0.1 – 1	3.1D: Flam. Liq. 4, H227 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317 9.1C: Aquatic Chronic 3, H412
Geraniol	(CAS-No.) 106-24-1	0.1 – 1	Flam. Liq. Not classified 6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) 6.3A: Skin Irrit. 2, H315 8.3A: Eye Dam. 1, H318 6.5B: Skin Sens. 1, H317 9.1D: Aquatic Acute 3, H402
Nerol	(CAS-No.) 106-25-2	0.1 – 1	Flam. Liq. Not classified 6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) 6.3A: Skin Irrit. 2, H315 8.3A: Eye Dam. 1, H318 6.5B: Skin Sens. 1, H317 9.1D: Aquatic Acute 3, H402
Phenylethyl acetate	(CAS-No.) 103-45-7	0.1 – 1	Flam. Liq. Not classified 6.1E: Acute Tox. 5 (Oral), H303 8.3A: Eye Dam. 1, H318
alpha-Terpineol	(CAS-No.) 98-55-5	0.1 – 1	3.1D: Flam. Liq. 4, H227 Acute Tox. Not classified (Oral) 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319
Dimethylbenzyl carbiny acetate(DMBCA)	(CAS-No.) 151-05-3	0.1 – 1	Flam. Liq. Not classified 6.1E: Acute Tox. 5 (Oral), H303 9.1C: Aquatic Chronic 3, H412
Jasmal	(CAS-No.) 18871-14-2	0.1 – 1	Flam. Liq. Not classified Acute Tox. Not classified (Oral) 9.1C: Aquatic Chronic 3, H412

Pohutukawa #31341F

Safety Data Sheet

Name	Product identifier	%	Classification according to GHS NZ
Cashmeran	(CAS-No.) 33704-61-9	0.1 – 1	Flam. Liq. Not classified 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317 6.9B: STOT RE 2, H373 9.1D: Aquatic Acute 3, H402 9.1B: Aquatic Chronic 2, H411

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Wash with plenty of water/.... If skin irritation or rash occurs: Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May cause an allergic skin reaction.
Symptoms/effects after ingestion	: Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
EAC code	: •3Z - •3Z

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

6.1.2. For emergency responders

Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
-------------------------	--

SECTION 7: Handling and storage, including how the chemical may be safely used

7.1. Precautions for safe handling

Precautions for safe handling	: Avoid breathing fume, mist. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
-------------------------------	--

Pohutukawa #31341F

Safety Data Sheet

Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
------------------	--

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
Storage temperature	: 25 °C
Storage area	: Store in a well-ventilated place. Store away from heat.
Special rules on packaging	: Store in a closed container.
Packaging materials	: Do not store in corrodable metal.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Cashmeran (33704-61-9)	
Korea - Occupational Exposure Limits	
ISHA	Name, Toxicity and Protective Measures of New Chemical

Exposure limit values for the other components

No additional information available

8.2. Monitoring

No additional information available

8.3. Appropriate engineering controls

No additional information available

8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses
Respiratory protection	: Wear appropriate mask

SECTION 9: Physical and chemical properties

Physical state	: Liquid
Appearance	: No data available
Colour	: light yellow,amber
Odour	: characteristic
Odour threshold	: No data available
pH	: No data available
Evaporation rate	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point / Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 93.33 °C (closed cup) ASTM D7094
Auto-ignition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative density	: No data available
Density	: Relative density : ≈ 1
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Explosive limits	: No data available
Minimum ignition energy	: No data available

Pohutukawa #31341F

Safety Data Sheet

SECTION 10: Stability and reactivity

Chemical stability	: Not established.
Possibility of hazardous reactions	: Not established.
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
Incompatible materials	: Strong acids. Strong bases.
Hazardous decomposition products	: fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

ATE NZ (oral)	1162.95 mg/kg bodyweight
Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg
LD50 oral	1500 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg
LD50 dermal	4000 mg/kg bodyweight
Hexyl cinnamic aldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg
LD50 oral	3100 mg/kg bodyweight
LD50 dermal rabbit	> 3000 mg/kg
LC50 inhalation rat (mg/l)	> 5 mg/l/4h
Hedione (24851-98-7)	
LD50 oral rat	> 5 g/kg
Ethylene brassylate (105-95-3)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Hexyl salicylate (6259-76-3)	
LD50 oral rat	> 5 g/kg
Linalool (78-70-6)	
LD50 oral rat	2790 mg/kg
LD50 oral	2790 mg/kg bodyweight
LD50 dermal rabbit	2000 mg/kg
Lylal (31906-04-4)	
LD50 oral rat	3250 µl/kg
alpha-Terpineol (98-55-5)	
LD50 oral rat	5170 mg/kg
LD50 oral	4300 mg/kg bodyweight
Dimethylbenzyl carbonyl acetate (DMBCA) (151-05-3)	
LD50 oral rat	3300 mg/kg
LD50 oral	3300 mg/kg bodyweight
Triplal (Vertocitral) (68039-49-6)	
LD50 oral	3900 mg/kg bodyweight
Geraniol (106-24-1)	
LD50 oral rat	3600 mg/kg
LD50 oral	3600 mg/kg bodyweight
LD50 dermal rabbit	> 5 g/kg
Phenylethyl acetate (103-45-7)	
LD50 oral rat	3670 mg/kg
LD50 oral	3670 mg/kg bodyweight
Cashmeran (33704-61-9)	
LD50 oral	2900 mg/kg bodyweight
Nerol (106-25-2)	
LD50 oral rat	4500 mg/kg
LD50 oral	4500 mg/kg bodyweight
LD50 dermal rabbit	> 5 g/kg

Pohutukawa #31341F

Safety Data Sheet

Jasmal (18871-14-2)	
LD50 oral rat	> 5 g/kg
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

Pohutukawa #31341F	
Viscosity, kinematic	
Potential adverse human health effects and symptoms	: Harmful if swallowed. Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.
Soil toxicity	: Not classified
Terrestrial vertebrate toxicity	: Toxic to terrestrial vertebrates.
Terrestrial invertebrate toxicity	: Not classified
Other information	: Avoid release to the environment.

Benzyl benzoate (120-51-4)	
LC50 fish 1	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic)	0.168 mg/l
Partition coefficient n-octanol/water (Log Pow)	4
LD50 dermal rabbit	4000 mg/kg
LD50 oral rat	500 mg/kg
Hexyl cinnamic aldehyde (101-86-0)	
LD50 dermal rabbit	> 3000 mg/kg
LD50 oral rat	3100 mg/kg
Hedione (24851-98-7)	
LC50 fish 1	19 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static])
LD50 oral rat	> 5 g/kg
Ethylene brassylate (105-95-3)	
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	> 5000 mg/kg
Hexyl salicylate (6259-76-3)	
LD50 oral rat	> 5 g/kg
Linalool (78-70-6)	
LC50 fish 1	27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	20 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Partition coefficient n-octanol/water (Log Pow)	2.84 – 3.1 (at 25 °C)
LD50 dermal rabbit	2000 mg/kg
LD50 oral rat	2790 mg/kg
Lylal (31906-04-4)	
LD50 oral rat	3250 µl/kg
alpha-Terpineol (98-55-5)	
LD50 oral rat	5170 mg/kg
Dimethylbenzyl carbonyl acetate(DMBCA) (151-05-3)	
LD50 oral rat	3300 mg/kg
Geraniol (106-24-1)	
LC50 fish 1	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static])
LD50 dermal rabbit	> 5 g/kg

Pohutukawa #31341F

Safety Data Sheet

Geraniol (106-24-1)	
LD50 oral rat	3600 mg/kg
Phenylethyl acetate (103-45-7)	
LD50 oral rat	3670 mg/kg
Cashmeran (33704-61-9)	
LC50 fish 1	10.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
Nerol (106-25-2)	
LC50 fish 1	20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
LD50 dermal rabbit	> 5 g/kg
LD50 oral rat	4500 mg/kg
Jasmal (18871-14-2)	
LD50 oral rat	> 5 g/kg

12.2. Persistence and degradability

Pohutukawa #31341F	
Persistence and degradability	Not established.
Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Pohutukawa #31341F	
Bioaccumulative potential	Not established.
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Bioaccumulative potential	Not established.
Linalool (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology

12.4. Mobility in soil

Pohutukawa #31341F	
Mobility in soil	No additional information available
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Linalool (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology

12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available

SECTION 13: Disposal considerations

Product/Packaging disposal recommendations	: Dispose of contents/container in accordance with local/national laws and regulations. Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

UN-No.(UN RTDG)	: Not applicable
UN-No. (IMDG)	: 3082
UN-No. (IATA)	: 3082

14.2. Proper Shipping Name

Proper Shipping Name (UN RTDG)	: Not applicable
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl salicylate)
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s. (Hexyl salicylate)

14.3. Transport hazard class(es)

UN RTDG

Transport hazard class(es) (UN RTDG)	: Not applicable
--------------------------------------	------------------

Pohutukawa #31341F

Safety Data Sheet

:



IMDG

Transport hazard class(es) (IMDG) : 9

Danger labels (IMDG) : 9

:



IATA

Transport hazard class(es) (IATA) : 9

Danger labels (IATA) : 9

:



14.4. Packing group

Packing group (UN RTDG) : Not applicable

Packing group (IMDG) : III

Packing group (IATA) : III

14.5. Environmental hazards

Dangerous for the environment : True

Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

UN RTDG

No data available

IMDG

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P001, LP01

Special packing provisions (IMDG) : PP1

IBC packing instructions (IMDG) : IBC03

Tank instructions (IMDG) : T4

Tank special provisions (IMDG) : TP2, TP29

EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE

EmS-No. (Spillage) : S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS

Stowage category (IMDG) : A

IATA

PCA Excepted quantities (IATA) : E1

PCA Limited quantities (IATA) : Y964

PCA limited quantity max net quantity (IATA) : 30kgG

PCA packing instructions (IATA) : 964

PCA max net quantity (IATA) : 450L

CAO packing instructions (IATA) : 964

CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197

ERG code (IATA) : 9L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Pohutukawa #31341F

Safety Data Sheet

14.8. Hazchem or Emergency Action Code

EAC code : •3Z.

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

Food Additives and Fragrance Materials (Subsidiary Hazard) Group Standard 2017

HSNO Approval Number : HSR002578

Benzyl benzoate (120-51-4)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003504

Linalool (78-70-6)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003500

Lyral (31906-04-4)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003512

Triplal (Vertocitral) (68039-49-6)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003489

Geraniol (106-24-1)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003176

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Date of issue : 2/17/2020

Other information : None.

Full text of H-statements:

3.1D: Flam. Liq. 4	3.1D: Flammable liquids, Category 4
6.1D: Acute Tox. 4 (Dermal)	6.1D: Acute toxicity (dermal), Category 4
6.1D: Acute Tox. 4 (Oral)	6.1D: Acute toxicity (oral), Category 4
6.1E: Acute Tox. 5 (Dermal)	6.1E: Acute toxicity (dermal), Category 5
6.1E: Acute Tox. 5 (Oral)	6.1E: Acute toxicity (oral), Category 5
6.3A: Skin Irrit. 2	6.3A: Skin corrosion/irritation, Category 2
6.4A: Eye Irrit. 2	6.4A: Serious eye damage/eye irritation, Category 2
6.5B: Skin Sens. 1	6.5B: Skin sensitisation, Category 1
6.9B: STOT RE 2	6.9B: Specific target organ toxicity — Repeated exposure, Category 2
8.3A: Eye Dam. 1	8.3A: Serious eye damage/eye irritation, Category 1
9.1A: Aquatic Chronic 1	9.1A: Hazardous to the aquatic environment — Chronic Hazard, Category 1
9.1B: Aquatic Chronic 2	9.1B: Hazardous to the aquatic environment — Chronic Hazard, Category 2
9.1C: Aquatic Chronic 3	9.1C: Hazardous to the aquatic environment — Chronic Hazard, Category 3
9.1D: Aquatic Acute 2	9.1D: Hazardous to the aquatic environment — Acute Hazard, Category 2

Pohutukawa #31341F

Safety Data Sheet

9.1D: Aquatic Acute 3	9.1D: Hazardous to the aquatic environment — Acute Hazard, Category 3
9.3B: Ecotoxicity to terrestrial vertebrates B	9.3B: Ecotoxicity to terrestrial vertebrates B
9.3C: Ecotoxicity to terrestrial vertebrates C	9.3C: Ecotoxicity to terrestrial vertebrates C
Acute Tox. Not classified (Dermal)	Acute toxicity (dermal) Not classified
Acute Tox. Not classified (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Not classified
Acute Tox. Not classified (Oral)	Acute toxicity (oral) Not classified
Flam. Liq. Not classified	Flammable liquids Not classified
H227	Combustible liquid
H302	Harmful if swallowed.
H303	May be harmful if swallowed
H312	Harmful in contact with skin.
H313	May be harmful in contact with skin
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H432	Toxic to terrestrial vertebrates
H433	Harmful to terrestrial vertebrates

CANDLE CREATIONS SDS NEW ZEALAND

The data contained in this Safety Data Sheet is accurate to the best knowledge of Candle Creations applies to the product as supplied by Candle Creations and does not relate to use in combination with any other material or in any process. Data and information are furnished without warranty expressed or implied, nor does Candle Creations assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact info@candlecreations.co.nz