



Cinnamon Orange #31342F

Safety Data Sheet

This Safety Data Sheet has been prepared in accordance with the New Zealand Hazardous Substances (Safety Data Sheets) Notice 2017 under the Hazardous Substances and New Organisms Act (1996)

Date of issue: 18/02/2020

Revision date: 03/04/2020

Supersedes: V 2.0

Version: 3.0

SECTION 1: Identification of the hazardous chemical and of the supplier

1.1 Product identifier

Product name : Cinnamon Orange #31342F
Product form : Mixture
Type of product : Perfumes, fragrances
Product code : 31342F

1.2 Other means of identification

No additional information available

1.3 Relevant identified uses of the substance or mixture and uses advised against

No additional information available

1.4 Supplier's details

CANDLE CREATIONS
34B WILLIAM PICKERING DRIVE,
ROSEDALE, AUCKLAND, 0632,
NEW ZEALAND
T 09-448-1920

info@candlecreations.co.nz www.candlecreations.co.nz

1.5 Emergency phone number

Emergency number : NZ NATIONAL POISONS CENTRE – 0800 POISON (0800-764-766)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

9.3B	Ecotoxicity to terrestrial vertebrates B
3.1D	Flammable liquids, Category 4
6.1D	Acute toxicity (oral), Category 4
6.3 A	Skin corrosion/irritation, Category 2
6.4 A	Serious eye damage/eye irritation, Category 2
6.5 B	Skin sensitisation, Category 1
6.1 E	Aspiration hazard, Category 1
9.1D	Hazardous to the aquatic environment — Acute Hazard, Category 3
9.1B	Hazardous to the aquatic environment — Chronic Hazard, Category 2

2.2 Label elements

GHS NZ labelling

Hazard pictograms (GHS NZ)



Signal word (GHS NZ)

: Danger

Contains

: Orange oil (6.045 – 25.545 %) ; Hexyl cinnamic aldehyde (5.952 – 25.152 %) ; Cinnamic aldehyde (4.867 – 20.567 %) ; Phenylmethanol (4.6035 – 19.4535 %) ; Ethyl vanillin crystals (3.193 – 13.493 %) ; Benzyl benzoate (2.232 – 9.432 %) ; Eugenol (1.86 – 7.86 %) ; 2-Hydroxybenzoic acid, benzyl ester (0.403 – 1.703 %) ; Linalool (0.1 – 1 %) ; Cinnamon leaf oil (0.1 – 1 %) ; Linalyl acetate (0.1 – 1 %) ; Citronellol Pure (0.1 – 1 %)

Hazard statements (GHS NZ)

: H227 - Combustible liquid
H302 - Harmful if swallowed.
H304 - May be fatal if swallowed and enters airways.
H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H402 - Harmful to aquatic life
H411 - Toxic to aquatic life with long lasting effects.
H432 - Toxic to terrestrial vertebrates

Prevention

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P264 - Wash hands thoroughly after handling
P270 - Do not eat, drink or smoke when using this product.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.

Cinnamon Orange #31342F

Safety Data Sheet

Response

: P332+P313 - If skin irritation occurs: Get medical advice/attention.

2.3. Other hazards not contributing to the classification

No additional information available

SECTION 3: Composition and information of the ingredients of the hazardous chemical

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to GHS NZ
Hexyl cinnamic aldehyde	(CAS-No.) 101-86-0	5.952 – 25.152	Flam. Liq. Not classified 6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Inhalation:dust,mist) 6.5B: Skin Sens. 1, H317 9.1B: Aquatic Chronic 2, H411
Cinnamic aldehyde	(CAS-No.) 104-55-2	4.867 – 20.567	9.3C: Ecotoxicity to terrestrial vertebrates C, H433 Flam. Liq. Not classified 6.1E: Acute Tox. 5 (Oral), H303 6.1D: Acute Tox. 4 (Dermal), H312 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317
Phenylmethanol	(CAS-No.) 100-51-6	4.6035 – 19.4535	9.3C: Ecotoxicity to terrestrial vertebrates C, H433 Flam. Liq. Not classified 6.1D: Acute Tox. 4 (Oral), H302 6.1D: Acute Tox. 4 (Inhalation:gas), H332 9.1D: Aquatic Acute 2, H401
Ethyl vanillin crystals	(CAS-No.) 121-32-4	3.193 – 13.493	9.3C: Ecotoxicity to terrestrial vertebrates C, H433 6.1D: Acute Tox. 4 (Oral), H302 6.4A: Eye Irrit. 2, H319 9.1D: Aquatic Acute 3, H402
Benzyl benzoate	(CAS-No.) 120-51-4	2.232 – 9.432	9.3B: Ecotoxicity to terrestrial vertebrates B, H432 Flam. Liq. Not classified 6.1D: Acute Tox. 4 (Oral), H302 6.1E: Acute Tox. 5 (Dermal), H313 9.1D: Aquatic Acute 2, H401 9.1B: Aquatic Chronic 2, H411
Eugenol	(CAS-No.) 97-53-0	1.86 – 7.86	9.3C: Ecotoxicity to terrestrial vertebrates C, H433 Flam. Liq. Not classified 6.1D: Acute Tox. 4 (Oral), H302 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317 9.1D: Aquatic Acute 3, H402
Vanillin	(CAS-No.) 121-33-5	0.651 – 2.751	Acute Tox. Not classified (Dermal) 6.4A: Eye Irrit. 2, H319 9.1D: Aquatic Acute 3, H402
2-Hydroxybenzoic acid, benzyl ester	(CAS-No.) 118-58-1	0.403 – 1.703	Flam. Liq. Not classified 6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317 9.1D: Aquatic Acute 2, H401 9.1C: Aquatic Chronic 3, H412
Ethyl butyrate	(CAS-No.) 105-54-4	0.1 – 1	3.1C: Flam. Liq. 3, H226 Acute Tox. Not classified (Oral)
Citronellol Pure	(CAS-No.) 106-22-9	0.1 – 1	Flam. Liq. Not classified 6.1E: Acute Tox. 5 (Oral), H303 6.1E: Acute Tox. 5 (Dermal), H313 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317
Aldehyde C-10	(CAS-No.) 112-31-2	0.1 – 1	3.1D: Flam. Liq. 4, H227 6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) 6.4A: Eye Irrit. 2, H319 9.1D: Aquatic Acute 2, H401 9.1C: Aquatic Chronic 3, H412
Anisic aldehyde	(CAS-No.) 123-11-5	0.1 – 1	Flam. Liq. Not classified Acute Tox. Not classified (Dermal) 9.1C: Aquatic Chronic 3, H412
Vetol plus crystals	(CAS-No.) 4940-11-8	0.1 – 1	9.3C: Ecotoxicity to terrestrial vertebrates C, H433 6.1D: Acute Tox. 4 (Oral), H302 Aquatic Acute Not classified

Cinnamon Orange #31342F

Safety Data Sheet

Name	Product identifier	%	Classification according to GHS NZ
Cinnamon leaf oil	(CAS-No.) 8015-91-6	0.1 – 1	3.1D: Flam. Liq. 4, H227 6.1E: Acute Tox. 5 (Oral), H303 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317 6.6B: Muta. 2, H341 9.1C: Aquatic Chronic 3, H412

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Wash with plenty of water/.... Wash contaminated clothing before reuse. If skin irritation occurs: Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see Wash skin with plenty of water, Call a physician immediately on this label). If skin irritation or rash occurs: Get immediate medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Get medical advice/attention. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May cause an allergic skin reaction.
Symptoms/effects after skin contact	: Causes skin irritation. Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye irritation. Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Sand. Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Combustible liquid.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
EAC code	: •3Z - •3Z

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
------------------	---

6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. No open flames, no sparks, and no smoking.
----------------------	---

Cinnamon Orange #31342F

Safety Data Sheet

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Notify authorities if product enters sewers or public waters.

SECTION 7: Handling and storage, including how the chemical may be safely used

7.1. Precautions for safe handling

Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable. Keep away from heat, sparks and flame. No smoking.
Precautions for safe handling	: Ensure good ventilation of the work station. No open flames. No smoking. Avoid breathing fume, mist, spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Hygiene measures	: Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Proper grounding procedures to avoid static electricity should be followed.
Storage conditions	: Keep in fireproof place. Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Heat sources. Sources of ignition. Direct sunlight.
Storage temperature	: 25 °C
Storage area	: Store in a well-ventilated place. Store away from heat.
Special rules on packaging	: Store in a closed container.
Packaging materials	: Do not store in corrodable metal.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Phenylmethanol (100-51-6)	
Germany - Occupational Exposure Limits (TRGS 900)	
Occupational exposure limit value (mg/m ³)	22 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Occupational exposure limit value (ppm)	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Chemical category	Skin notation

Exposure limit values for the other components

No additional information available

8.2. Monitoring

No additional information available

8.3. Appropriate engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
----------------------------------	--

8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses. Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear appropriate mask

Cinnamon Orange #31342F

Safety Data Sheet

Personal protective equipment symbol(s)



Environmental exposure controls

: Avoid release to the environment.

SECTION 9: Physical and chemical properties

Physical state	: Liquid
Appearance	: No data available
Colour	: light yellow, amber
Odour	: characteristic
Odour threshold	: No data available
pH	: No data available
Evaporation rate	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point / Freezing point	: Melting point : Not applicable
Boiling point	: No data available
Flash point	: 65.3 °C (closed cup) ASTM D7094
Auto-ignition temperature	: No data available
Flammability (solid, gas)	: Combustible liquid, Non flammable.
Vapour pressure	: No data available
Relative density	: No data available
Density	: Relative density : ≈ 0.93
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Explosive limits	: No data available
Minimum ignition energy	: No data available

SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Combustible liquid. May form flammable/explosive vapour-air mixture. Not established.
Possibility of hazardous reactions	: Not established.
Conditions to avoid	: Open flame. Overheating. Direct sunlight. Heat. Sparks. Extremely high or low temperatures. Avoid contact with hot surfaces. No flames, no sparks. Eliminate all sources of ignition.
Incompatible materials	: Strong acids. Strong bases.
Hazardous decomposition products	: May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

ATE NZ (oral)	1840.226 mg/kg bodyweight
Ethyl butyrate (105-54-4)	
LD50 oral rat	13 g/kg
Phenylmethanol (100-51-6)	
LD50 oral rat	1230 mg/kg
LD50 oral	1620 mg/kg bodyweight
LD50 dermal	2500 mg/kg bodyweight
Aldehyde C-10 (112-31-2)	
LD50 oral rat	3730 mg/kg
LD50 dermal rabbit	5040 mg/kg

Cinnamon Orange #31342F

Safety Data Sheet

Citronellol Pure (106-22-9)	
LD50 oral rat	3450 mg/kg
LD50 oral	3450 mg/kg bodyweight
LD50 dermal rabbit	2650 mg/kg
LD50 dermal	2650 mg/kg bodyweight
Anisic aldehyde (123-11-5)	
LD50 oral rat	> 2000 mg/kg
LD50 oral	3210 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 0.32 mg/l (Exposure time: 7 h)
Eugenol (97-53-0)	
LD50 oral rat	1930 mg/kg
LD50 oral	2500 mg/kg bodyweight
Vanillin (121-33-5)	
LD50 dermal rabbit	> 5010 mg/kg
Ethyl vanillin crystals (121-32-4)	
LD50 oral rat	1590 mg/kg
LD50 oral	3000 mg/kg bodyweight
Hexyl cinnamic aldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg
LD50 oral	3100 mg/kg bodyweight
LD50 dermal rabbit	> 3000 mg/kg
LC50 inhalation rat (mg/l)	> 5 mg/l/4h
2-Hydroxybenzoic acid, benzyl ester (118-58-1)	
LD50 oral rat	2227 mg/kg
LD50 oral	2200 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
Vetol plus crystals (4940-11-8)	
LD50 oral rat	1150 mg/kg
LD50 oral	1200 mg/kg bodyweight
Cinnamon leaf oil (8015-91-6)	
LD50 oral rat	2650 mg/kg
Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg
LD50 oral	1500 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg
LD50 dermal	4000 mg/kg bodyweight
Cinnamic aldehyde (104-55-2)	
LD50 oral rat	2220 mg/kg
LD50 oral	2500 mg/kg bodyweight
LD50 dermal rabbit	1260 mg/kg
LD50 dermal	1100 mg/kg bodyweight

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.

Cinnamon Orange #31342F	
Viscosity, kinematic	
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

Cinnamon Orange #31342F

Safety Data Sheet

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Toxic to aquatic life with long lasting effects. Harmful to aquatic life.
Hazardous to the aquatic environment, short-term (acute)	: Harmful to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.
Soil toxicity	: Not classified
Terrestrial vertebrate toxicity	: Toxic to terrestrial vertebrates.
Terrestrial invertebrate toxicity	: Not classified
Other information	: Avoid release to the environment.

Ethyl butyrate (105-54-4)	
LD50 oral rat	13 g/kg
Phenylmethanol (100-51-6)	
LC50 fish 1	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
LC50 fish 2	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 1	23 mg/l (Exposure time: 48 h - Species: water flea)
Partition coefficient n-octanol/water (Log Pow)	1.1
LD50 oral rat	1230 mg/kg
Aldehyde C-10 (112-31-2)	
LC50 fish 1	1.45 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])
LD50 dermal rabbit	5040 mg/kg
LD50 oral rat	3730 mg/kg
Citronellol Pure (106-22-9)	
LD50 dermal rabbit	2650 mg/kg
LD50 oral rat	3450 mg/kg
Anisic aldehyde (123-11-5)	
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	> 2000 mg/kg
Eugenol (97-53-0)	
LC50 fish 1	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
LD50 oral rat	1930 mg/kg
Vanillin (121-33-5)	
LC50 fish 1	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)
LD50 dermal rabbit	> 5010 mg/kg
Ethyl vanillin crystals (121-32-4)	
LC50 fish 1	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LD50 oral rat	1590 mg/kg
Hexyl cinnamic aldehyde (101-86-0)	
LD50 dermal rabbit	> 3000 mg/kg
LD50 oral rat	3100 mg/kg
2-Hydroxybenzoic acid, benzyl ester (118-58-1)	
LC50 fish 1	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	2227 mg/kg
Vetol plus crystals (4940-11-8)	
LC50 fish 1	> 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
LD50 oral rat	1150 mg/kg
Cinnamon leaf oil (8015-91-6)	
LD50 oral rat	2650 mg/kg
Benzyl benzoate (120-51-4)	
LC50 fish 1	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic)	0.168 mg/l
Partition coefficient n-octanol/water (Log Pow)	4
LD50 dermal rabbit	4000 mg/kg

Cinnamon Orange #31342F

Safety Data Sheet

Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg
Cinnamic aldehyde (104-55-2)	
Partition coefficient n-octanol/water (Log Pow)	2.22 (at 18 °C)
LD50 dermal rabbit	1260 mg/kg
LD50 oral rat	2220 mg/kg

12.2. Persistence and degradability

Cinnamon Orange #31342F	
Persistence and degradability	Not established.
Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Cinnamon Orange #31342F	
Bioaccumulative potential	Not established.
Phenylmethanol (100-51-6)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Vanillin (121-33-5)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Bioaccumulative potential	Not established.
Cinnamic aldehyde (104-55-2)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology

12.4. Mobility in soil

Cinnamon Orange #31342F	
Mobility in soil	No additional information available
Phenylmethanol (100-51-6)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Vanillin (121-33-5)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Cinnamic aldehyde (104-55-2)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology

12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available

SECTION 13: Disposal considerations

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose of contents/container in accordance with local/national laws and regulations. Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.
Additional information	: Handle empty containers with care because residual vapours are flammable.

SECTION 14: Transport information

14.1. UN number

UN-No.(UN RTDG)	: Not applicable
UN-No. (IMDG)	: 3082
UN-No. (IATA)	: 3082

14.2. Proper Shipping Name

Proper Shipping Name (UN RTDG)	: Not applicable
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-Limonene)
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s. (d-Limonene)

14.3. Transport hazard class(es)

UN RTDG

Cinnamon Orange #31342F

Safety Data Sheet

Transport hazard class(es) (UN RTDG) : Not applicable

:



IMDG

Transport hazard class(es) (IMDG) : 9

Danger labels (IMDG) : 9

:



IATA

Transport hazard class(es) (IATA) : 9

Danger labels (IATA) : 9

:



14.4. Packing group

Packing group (UN RTDG) : Not applicable

Packing group (IMDG) : III

Packing group (IATA) : III

14.5. Environmental hazards

Dangerous for the environment : True

Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

UN RTDG

No data available

IMDG

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P001, LP01

Special packing provisions (IMDG) : PP1

IBC packing instructions (IMDG) : IBC03

Tank instructions (IMDG) : T4

Tank special provisions (IMDG) : TP2, TP29

EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE

EmS-No. (Spillage) : S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS

Stowage category (IMDG) : A

IATA

PCA Excepted quantities (IATA) : E1

PCA Limited quantities (IATA) : Y964

PCA limited quantity max net quantity (IATA) : 30kgG

PCA packing instructions (IATA) : 964

PCA max net quantity (IATA) : 450L

CAO packing instructions (IATA) : 964

CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197

ERG code (IATA) : 9L

Cinnamon Orange #31342F

Safety Data Sheet

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

14.8. Hazchem or Emergency Action Code

EAC code : •3Z.

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

Food Additives and Fragrance Materials (Subsidiary Hazard) Group Standard 2017

HSNO Approval Number : HSR002578

Ethyl butyrate (105-54-4)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR001146

Phenylmethanol (100-51-6)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR001039

Aldehyde C-10 (112-31-2)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR002729

Citronellol Pure (106-22-9)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003483

Anisic aldehyde (123-11-5)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003496

Eugenol (97-53-0)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003486

Vanillin (121-33-5)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003498

Ethyl vanillin crystals (121-32-4)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR004802

2-Hydroxybenzoic acid, benzyl ester (118-58-1)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003501

Cinnamon leaf oil (8015-91-6)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR002783

Benzyl benzoate (120-51-4)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003504

Cinnamon Orange #31342F

Safety Data Sheet

Cinnamic aldehyde (104-55-2)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR002786

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Date of issue : 2/18/2020

Other information : None.

Full text of H-statements:

3.1C: Flam. Liq. 3	3.1C: Flammable liquids, Category 3
3.1D: Flam. Liq. 4	3.1D: Flammable liquids, Category 4
6.1D: Acute Tox. 4 (Dermal)	6.1D: Acute toxicity (dermal), Category 4
6.1D: Acute Tox. 4 (Inhalation:gas)	6.1D: Acute toxicity (inhalation:gas) Category 4
6.1D: Acute Tox. 4 (Oral)	6.1D: Acute toxicity (oral), Category 4
6.1E: Acute Tox. 5 (Dermal)	6.1E: Acute toxicity (dermal), Category 5
6.1E: Acute Tox. 5 (Oral)	6.1E: Acute toxicity (oral), Category 5
6.1E: Asp. Tox. 1	6.1E: Aspiration hazard, Category 1
6.3A: Skin Irrit. 2	6.3A: Skin corrosion/irritation, Category 2
6.4A: Eye Irrit. 2	6.4A: Serious eye damage/eye irritation, Category 2
6.5B: Skin Sens. 1	6.5B: Skin sensitisation, Category 1
6.6B: Muta. 2	6.6B: Germ cell mutagenicity, Category 2
9.1B: Aquatic Chronic 2	9.1B: Hazardous to the aquatic environment — Chronic Hazard, Category 2
9.1C: Aquatic Chronic 3	9.1C: Hazardous to the aquatic environment — Chronic Hazard, Category 3
9.1D: Aquatic Acute 2	9.1D: Hazardous to the aquatic environment — Acute Hazard, Category 2
9.1D: Aquatic Acute 3	9.1D: Hazardous to the aquatic environment — Acute Hazard, Category 3
9.3B: Ecotoxicity to terrestrial vertebrates B	9.3B: Ecotoxicity to terrestrial vertebrates B
9.3C: Ecotoxicity to terrestrial vertebrates C	9.3C: Ecotoxicity to terrestrial vertebrates C
Acute Tox. Not classified (Dermal)	Acute toxicity (dermal) Not classified
Acute Tox. Not classified (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Not classified
Acute Tox. Not classified (Oral)	Acute toxicity (oral) Not classified
Aquatic Acute Not classified	Hazardous to the aquatic environment - Acute Hazard Not classified
Flam. Liq. Not classified	Flammable liquids Not classified
H226	Flammable liquid and vapour.
H227	Combustible liquid
H302	Harmful if swallowed.
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H313	May be harmful in contact with skin

Cinnamon Orange #31342F

Safety Data Sheet

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H341	Suspected of causing genetic defects.
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H432	Toxic to terrestrial vertebrates
H433	Harmful to terrestrial vertebrates

CANDLE CREATIONS SDS NEW ZEALAND

The data contained in this Safety Data Sheet is accurate to the best knowledge of Candle Creations, applies to the product as supplied by Candle Creations and does not relate to use in combination with any other material or in any process. Data and information are furnished without warranty expressed or implied, nor does Candle Creations assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact info@candlecreations.co.nz