Sweet Poached Pear #7696F

Safety Data Sheet

This Safety Data Sheet has been prepared in accordance with the New Zealand Hazardous Substances (Safety Data Sheets) Notice 2017 under the Hazardous Substances and New Organisms Act (1996)
Date of issue: 04/12/2020 Revision date: 28/10/2020 Supersedes: V 1.0
Version: 2.0

SECTION 1: Identification of the hazardous chemical and of the supplier

1.1 Product identifier

Product name	: Sweet Poached Pear #7696F
Product form	: Mixture
Type of product	: Perfumes, fragrances
Product code	: 7696F

1.2 Other means of identification

No additional information available

1.3 Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Perfumes, fragrances

1.4 Supplier's details

CANDLE CREATIONS
34B WILLIAM PICKERING DRIVE
ROSEDALE, AUCKLAND, 0632
NEW ZEALAND
T 09-448-1920
info@candlecreations.co.nz – www.candlecreations.co.nz

1.5. Emergency phone number

Emergency number : NZ NATIONAL POISONS CENTRE – 0800 POISON (0800-764-766)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

9.3C	Ecotoxicity to terrestrial vertebrates C
3.1D	Flammable liquids, Category 4
6.3A	Skin corrosion/irritation, Category 2
6.4A	Serious eye damage/eye irritation, Category 2
6.5B	Skin sensitisation, Category 1
6.8B	Reproductive toxicity, Category 2
9.1D	Hazardous to the aquatic environment — Acute Hazard, Category 2
9.1B	Hazardous to the aquatic environment — Chronic Hazard, Category 2

2.2. Label elements

GHS NZ labelling

Hazard pictograms (GHS NZ) :

GHS07 GHS08 GHS09

Signal word (GHS NZ) : Warning

Contains : Geranyl acetate (3.3 - 6.6 %) ; Eugenol (2.75 - 5.5 %) ; Cinnamic aldehyde (2.75 - 5.5 %) ; d-Limonene (0.9 - 1.8 %) ; Hexyl cinnamic aldehyde (0.7 - 1.4 %) ; Butylphenyl methylpropional (0.2 - 0.4 %) ; Triplal (Vertocitral) (0.2 - 0.4 %) ; Coumarin crystals (0.1 - 0.2 %)

Hazard statements (GHS NZ) : H227 - Combustible liquid
H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H361 - Suspected of damaging fertility or the unborn child.
H401 - Toxic to aquatic life
H411 - Toxic to aquatic life with long lasting effects.
H433 - Harmful to terrestrial vertebrates

Prevention : P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P264 - Wash hands thoroughly after handling
P272 - Contaminated work clothing should not be allowed out of the workplace.

Disposal : P501 - Dispose of contents/container in accordance with local/national laws and regulations

2.3. Other hazards not contributing to the classification

No additional information available

SECTION 3: Composition and information of the ingredients of the hazardous chemical

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to GHS NZ
Verdox	(CAS-No.) 88-41-5	3.65 - 7.3	3.1D: Flam. Liq. 4, H227 6.1E: Acute Tox. 5 (Oral), H303 9.1B: Aquatic Chronic 2, H411
Geranyl acetate	(CAS-No.) 105-87-3	3.3 - 6.6	Flam. Liq. Not classified Acute Tox. Not classified (Oral) 6.3A: Skin Irrit. 2, H315 6.5B: Skin Sens. 1, H317 9.1C: Aquatic Chronic 3, H412
Hexyl acetate	(CAS-No.) 142-92-7	3.17 - 6.34	3.1C: Flam. Liq. 3, H226 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) 9.1D: Aquatic Acute 2, H401
Eugenol	(CAS-No.) 97-53-0	2.75 - 5.5	9.3C: Ecotoxicity to terrestrial vertebrates C, H433 Flam. Liq. Not classified 6.1D: Acute Tox. 4 (Oral), H302 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317 9.1D: Aquatic Acute 3, H402
Cinnamic aldehyde	(CAS-No.) 104-55-2	2.75 - 5.5	9.3C: Ecotoxicity to terrestrial vertebrates C, H433 Flam. Liq. Not classified 6.1E: Acute Tox. 5 (Oral), H303 6.1D: Acute Tox. 4 (Dermal), H312 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317
Citronellyl acetate (mixed Isomers)	(CAS-No.) 150-84-5	1.2 - 2.4	Flam. Liq. Not classified Acute Tox. Not classified (Oral) 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 9.1D: Aquatic Acute 2, H401 9.1B: Aquatic Chronic 2, H411
d-Limonene	(CAS-No.) 5989-27-5	0.9 - 1.8	3.1C: Flam. Liq. 3, H226 6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) 6.3A: Skin Irrit. 2, H315 6.5B: Skin Sens. 1, H317 6.1E: Asp. Tox. 1, H304 9.1A: Aquatic Acute 1, H400 9.1A: Aquatic Chronic 1, H410
Aldehyde C-14	(CAS-No.) 104-67-6	0.85 - 1.7	Flam. Liq. Not classified Acute Tox. Not classified (Oral) 9.1D: Aquatic Acute 2, H401 9.1C: Aquatic Chronic 3, H412
Veltol plus crystals	(CAS-No.) 4940-11-8	0.83 - 1.66	9.3C: Ecotoxicity to terrestrial vertebrates C, H433 6.1D: Acute Tox. 4 (Oral), H302 Aquatic Acute Not classified
Isobutyl acetate	(CAS-No.) 110-19-0	0.75 - 1.5	3.1B: Flam. Liq. 2, H225 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) 6.9B (Narcotic) : STOT SE 3, H336 9.1D: Aquatic Acute 3, H402
Hexyl cinnamic aldehyde	(CAS-No.) 101-86-0	0.7 - 1.4	Flam. Liq. Not classified 6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Inhalation:dust,mist) 6.5B: Skin Sens. 1, H317 9.1B: Aquatic Chronic 2, H411
Ethylene brassylate	(CAS-No.) 105-95-3	0.65 - 1.3	Flam. Liq. Not classified Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) 9.1B: Aquatic Chronic 2, H411
Ethyl 2-methylbutyrate	(CAS-No.) 7452-79-1	0.6 - 1.2	3.1C: Flam. Liq. 3, H226
Fructone	(CAS-No.) 6413-10-1	0.5 - 1	3.1D: Flam. Liq. 4, H227 Acute Tox. Not classified (Oral) Aquatic Acute Not classified
Butylated hydroxytoluene (BHT) crystals	(CAS-No.) 128-37-0	0.45 - 0.9	9.1A: Aquatic Acute 1, H400 9.1A: Aquatic Chronic 1, H410

Name	Product identifier	%	Classification according to GHS NZ
Ethyl vanillin crystals	(CAS-No.) 121-32-4	0.4 - 0.8	9.3C: Ecotoxicity to terrestrial vertebrates C, H433 6.1D: Acute Tox. 4 (Oral), H302 6.4A: Eye Irrit. 2, H319 9.1D: Aquatic Acute 3, H402
Benzyl benzoate	(CAS-No.) 120-51-4	0.197125 - 0.7885	9.3B: Ecotoxicity to terrestrial vertebrates B, H432 Flam. Liq. Not classified 6.1D: Acute Tox. 4 (Oral), H302 6.1E: Acute Tox. 5 (Dermal), H313 9.1D: Aquatic Acute 2, H401 9.1B: Aquatic Chronic 2, H411
Prenyl acetate	(CAS-No.) 1191-16-8	0.35 - 0.7	3.1C: Flam. Liq. 3, H226 6.1E: Acute Tox. 5 (Oral), H303
Styralyl acetate	(CAS-No.) 93-92-5	0.25 - 0.5	3.1D: Flam. Liq. 4, H227 Acute Tox. Not classified (Oral) 9.1D: Aquatic Acute 3, H402
Butylphenyl methylpropional	(CAS-No.) 80-54-6	0.2 - 0.4	9.3C: Ecotoxicity to terrestrial vertebrates C, H433 3.1D: Flam. Liq. 4, H227 6.1D: Acute Tox. 4 (Oral), H302 Acute Tox. Not classified (Dermal) 6.3A: Skin Irrit. 2, H315 6.5B: Skin Sens. 1, H317 6.8B: Repr. 2, H361 9.1D: Aquatic Acute 2, H401 9.1B: Aquatic Chronic 2, H411
Isoamyl acetate	(CAS-No.) 123-92-2	0.2 - 0.4	3.1C: Flam. Liq. 3, H226
Leaf alcohol	(CAS-No.) 928-96-1	0.2 - 0.4	3.1C: Flam. Liq. 3, H226 6.1E: Acute Tox. 5 (Oral), H303 6.1E: Acute Tox. 5 (Dermal), H313 6.4A: Eye Irrit. 2, H319 Aquatic Acute Not classified
Triplal (Vertocitral)	(CAS-No.) 68039-49-6	0.2 - 0.4	3.1D: Flam. Liq. 4, H227 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317 9.1C: Aquatic Chronic 3, H412
Diphenyl oxide	(CAS-No.) 101-84-8	0.15 - 0.3	6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) 6.1D: Acute Tox. 4 (Inhalation:dust,mist), H332 6.4A: Eye Irrit. 2, H319 9.1A: Aquatic Acute 1, H400 9.1A: Aquatic Chronic 1, H410
Isoamyl butyrate	(CAS-No.) 106-27-4	0.15 - 0.3	3.1C: Flam. Liq. 3, H226 Acute Tox. Not classified (Oral)
gamma-Octalactone	(CAS-No.) 104-50-7	0.15 - 0.3	Flam. Liq. Not classified 6.1E: Acute Tox. 5 (Oral), H303
cis-3-Hexenyl acetate	(CAS-No.) 3681-71-8	0.15 - 0.3	3.1C: Flam. Liq. 3, H226 Acute Tox. Not classified (Oral) 9.1D: Aquatic Acute 3, H402
Ambercore	(CAS-No.) 139504-68-0	0.1 - 0.2	Flam. Liq. Not classified 9.1B: Aquatic Chronic 2, H411
Amyl formate	(CAS-No.) 638-49-3	0.1 - 0.2	3.1C: Flam. Liq. 3, H226 6.4A: Eye Irrit. 2, H319 6.1E (Respiratory tract irritant) : STOT SE 3, H335
Dimethylbenzyl carbinyl butyrate(DMBCB)	(CAS-No.) 10094-34-5	0.1 - 0.2	Flam. Liq. Not classified Acute Tox. Not classified (Oral) 6.3A: Skin Irrit. 2, H315 9.1B: Aquatic Chronic 2, H411
Coumarin crystals	(CAS-No.) 91-64-5	0.1 - 0.2	6.1C: Acute Tox. 3 (Oral), H301 6.1C: Acute Tox. 3 (Dermal), H311 6.5B: Skin Sens. 1, H317 9.1B: Aquatic Chronic 2, H411
Anisic aldehyde	(CAS-No.) 123-11-5	0.07225 - 0.189	Flam. Liq. Not classified Acute Tox. Not classified (Dermal) 9.1C: Aquatic Chronic 3, H412
gamma-Decalactone	(CAS-No.) 706-14-9	0.05 - 0.1	Flam. Liq. Not classified 9.1D: Aquatic Acute 3, H402
Heliotropine crystals	(CAS-No.) 120-57-0	0.02125 - 0.085	6.1E: Acute Tox. 5 (Oral), H303 6.5B: Skin Sens. 1, H317 9.1D: Aquatic Acute 2, H401

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Wash with plenty of water/…. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : If eye irritation persists: Get medical advice/attention. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Causes serious eye irritation. Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid.

Explosion hazard : May form flammable/explosive vapour-air mixture.

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

EAC code : •3Z - •3Z

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Notify authorities if product enters sewers or public waters.

SECTION 7: Handling and storage, including how the chemical may be safely used

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Precautions for safe handling : Ensure good ventilation of the work station. No open flames. No smoking. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Keep in fireproof place. Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool. Store locked up.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Heat sources. Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

d-Limonene (5989-27-5)	
Germany - Occupational Exposure Limits (TRGS 900)	
Occupational exposure limit value (mg/m³)	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Occupational exposure limit value (ppm)	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Chemical category	Skin notation, Skin sensitization
Isobutyl acetate (110-19-0)	
New Zealand - Occupational Exposure Limits	
TWA (mg/m³)	713 mg/m³
TWA (ppm)	150 ppm
Malaysia - Occupational Exposure Limits	
PEL TWA (mg/m³)	713 mg/m³
PEL TWA (ppm)	150 ppm
Korea - Occupational Exposure Limits	
ISHA	Hazardous Substances Subject to Control - Organic Compounds
ISHA TWA (ppm)	150 ppm
ISHA STEL (ppm)	187 ppm
Singapore - Occupational Exposure Limits	
OEL PEL (mg/m³)	713 mg/m³
OEL PEL (ppm)	150 ppm
Germany - Occupational Exposure Limits (TRGS 900)	
Occupational exposure limit value (mg/m³)	300 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Occupational exposure limit value (ppm)	62 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
United Kingdom - Occupational Exposure Limits	
WEL TWA (mg/m³)	724 mg/m³
WEL TWA (ppm)	150 ppm
WEL STEL (mg/m³)	903 mg/m³

Isobutyl acetate (110-19-0)	
WEL STEL (ppm)	187 ppm
USA - ACGIH - Occupational Exposure Limits	
ACGIH TWA (ppm)	50 ppm (Butyl acetates, all isomers)
ACGIH STEL (ppm)	150 ppm (Butyl acetates, all isomers)
Butylated hydroxytoluene (BHT) crystals (128-37-0)	
New Zealand - Occupational Exposure Limits	
TWA (mg/m³)	10 mg/m³
Malaysia - Occupational Exposure Limits	
PEL TWA (mg/m³)	10 mg/m³
Korea - Occupational Exposure Limits	
ISHA TWA (mg/m³)	2 mg/m³
Singapore - Occupational Exposure Limits	
OEL PEL (mg/m³)	10 mg/m³
Germany - Occupational Exposure Limits (TRGS 900)	
Occupational exposure limit value (mg/m³)	10 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction)
United Kingdom - Occupational Exposure Limits	
WEL TWA (mg/m³)	10 mg/m³
WEL STEL (mg/m³)	30 mg/m³ (calculated)
USA - ACGIH - Occupational Exposure Limits	
ACGIH TWA (mg/m³)	2 mg/m³ (inhalable fraction and vapor)
ACGIH chemical category	Not Classifiable as a Human Carcinogen
Isoamyl acetate (123-92-2)	
New Zealand - Occupational Exposure Limits	
TWA (mg/m³)	532 mg/m³
TWA (ppm)	100 ppm
Malaysia - Occupational Exposure Limits	
PEL TWA (mg/m³)	532 mg/m³
PEL TWA (ppm)	100 ppm
Korea - Occupational Exposure Limits	
ISHA	Hazardous Substances Subject to Control - Organic Compounds
ISHA TWA (ppm)	50 ppm
ISHA STEL (ppm)	100 ppm
Singapore - Occupational Exposure Limits	
OEL PEL (mg/m³)	532 mg/m³
OEL PEL (ppm)	100 ppm
Germany - Occupational Exposure Limits (TRGS 900)	
Occupational exposure limit value (mg/m³)	270 mg/m³
Occupational exposure limit value (ppm)	50 ppm
USA - ACGIH - Occupational Exposure Limits	
ACGIH TWA (ppm)	50 ppm (Pentyl acetate, all isomers)
ACGIH STEL (ppm)	100 ppm (Pentyl acetate, all isomers)
Diphenyl oxide (101-84-8)	
New Zealand - Occupational Exposure Limits	
TWA (mg/m³)	7 mg/m³ (vapour)
TWA (ppm)	1 ppm (vapour)
STEL (mg/m³)	14 mg/m³ (vapour)
STEL (ppm)	2 ppm (vapour)
Malaysia - Occupational Exposure Limits	
PEL TWA (mg/m³)	7 mg/m³ (vapor)
PEL TWA (ppm)	1 ppm (vapor)
China - Occupational Exposure Limits	
OEL TWA	7 mg/m³
OEL STEL	14 mg/m³
Catalogue of Occupational Hazard Factors	Category 3 - Chemicals
Korea - Occupational Exposure Limits	
ISHA TWA (ppm)	1 ppm (vapor)
ISHA STEL (ppm)	2 ppm (vapor)

Diphenyl oxide (101-84-8)	
Singapore - Occupational Exposure Limits	
OEL PEL (mg/m³)	7 mg/m³
OEL PEL (ppm)	1 ppm
OEL STEL (mg/m³)	14 mg/m³
OEL STEL (ppm)	2 ppm
Germany - Occupational Exposure Limits (TRGS 900)	
Occupational exposure limit value (mg/m³)	7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)
Occupational exposure limit value (ppm)	1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)
United Kingdom - Occupational Exposure Limits	
WEL TWA (mg/m³)	7.1 mg/m³ (vapour)
WEL TWA (ppm)	1 ppm (vapour)
WEL STEL (mg/m³)	21.3 mg/m³ (calculated-vapour)
WEL STEL (ppm)	3 ppm (calculated-vapour)
USA - ACGIH - Occupational Exposure Limits	
ACGIH TWA (ppm)	1 ppm (vapor)
ACGIH STEL (ppm)	2 ppm (vapor)
Ambercore (139504-68-0)	
Korea - Occupational Exposure Limits	
ISHA	Name, Toxicity and Protective Measures of New Chemical

Exposure limit values for the other components

No additional information available

8.2. Monitoring

No additional information available

8.3. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses. Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear appropriate mask. [In case of inadequate ventilation] wear respiratory protection.

Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

Physical state : Liquid
Appearance : No data available
Colour : light yellow,amber
Odour : characteristic
Odour threshold : No data available
pH : No data available
Evaporation rate : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point / Freezing point : Melting point : Not applicable
Boiling point : No data available
Flash point : 65 °C (closed cup) ASTM D7094
Auto-ignition temperature : No data available
Flammability (solid, gas) : Combustible liquid,Non flammable.
Vapour pressure : No data available
Relative density : No data available
Density : Relative density : ≈ 0.95
Solubility : No data available
Log Pow : No data available
Viscosity, kinematic : No data available

Viscosity, dynamic	:	No data available
Explosive properties	:	No data available
Explosive limits	:	No data available
Minimum ignition energy	:	No data available

SECTION 10: Stability and reactivity

Reactivity	:	The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	:	Combustible liquid. May form flammable/explosive vapour-air mixture. Not established.
Possibility of hazardous reactions	:	Not established.
Conditions to avoid	:	Open flame. Overheating. Direct sunlight. Sparks. Extremely high or low temperatures. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.
Incompatible materials	:	Strong acids. Strong bases.
Hazardous decomposition products	:	May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	:	Not classified
Acute toxicity (dermal)	:	Not classified
Acute toxicity (inhalation)	:	Not classified

Verdox (88-41-5)	
LD50 oral rat	4600 mg/kg
LD50 oral	4600 mg/kg bodyweight
Geranyl acetate (105-87-3)	
LD50 oral rat	6330 mg/kg
Hexyl acetate (142-92-7)	
LD50 oral rat	42 g/kg
LD50 dermal rabbit	> 5 g/kg
Cinnamic aldehyde (104-55-2)	
LD50 oral rat	2220 mg/kg
LD50 oral	2500 mg/kg bodyweight
LD50 dermal rabbit	1260 mg/kg
LD50 dermal	1100 mg/kg bodyweight
Eugenol (97-53-0)	
LD50 oral rat	1930 mg/kg
LD50 oral	2500 mg/kg bodyweight
Citronellyl acetate (mixed Isomers) (150-84-5)	
LD50 oral rat	6800 mg/kg
d-Limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5 g/kg
Aldehyde C-14 (104-67-6)	
LD50 oral rat	18500 mg/kg
Veltol plus crystals (4940-11-8)	
LD50 oral rat	1150 mg/kg
LD50 oral	1200 mg/kg bodyweight
Isobutyl acetate (110-19-0)	
LD50 oral rat	15400 mg/kg
LD50 dermal rabbit	> 17400 mg/kg
Hexyl cinnamic aldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg
LD50 oral	3100 mg/kg bodyweight
LD50 dermal rabbit	> 3000 mg/kg
LC50 inhalation rat (mg/l)	> 5 mg/l/4h
Ethylene brassylate (105-95-3)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Fructone (6413-10-1)	
LD50 oral rat	> 5 g/kg

Butylated hydroxytoluene (BHT) crystals (128-37-0)	
LD50 oral rat	> 2930 mg/kg
LD50 dermal rat	> 2000 mg/kg
Ethyl vanillin crystals (121-32-4)	
LD50 oral rat	1590 mg/kg
LD50 oral	3000 mg/kg bodyweight
Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg
LD50 oral	1500 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg
LD50 dermal	4000 mg/kg bodyweight
Prenyl acetate (1191-16-8)	
LD50 oral rat	2900 mg/kg
LD50 oral	3000 mg/kg bodyweight
Styralyl acetate (93-92-5)	
LD50 oral rat	> 5 g/kg
Triplal (Vertocitral) (68039-49-6)	
LD50 oral	3900 mg/kg bodyweight
Leaf alcohol (928-96-1)	
LD50 oral rat	4700 mg/kg
LD50 dermal rabbit	5000 mg/kg
Butylphenyl methylpropional (80-54-6)	
LD50 oral rat	1390 mg/kg
LD50 oral	1390 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 1802 mg/m³ (Exposure time: 4 h)
cis-3-Hexenyl acetate (3681-71-8)	
LD50 oral rat	> 5 g/kg
gamma-Octalactone (104-50-7)	
LD50 oral rat	4400 mg/kg
LD50 oral	4400 mg/kg bodyweight
Isoamyl butyrate (106-27-4)	
LD50 oral rat	> 5 g/kg
Diphenyl oxide (101-84-8)	
LD50 oral rat	2450 mg/kg
LD50 oral	2830 mg/kg bodyweight
LD50 dermal rabbit	> 7940 mg/kg
LC50 inhalation rat (Dust/Mist - mg/l/4h)	1.5 mg/l/4h
Coumarin crystals (91-64-5)	
LD50 oral rat	> 5000 mg/kg
LD50 oral	500 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg
Dimethylbenzyl carbinyl butyrate(DMBCB) (10094-34-5)	
LD50 oral rat	> 5 g/kg
Amyl formate (638-49-3)	
LD50 oral rat	> 5 g/kg
Anisic aldehyde (123-11-5)	
LD50 oral rat	> 2000 mg/kg
LD50 oral	3210 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 0.32 mg/l (Exposure time: 7 h)
Heliotropine crystals (120-57-0)	
LD50 oral rat	2700 mg/kg

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Causes serious eye irritation.
Respiratory or skin sensitisation : May cause an allergic skin reaction.
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

Sweet Poached Pear #7696F	
Viscosity, kinematic	

Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Ecology - water	: Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.
Soil toxicity	: Not classified
Terrestrial vertebrate toxicity	: Harmful to terrestrial vertebrates.
Terrestrial invertebrate toxicity	: Not classified
Other information	: Avoid release to the environment.

Verdox (88-41-5)	
LD50 oral rat	4600 mg/kg
Geranyl acetate (105-87-3)	
LD50 oral rat	6330 mg/kg
Hexyl acetate (142-92-7)	
LC50 fish 1	3.7 - 4.4 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LD50 dermal rabbit	> 5 g/kg
LD50 oral rat	42 g/kg
Cinnamic aldehyde (104-55-2)	
Log Pow	2.22 (at 18 °C)
LD50 dermal rabbit	1260 mg/kg
LD50 oral rat	2220 mg/kg
Eugenol (97-53-0)	
LC50 fish 1	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
LD50 oral rat	1930 mg/kg
Citronellyl acetate (mixed Isomers) (150-84-5)	
LC50 fish 1	6.1 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
LD50 oral rat	6800 mg/kg
d-Limonene (5989-27-5)	
LC50 fish 1	0.619 - 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
LD50 dermal rabbit	> 5 g/kg
LD50 oral rat	4400 mg/kg
Aldehyde C-14 (104-67-6)	
LC50 fish 1	569 mg/l 96 h
EC50 Daphnia 1	5.85 mg/l 48 h
EC50 other aquatic organisms 1	5.94 mg/l 72 h
LD50 oral rat	18500 mg/kg
Veltol plus crystals (4940-11-8)	
LC50 fish 1	> 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
LD50 oral rat	1150 mg/kg
Isobutyl acetate (110-19-0)	
LC50 fish 1	17 mg/l (Exposure time: 96 h - Species: Oryzias latipes)
BCF fish 1	(no significant bioconcentration)
Log Pow	1.72
LD50 dermal rabbit	> 17400 mg/kg
LD50 oral rat	15400 mg/kg

Hexyl cinnamic aldehyde (101-86-0)	
LD50 dermal rabbit	> 3000 mg/kg
LD50 oral rat	3100 mg/kg
Ethylene brassylate (105-95-3)	
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	> 5000 mg/kg
Fructone (6413-10-1)	
LC50 fish 1	> 100 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])
LD50 oral rat	> 5 g/kg
Butylated hydroxytoluene (BHT) crystals (128-37-0)	
EC50 72h algae (1)	6 mg/l (Species: Pseudokirchneriella subcapitata)
EC50 72h algae (2)	> 0.42 mg/l (Species: Desmodesmus subspicatus)
BCF fish 1	230 - 2500
Log Pow	4.17
	> 2000 mg/kg
LD50 oral rat	> 2930 mg/kg
Ethyl vanillin crystals (121-32-4)	
LC50 fish 1	81.4 - 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LD50 oral rat	1590 mg/kg
Benzyl benzoate (120-51-4)	
LC50 fish 1	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic)	0.168 mg/l
Log Pow	4
LD50 dermal rabbit	4000 mg/kg
LD50 oral rat	500 mg/kg
Prenyl acetate (1191-16-8)	
LD50 oral rat	2900 mg/kg
Styralyl acetate (93-92-5)	
LC50 fish 1	18.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
LD50 oral rat	> 5 g/kg
Leaf alcohol (928-96-1)	
LC50 fish 1	352 - 412 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LD50 dermal rabbit	5000 mg/kg
LD50 oral rat	4700 mg/kg
Butylphenyl methylpropional (80-54-6)	
LC50 fish 1	2.2 - 4.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
EC50 Daphnia 1	10.7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Log Pow	4.2 (at 24 °C)
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	1390 mg/kg
cis-3-Hexenyl acetate (3681-71-8)	
LC50 fish 1	13 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])
LD50 oral rat	> 5 g/kg
gamma-Octalactone (104-50-7)	
LD50 oral rat	4400 mg/kg
Isoamyl butyrate (106-27-4)	
LD50 oral rat	> 5 g/kg
Diphenyl oxide (101-84-8)	
LC50 fish 1	4 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	4 - 7.9 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	0.11 - 1.1 mg/l (Exposure time: 48 h - Species: Daphnia magna)
BCF fish 1	470
Log Pow	4.2
LD50 dermal rabbit	> 7940 mg/kg
LD50 oral rat	2450 mg/kg
Coumarin crystals (91-64-5)	
	> 2000 mg/kg
LD50 oral rat	> 5000 mg/kg

Dimethylbenzyl carbinyl butyrate(DMBCB) (10094-34-5)	
LD50 oral rat	> 5 g/kg
Amyl formate (638-49-3)	
LD50 oral rat	> 5 g/kg
Anisic aldehyde (123-11-5)	
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	> 2000 mg/kg
gamma-Decalactone (706-14-9)	
LC50 fish 1	17.1 - 19 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
Log Pow	2.72
Heliotropine crystals (120-57-0)	
LC50 fish 1	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static])
LD50 oral rat	2700 mg/kg

12.2. Persistence and degradability

Sweet Poached Pear #7696F	
Persistence and degradability	May cause long-term adverse effects in the environment. Not established.
Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Sweet Poached Pear #7696F	
Bioaccumulative potential	Not established.
Cinnamic aldehyde (104-55-2)	
Log Pow	See section 12.1 on ecotoxicology
Isobutyl acetate (110-19-0)	
BCF fish 1	See section 12.1 on ecotoxicology
Log Pow	See section 12.1 on ecotoxicology
Butylated hydroxytoluene (BHT) crystals (128-37-0)	
BCF fish 1	See section 12.1 on ecotoxicology
Log Pow	See section 12.1 on ecotoxicology
Benzyl benzoate (120-51-4)	
Log Pow	See section 12.1 on ecotoxicology
Bioaccumulative potential	Not established.
Butylphenyl methylpropional (80-54-6)	
Log Pow	See section 12.1 on ecotoxicology
Diphenyl oxide (101-84-8)	
BCF fish 1	See section 12.1 on ecotoxicology
Log Pow	See section 12.1 on ecotoxicology
gamma-Decalactone (706-14-9)	
Log Pow	See section 12.1 on ecotoxicology

12.4. Mobility in soil

Sweet Poached Pear #7696F	
Mobility in soil	No additional information available
Cinnamic aldehyde (104-55-2)	
Log Pow	See section 12.1 on ecotoxicology
Isobutyl acetate (110-19-0)	
Log Pow	See section 12.1 on ecotoxicology
Butylated hydroxytoluene (BHT) crystals (128-37-0)	
Log Pow	See section 12.1 on ecotoxicology
Benzyl benzoate (120-51-4)	
Log Pow	See section 12.1 on ecotoxicology
Butylphenyl methylpropional (80-54-6)	
Log Pow	See section 12.1 on ecotoxicology
Diphenyl oxide (101-84-8)	
Log Pow	See section 12.1 on ecotoxicology
gamma-Decalactone (706-14-9)	
Log Pow	See section 12.1 on ecotoxicology

12.5. Other adverse effects

Ozone	:	Not classified
Other adverse effects	:	No additional information available

SECTION 13: Disposal considerations

Waste treatment methods	:	Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	:	Dispose of contents/container in accordance with local/national laws and regulations. Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	:	Avoid release to the environment.
Additional information	:	Handle empty containers with care because residual vapours are flammable.

SECTION 14: Transport information

14.1. UN number

UN-No.(UN RTDG)	:	Not applicable
UN-No. (IMDG)	:	3082
UN-No. (IATA)	:	3082

14.2. Proper Shipping Name

Proper Shipping Name (UN RTDG)	:	(ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-Limonene))
Proper Shipping Name (IMDG)	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-Limonene)
Proper Shipping Name (IATA)	:	Environmentally hazardous substance, liquid, n.o.s. (d-Limonene)

14.3. Transport hazard class(es)

UN RTDG

Transport hazard class(es) (UN RTDG) : Not applicable

:

IMDG

Transport hazard class(es) (IMDG)	:	9
Danger labels (IMDG)	:	9

:

IATA

Transport hazard class(es) (IATA)	:	9
Danger labels (IATA)	:	9

:



14.4. Packing group

Packing group (UN RTDG)	:	Not applicable
Packing group (IMDG)	:	III
Packing group (IATA)	:	III

14.5. Environmental hazards

Dangerous for the environment	:	True
Marine pollutant	:	Yes
Other information	:	No supplementary information available

14.6. Special precautions for user

UN RTDG

No data available

IMDG

Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP2, TP29
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS
Stowage category (IMDG)	: A

IATA

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197
ERG code (IATA)	: 9L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

14.8. Hazchem or Emergency Action Code

EAC code : •3Z.

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

Food Additives and Fragrance Materials (Subsidiary Hazard) Group Standard 2017

HSNO Approval Number : HSR002578

Hexyl acetate (142-92-7)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR004050

Cinnamic aldehyde (104-55-2)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR002786

Eugenol (97-53-0)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003486

d-Limonene (5989-27-5)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR002725

Aldehyde C-14 (104-67-6)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003507

Isobutyl acetate (110-19-0)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR001092

Ethyl 2-methylbutyrate (7452-79-1)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR005554

Butylated hydroxytoluene (BHT) crystals (128-37-0)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR002784

Ethyl vanillin crystals (121-32-4)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR004802

Benzyl benzoate (120-51-4)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003504

Triplal (Vertocitral) (68039-49-6)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003489

Leaf alcohol (928-96-1)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003488

Isoamyl acetate (123-92-2)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR001171

Diphenyl oxide (101-84-8)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003050

Coumarin crystals (91-64-5)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003237

Amyl formate (638-49-3)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR005235

Anisic aldehyde (123-11-5)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003496

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Date of issue : 12/4/2019

Other information : None.

Full text of H-statements:

3.1B: Flam. Liq. 2	3.1B: Flammable liquids, Category 2
3.1C: Flam. Liq. 3	3.1C: Flammable liquids, Category 3
3.1D: Flam. Liq. 4	3.1D: Flammable liquids, Category 4

6.1C: Acute Tox. 3 (Dermal)	6.1C: Acute toxicity (dermal), Category 3
6.1C: Acute Tox. 3 (Oral)	6.1C: Acute toxicity (oral), Category 3
6.1D: Acute Tox. 4 (Dermal)	6.1D: Acute toxicity (dermal), Category 4
6.1D: Acute Tox. 4 (Inhalation:dust,mist)	6.1D: Acute toxicity (inhalation:dust,mist) Category 4
6.1D: Acute Tox. 4 (Oral)	6.1D: Acute toxicity (oral), Category 4
6.1E (Respiratory tract irritant) : STOT SE 3	6.1E (Respiratory tract irritant) : Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
6.1E: Acute Tox. 5 (Dermal)	6.1E: Acute toxicity (dermal), Category 5
6.1E: Acute Tox. 5 (Oral)	6.1E: Acute toxicity (oral), Category 5
6.1E: Asp. Tox. 1	6.1E: Aspiration hazard, Category 1
6.3A: Skin Irrit. 2	6.3A: Skin corrosion/irritation, Category 2
6.4A: Eye Irrit. 2	6.4A: Serious eye damage/eye irritation, Category 2
6.5B: Skin Sens. 1	6.5B: Skin sensitisation, Category 1
6.8B: Repr. 2	6.8B: Reproductive toxicity, Category 2
6.9B (Narcotic) : STOT SE 3	6.9B (Narcotic) : Specific target organ toxicity — Single exposure, Category 3, Narcosis
9.1A: Aquatic Acute 1	9.1A: Hazardous to the aquatic environment — Acute Hazard, Category 1
9.1A: Aquatic Chronic 1	9.1A: Hazardous to the aquatic environment — Chronic Hazard, Category 1
9.1B: Aquatic Chronic 2	9.1B: Hazardous to the aquatic environment — Chronic Hazard, Category 2
9.1C: Aquatic Chronic 3	9.1C: Hazardous to the aquatic environment — Chronic Hazard, Category 3
9.1D: Aquatic Acute 2	9.1D: Hazardous to the aquatic environment — Acute Hazard, Category 2
9.1D: Aquatic Acute 3	9.1D: Hazardous to the aquatic environment — Acute Hazard, Category 3
9.3B: Ecotoxicity to terrestrial vertebrates B	9.3B: Ecotoxicity to terrestrial vertebrates B
9.3C: Ecotoxicity to terrestrial vertebrates C	9.3C: Ecotoxicity to terrestrial vertebrates C
Acute Tox. Not classified (Dermal)	Acute toxicity (dermal) Not classified
Acute Tox. Not classified (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Not classified
Acute Tox. Not classified (Oral)	Acute toxicity (oral) Not classified
Aquatic Acute Not classified	Hazardous to the aquatic environment - Acute Hazard Not classified
Flam. Liq. Not classified	Flammable liquids Not classified
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H227	Combustible liquid
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H313	May be harmful in contact with skin

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H432	Toxic to terrestrial vertebrates
H433	Harmful to terrestrial vertebrates

CANDLE CREATIONS SDS NEW ZEALAND

The data contained in this Safety Data Sheet is accurate to the best knowledge of Cancel Creations, applies to the product as supplied by Candle Creations and does not relate to use in combination with any other material or in any process. Data and information are furnished without warranty expressed or implied, nor does Candle Creations assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact info@candlecreations.co.nz