



GUAVA LYCHEE SORBET F24-0758

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)
Issue date: 5/20/2024 Version: 1.0

SECTION 1: Identification

1.1 Product identifier

Trade name : GUAVA LYCHEE SORBET F24-0758
Product form : Mixture
Type of product : Perfumes, Fragrances
Product code : F24-0758

1.2 Other means of identification

No additional information available

1.3 Recommended use of the chemical and restrictions on use

Recommended use : Perfumes, Fragrances

1.4 Details of manufacturer or importer

CANDLE CREATIONS
34B WILLIAM PICKERING DRIVE,
ROSEDALE, AUCKLAND, 0632,
NEW ZEALAND
T +64-9448-1920
info@candlecreations.co.nz - www.candlecreations.co.nz

1.5. Emergency phone number

Emergency number : NZ NATIONAL POISONS CENTRE – 0800 POISON (0800-764-766)

SECTION 2: Hazard identification

2.1. Classification of the hazardous chemical

Classification according to the Environmental Protection Authority notices (EPA Hazardous Substances and New Organisms Act 1996)

Flammable liquids Category 4	H227
Skin sensitization, Category 1	H317
Reproductive toxicity Category 2	H361
Hazardous to the aquatic environment – Chronic Hazard Category 3	H412

2.2. GHS Label elements, including precautionary statements

GHS NZ labelling

Hazard pictograms (GHS NZ)



Signal word (GHS NZ) : Warning

Contains : Ethylene brassylate (1.8 – 3.6 %); Orange oil (1.7 – 3.3 %); Aldehyde C-16 (0.6 – 1.2 %);
Lime oil distilled (0.4 – 0.7 %); citral (0.4 – 0.7 %); Triplal (Vertocitral) (0.2 – 0.363 %)

Hazard statements (GHS NZ) : H227 - Combustible liquid
H317 - May cause an allergic skin reaction
H361 - Suspected of damaging fertility or the unborn child
H412 - Harmful to aquatic life with long lasting effects

Prevention : P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
No smoking.
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

GUAVA LYCHEE SORBET F24-0758

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition and information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to GHS NZ
Ethylene brassylate	CAS-No.: 105-95-3	1.8 – 3.6	Aquatic Chronic 2, H411
Orange oil	CAS-No.: 8008-57-9	1.7 – 3.3	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Verdox	CAS-No.: 88-41-5	1 – 2	Aquatic Chronic 2, H411
Aldehyde C-16	CAS-No.: 77-83-8	0.6 – 1.2	Skin Sens. 1, H317 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Benzyl acetate	CAS-No.: 140-11-4	0.5 – 1	Flam. Liq. 4, H227 Aquatic Chronic 3, H412
Lime oil distilled	CAS-No.: 8008-26-2	0.4 – 0.7	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Asp. Tox. 1, H304 Aquatic Chronic 1, H410
citral	CAS-No.: 5392-40-5	0.4 – 0.7	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Acute 2, H401
Camphene	CAS-No.: 79-92-5	0.2 – 0.4	Flam. Sol. 2, H228 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Triplal (Vertocitral)	CAS-No.: 68039-49-6	0.2 – 0.363	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412

GUAVA LYCHEE SORBET F24-0758

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center/doctor/physician if you feel unwell.

4.2. Symptoms caused by exposure

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: None under normal conditions.

4.3. Medical attention and special treatment

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard	: Combustible liquid.
Explosion hazard	: No direct explosion hazard.
General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.
------------------	---

GUAVA LYCHEE SORBET F24-0758

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

6.1.1. For non-emergency personnel

- | | |
|----------------------|--|
| Protective equipment | : Wear recommended personal protective equipment. |
| Emergency procedures | : Ventilate spillage area. Evacuate unnecessary personnel. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. |

6.1.2. For emergency responders

- | | |
|----------------------|--|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Ventilate area. Evacuate unnecessary personnel. Stop leak if safe to do so. |

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and materials for containment and cleaning up

- | | |
|-------------------------|--|
| For containment | : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. |
| Methods for cleaning up | : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Notify authorities if product enters sewers or public waters. |

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- | | |
|-----------------------------------|--|
| Additional hazards when processed | : Not expected to present a significant hazard under anticipated conditions of normal use. |
| Precautions for safe handling | : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. |
| Hygiene measures | : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |

7.2. Conditions for safe storage, including any incompatibilities

- | | |
|----------------------------|--|
| Technical measures | : Keep in a cool, well-ventilated place away from heat. |
| Storage conditions | : Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool. Store locked up. |
| Incompatible products | : Strong bases. Strong acids. |
| Incompatible materials | : Sources of ignition. Direct sunlight. |
| Storage temperature | : 25 °C |
| Storage area | : Store in a well-ventilated place. Store away from heat. |
| Special rules on packaging | : Store in a closed container. |
| Packaging materials | : Do not store in corrodable metal. Store always product in container of same material as original container. |

SECTION 8: Exposure controls and personal protection

8.1. Control parameters - exposure standards

GUAVA LYCHEE SORBET F24-0758

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

Benzyl acetate (140-11-4)	
Malaysia - Occupational Exposure Limits	
PEL (OEL TWA)	61 mg/m ³ 10 ppm
MEL (mg/m ³)	183 mg/m ³
MEL (ppm)	30 ppm
China - Occupational Exposure Limits	
Catalogue of Occupational Hazard Factors	Category 2 - Chemical Factors
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	10 ppm
ACGIH chemical category	Not Classifiable as a Human Carcinogen
citral (5392-40-5)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	5 ppm (inhalable fraction and vapor)
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer
Camphene (79-92-5)	
New Zealand - Occupational Exposure Limits	
WES-TWA (OEL TWA)	28 mg/m ³ (Turpentine and monoterpenes)
	5 ppm (Turpentine and monoterpenes)
WES-STEL (OEL STEL)	56 mg/m ³ (Turpentine and monoterpenes)
	10 ppm (Turpentine and monoterpenes)
Chemical category	Skin absorption, dermal sensitiser

Exposure limit values of other components

No additional information available

8.2. Monitoring methods

No additional information available

8.3. Engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.4. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses. Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear appropriate mask. [In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s)



Environmental exposure controls	: Avoid release to the environment.
Other information	: Do not eat, drink or smoke during use.

GUAVA LYCHEE SORBET F24-0758

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

SECTION 9: Physical and chemical properties

Physical state	: Liquid
Appearance	: No data available
Color	: light yellow amber
Odor	: characteristic
Odor threshold	: No additional information available
pH	: No additional information available
Evaporation rate	: No additional information available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point / Freezing point	: Melting point: Not applicable
Boiling point	: No data available
Flash point	: 79 °C
Auto-ignition temperature	: No data available
Flammability	: Not applicable, Combustible liquid
Vapor pressure	: No additional information available
Relative density	: No additional information available
Density	: No additional information available
Solubility	: No additional information available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Explosion limits	: No additional information available
Minimum ignition energy	: No data available

SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Not established.
Possibility of hazardous reactions	: Not established.
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.
Incompatible materials	: Strong acids. Strong bases.
Hazardous decomposition products	: fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Transport hazard class(es)

11.1. Toxicity

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Ethylene brassylate (105-95-3)

LD50 oral rat	> 5000 mg/kg (Source: ECHA)
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)

Orange oil (8008-57-9)

LD50 oral rat	4400 mg/kg (Source: NZ_CCID)
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)

Verdox (88-41-5)

LD50 oral rat	4600 mg/kg (Source: NLM_CIP)
LD50 oral	4600 mg/kg

Aldehyde C-16 (77-83-8)

LD50 oral rat	5470 mg/kg (Source: NLM_CIP)
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)

GUAVA LYCHEE SORBET F24-0758

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

Benzyl acetate (140-11-4)	
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)
LD50 oral	2490 mg/kg body weight
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)
Lime oil distilled (8008-26-2)	
LD50 oral rat	5600 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
citral (5392-40-5)	
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)
Camphene (79-92-5)	
LD50 oral rat	5600 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Triplal (Vertocitral) (68039-49-6)	
LD50 oral	2330 mg/kg
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Orange oil (8008-57-9)	
Hydrocarbon	Yes
Camphene (79-92-5)	
Hydrocarbon	Yes
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Document changes control

12.1. Ecotoxicity

Ecology - general	: Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified.
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.
Soil toxicity	: Not classified
Terrestrial vertebrate toxicity	: Not classified
Terrestrial invertebrate toxicity	: Not classified
Other information	: Avoid release to the environment.

Ethylene brassylate (105-95-3)	
Partition coefficient n-octanol/water (Log Pow)	4.3 (at 25 °C (at pH 6.4-7)
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)

GUAVA LYCHEE SORBET F24-0758

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

Ethylene brassylate (105-95-3)	
LD50 oral rat	> 5000 mg/kg (Source: ECHA)
Orange oil (8008-57-9)	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)
LD50 oral rat	4400 mg/kg (Source: NZ_CCID)
Verdox (88-41-5)	
LD50 oral rat	4600 mg/kg (Source: NLM_CIP)
Aldehyde C-16 (77-83-8)	
LC50 - Fish [1]	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C (cis isomer)
	> 2000 mg/kg (Source: ECHA_API)
LD50 oral rat	5470 mg/kg (Source: NLM_CIP)
Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)
Lime oil distilled (8008-26-2)	
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	5600 mg/kg
citral (5392-40-5)	
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)
Camphene (79-92-5)	
LC50 - Fish [1]	0.72 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [flow-through] Source: IUCLID)
LC50 - Fish [2]	150 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static] Source: IUCLID)
EC50 - Crustacea [1]	22 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	> 1000 mg/l (Species: Desmodesmus subspicatus)
Partition coefficient n-octanol/water (Log Pow)	4.22 (at 37 °C (at pH 7.2)
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	5600 mg/kg
12.2. Persistence and degradability	
GUAVA LYCHEE SORBET F24-0758	
Persistence and degradability	Not established.
Ethylene brassylate (105-95-3)	
Persistence and degradability	Rapidly degradable

GUAVA LYCHEE SORBET F24-0758

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

Orange oil (8008-57-9)	
Persistence and degradability	Rapidly degradable
Verdox (88-41-5)	
Persistence and degradability	Rapidly degradable
Aldehyde C-16 (77-83-8)	
Persistence and degradability	Rapidly degradable
Benzyl acetate (140-11-4)	
Persistence and degradability	Rapidly degradable
Lime oil distilled (8008-26-2)	
Persistence and degradability	Rapidly degradable
citral (5392-40-5)	
Persistence and degradability	Rapidly degradable
Camphene (79-92-5)	
Persistence and degradability	Rapidly degradable
Triplal (Vertocitral) (68039-49-6)	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

GUAVA LYCHEE SORBET F24-0758	
Bioaccumulative potential	Not established.
Ethylene brassylate (105-95-3)	
Partition coefficient n-octanol/water (Log Pow)	4.3 (at 25 °C (at pH 6.4-7)
Aldehyde C-16 (77-83-8)	
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C (cis isomer)
Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)
citral (5392-40-5)	
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)
Camphene (79-92-5)	
Partition coefficient n-octanol/water (Log Pow)	4.22 (at 37 °C (at pH 7.2)

12.4. Mobility in soil

GUAVA LYCHEE SORBET F24-0758	
Mobility in soil	No additional information available
Ethylene brassylate (105-95-3)	
Partition coefficient n-octanol/water (Log Pow)	4.3 (at 25 °C (at pH 6.4-7)
Aldehyde C-16 (77-83-8)	
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C (cis isomer)
Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)

GUAVA LYCHEE SORBET F24-0758

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

citral (5392-40-5)

Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)
---	-----------------

Camphene (79-92-5)

Partition coefficient n-octanol/water (Log Pow)	4.22 (at 37 °C (at pH 7.2)
---	----------------------------

12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available

SECTION 13: Disposal considerations

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Disposal must be done according to official regulations.
Ecological information	: Avoid release to the environment.
Additional information	: Do not re-use empty containers.

SECTION 14: Transport information

In accordance with IMDG / IATA / UN RTDG

14.1. UN number

UN-No. (UN RTDG)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable

14.2. UN proper shipping name

Proper Shipping Name (UN RTDG)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable

14.3. Transport hazard class(es)

UN RTDG

Transport hazard class(es) (UN RTDG)	: Not applicable
--------------------------------------	------------------

IMDG

Transport hazard class(es) (IMDG)	: Not applicable
-----------------------------------	------------------

IATA

Transport hazard class(es) (IATA)	: Not applicable
-----------------------------------	------------------

14.4. Packing group

Packing group (UN RTDG)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable

14.5. Emergency telephone number

Other information	: No supplementary information available
-------------------	--

14.6. Special precautions for user

Transport by road and rail

Not applicable

Transport by sea

Not applicable

GUAVA LYCHEE SORBET F24-0758

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

Air transport

Not applicable

14.7. Transport in bulk according to IMO instruments

Not applicable

14.8. Hazchem or Emergency Action Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Orange oil (8008-57-9)

Hazardous Substances and New Organisms Act

HSNO Approval Number	HSR003493
----------------------	-----------

Benzyl acetate (140-11-4)

Hazardous Substances and New Organisms Act

HSNO Approval Number	HSR002908
----------------------	-----------

Lime oil distilled (8008-26-2)

Hazardous Substances and New Organisms Act

HSNO Approval Number	HSR004085
----------------------	-----------

citral (5392-40-5)

Hazardous Substances and New Organisms Act

HSNO Approval Number	HSR002728
----------------------	-----------

Camphene (79-92-5)

Hazardous Substances and New Organisms Act

HSNO Approval Number	HSR001430
----------------------	-----------

Triplal (Vertocitral) (68039-49-6)

Hazardous Substances and New Organisms Act

HSNO Approval Number	HSR003489
----------------------	-----------

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Issue date : 5/20/2024

Other information : None.

Full text of H-phrases

Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard Category 1
-----------------	--

GUAVA LYCHEE SORBET F24-0758

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

Full text of H-phrases	
Aquatic Acute 2	Hazardous to the aquatic environment – Acute Hazard Category 2
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Flam. Liq. 3	Flammable liquids Category 3
Flam. Liq. 4	Flammable liquids Category 4
Flam. Sol. 2	Flammable solids Category 2
Repr. 2	Reproductive toxicity Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
H226	Flammable liquid and vapour
H227	Combustible liquid
H228	Flammable solid
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H361	Suspected of damaging fertility or the unborn child
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

CANDLE CREATIONS SDS NEW ZEALAND

The data contained in this Safety Data Sheet is accurate to the best knowledge of Candle Creations applies to the product as supplied by Candle Creations and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does Candle Creations assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact info@candlecreations.co.nz